

Tender Inviting Authority: Staff Officer (Civil), Argada Area

Name of Work :- "Comprehensive Annual Maintenance Contract of Administrative block and other services buildings under Giddi-C Project, Argada Area. (For a period of 02 years)." (e-tender 39 of 25-26)

|   |  |  |                                    |  |  |
|---|--|--|------------------------------------|--|--|
|   | <b>Category of Services (To Be Selected by Department)</b> | <b>Category of Bidder( To Be Selected by Bidder)</b> | <b>To Be Entered by Department</b> |  |  |
| <b>ITC Available</b>                              | <b>Works Contract</b>                                      | <b>Bidder's Status (Mandatory)</b>                   | <b>Rate of GST (in %)</b>          | <b>GST to be Paid By Bidder (in Rs.)</b> | <b>GST to be Paid By CIL/Subsidiary (in Rs.)</b> |
| <b>Name of the Bidder/ Bidding Firm / Company</b> |  | <b>Select</b>  | <b>18.00</b>                       | <b>0.00</b>                              | <b>0.00</b>                                      |

**PRICE SCHEDULE**

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only )

| NUMBER # | TEXT #  | NUMBER # | TEXT #    | NUMBER                  | NUMBER #              | TEXT #   |
|----------|---|----------|-----------|-------------------------|-----------------------|--|
| Sl. No.  | Item Description  | Quantity | Units     | Estimated Rate in Rs. P | TOTAL AMOUNT in Rs. P | TOTAL AMOUNT In Words  |
| 1        | 2   | 3        | 4         | 5                       | 6                     | 7  |
| 1        | <b>(PART A) MANAGEMENT TEAM</b><br>(CCL SOR 2025; Sub Volume - V: New Items-26)<br>Deployment of Facility Manager for heading the entire team and single point of contact & overall incharge of FM on site operators and reporting to Engineer-in-charge or his representative. (Note: Facility Manager is to be deployed on monthly basis only)  | 24.00    | PER MONTH | 31232.74                | 749585.76             | INR Seven Lakh Forty Nine Thousand Five Hundred & Eighty Five and Paise Seventy Six Only |
| 2        | <b>MAINTENANCE SERVICES (SPECIAL EMERGENT / URGENT NATURE). The deployment will be as per the direction of Facility Manager to meet the <u>services of the colony.</u></b><br>(AOR/2025-26/44) Deployment of 1 (one) no. carpenter (skilled manpower) in general shift for day to day maintenance work related to carpentary work, like repairing of doors, windows, fixing of door and windows fittings and as and when required, as per instruction of EIC. | 104.00   | Day       | 882.75                  | 91806.00              | INR Ninety One Thousand Eight Hundred & Six Only   |
| 3        | (AOR/2025-26/45) Deployment of 1 (one) no. helper (unskilled manpower) for carpentary work in general shift for day to day maintenance work related to carpentary work, like repairing of doors, windows, fixing of door and windows fittings, as and when required as per instruction of EIC.  | 104.00   | Day       | 628.35                  | 65348.40              | INR Sixty Five Thousand Three Hundred & Forty Eight and Paise Forty Only                 |

|    |  |        |     |         |                  |   |
|----|--|--------|-----|---------|------------------|---|
| 4  | (AOR/2025-26/46) Deployment 01 (one) Plumber (skilled manpower) for day to day maintenance works related with plumbing works in General Shift as per instruction of Engineer-in-charge.  | 104.00 | Day | 882.75  | <b>91806.00</b>  | INR Ninety One Thousand Eight Hundred & Six Only                            |
| 5  | (AOR/2025-26/47) Deployment 01 (one) helper (unskilled manpower) for plumbing work in General Shift for day to day maintenance works related with plumbing works as per instruction of Engineer-in-charge.   | 104.00 | Day | 628.35  | <b>65348.40</b>  | INR Sixty Five Thousand Three Hundred & Forty Eight and Paise Forty Only    |
| 6  | (AOR/2025-26/48) Deployment of 02 (Sweeper) for cleaning/sanitation works with necessary materials like Surf/Detergent powder, phenyl, harpic, colin, naptha balls, broom sticks, bucket etc.( payment of materials will be paid separately)   | 608.00 | Day | 1256.75 | <b>764104.00</b> | INR Seven Lakh Sixty Four Thousand One Hundred & Four Only                  |
| 7  | <b><u>PART-B (AMC for Boring)</u></b><br>(CCL SOR 2025; Sub Volume - V: New Items-105) Lifting of submersible pump-motor set from deep bore well with rigid PVC pipe of 50 mm dia including all accessories etc. complete including stacking all materials as per instruction of Engineer-in-charge.                         | 4      | EA  | 4010.65 | <b>16042.60</b>  | INR Sixteen Thousand & Forty Two and Paise Sixty Only                       |
| 8  | (CCL SOR 2025; Sub Volume - V: New Items-106) Lowering and commissioning of submersible pump in the deep bore well with rigid PVC pipe, all accessories ect. Complete including cost of labour but excluding the cost of materials and fittings (Cost of pump, cable, rigid PVC pipe, control panel to be paid separately)m. | 4      | EA  | 2737.48 | <b>10949.92</b>  | INR Ten Thousand Nine Hundred & Forty Nine and Paise Ninety Two Only        |
| 9  | (AOR/2025-26/0013)Rewinding of 5 HP submersible motor including opening, overhauling and refilling etc. (excluding cost of Lifting and lowering) all complete.   | 3      | EA  | 7549.75 | <b>22649.25</b>  | INR Twenty Two Thousand Six Hundred & Forty Nine and Paise Twenty Five Only |
| 10 | (AOR/2025-26/0014) Providing water seal (packing kit) for pump set   | 6      | EA  | 1509.95 | <b>9059.70</b>   | INR Nine Thousand & Fifty Nine and Paise Seventy Only                       |

|    |   |    |    |         |                 |  |
|----|---|----|----|---------|-----------------|--|
| 11 | (AOR/2025-26/0016) Supplying flat flexible submersible cable with copper conductor. PVC insulated and PVC sheathed 3 core 6 sqm (Polycab or Equivalent) | 75 | M  | 174.23  | <b>13067.25</b> | INR Thirteen Thousand & Sixty Seven and Paise Twenty Five Only           |
| 12 | (AOR/2025-26/0017) Providing motor shaft bush   | 4  | EA | 1858.4  | <b>7433.60</b>  | INR Seven Thousand Four Hundred & Thirty Three and Paise Sixty Only      |
| 13 | (AOR/2025-26/0018) Providing impeller (PVC) for submersible pump  | 20 | EA | 383.3   | <b>7666.00</b>  | INR Seven Thousand Six Hundred & Sixty Six Only                          |
| 14 | (AOR/2025-26/0020) Providing Diffuser (PVC) for submersible pump  | 20 | EA | 383.3   | <b>7666.00</b>  | INR Seven Thousand Six Hundred & Sixty Six Only                          |
| 15 | (AOR/2025-26/0021) Providing coupling for submersible pump  | 6  | EA | 754.98  | <b>4529.88</b>  | INR Four Thousand Five Hundred & Twenty Nine and Paise Eighty Eight Only |
| 16 | (AOR/2025-26/0023) Providing analog Amp. Meter screen for control panel   | 4  | EA | 522.68  | <b>2090.72</b>  | INR Two Thousand & Ninety and Paise Seventy Two Only                     |
| 17 | (AOR/2025-26/0024) Providing analog Volt meter screen for control panel   | 4  | EA | 522.68  | <b>2090.72</b>  | INR Two Thousand & Ninety and Paise Seventy Two Only                     |
| 18 | (AOR/2025-26/0025) Replacement single phase preventer for control panel   | 4  | EA | 1010.51 | <b>4042.04</b>  | INR Four Thousand & Forty Two and Paise Four Only                        |
| 19 | (AOR/2025-26/0026) Providing ON and OFF switch for control panel  | 4  | EA | 290.38  | <b>1161.52</b>  | INR One Thousand One Hundred & Sixty One and Paise Fifty Two Only        |
| 20 | (AOR/2025-26/0027) Providing indicator lamp for control panel   | 4  | EA | 174.23  | <b>696.92</b>   | INR Six Hundred & Ninety Six and Paise Ninety Two Only                   |

|    |   |       |    |         |                 |  |
|----|---|-------|----|---------|-----------------|--|
| 21 | (AOR/2025-26/0028) Providing overload contactor for control panel   | 3     | EA | 2160.39 | <b>6481.17</b>  | INR Six Thousand Four Hundred & Eighty One and Paise Seventeen Only      |
| 22 | (AOR/2025-26/0029) Providing main contactor for control panel   | 3     | EA | 2323    | <b>6969.00</b>  | INR Six Thousand Nine Hundred & Sixty Nine Only                          |
| 23 | (AOR/2025-26/0030) Repairing and refixing of control panel board  | 4     | EA | 1393.8  | <b>5575.20</b>  | INR Five Thousand Five Hundred & Seventy Five and Paise Twenty Only      |
| 24 | (AOR/2025-26/0031) Opening, overhauling and refixing of submersible pump and motor  | 4     | EA | 1393.8  | <b>5575.20</b>  | INR Five Thousand Five Hundred & Seventy Five and Paise Twenty Only      |
| 25 | (AOR/2025-26/0032) Grinding of motor shaft (Job)  | 3     | EA | 813.05  | <b>2439.15</b>  | INR Two Thousand Four Hundred & Thirty Nine and Paise Fifteen Only       |
| 26 | (CCL SOR E&M 2025;2.10.2 ) Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Single pole and neutral   | 4     | EA | 518     | <b>2072.00</b>  | INR Two Thousand & Seventy Two Only                                      |
| 27 | (CCL SOR 2025; Sub Volume - V: New Items-108) Providing of Rigid PVC pipe 50mm outer dia conforming to IS:4985 specification(6kgf/sqcm)   | 50.00 | M  | 545.91  | <b>27295.50</b> | INR Twenty Seven Thousand Two Hundred & Ninety Five and Paise Fifty Only |
| 28 | (AOR/2025-26/0034) HYDT: Cost of Flushing 200mm x 165 mmx 125 meter deep bore well in all kind of soil and rock in rural area for installation of pump set with hydraulic DTH Rig machine, all Complete including supplying all materials, tools, Flushing rig, Air compressor and equipments, as well as fuel, lubricants and cost of transportation of Rig machine and other vehicles up to the site. (a) From 0-50 meter | 50.00 | M  | 323.83  | <b>16191.50</b> | INR Sixteen Thousand One Hundred & Ninety One and Paise Fifty Only       |

|    |   |         |     |        |           |   |
|----|---|---------|-----|--------|-----------|---|
| 29 | (AOR/2025-26/0035) HYDT: Cost of Flushing 200mm x 165 mmx 125 meter deep bore well in all kind of soil and rock in rural area for installation of pump set with hydraulic DTH Rig machine, all Complete including supplying all materials, tools, Flushing rig, Air compressor and equipments, as well as fuel, lubricants and cost of transportation of Rig machine and other vehicles up to the site. (b) From 51-125 meter | 75.00   | M   | 342.87 | 25715.25  | INR Twenty Five Thousand Seven Hundred & Fifteen and Paise Twenty Five Only |
| 30 | (AOR/2025-26/0035©) Supplying all materials, labours, tools & equipments for fitting & fixing 200 mm dia Cast iron cap cover for casing pipe and clamp for holing upvc column pipe and submersible pump aseembly complete job   | 2.00    | EA  | 429.76 | 859.52    | INR Eight Hundred & Fifty Nine and Paise Fifty Two Only                     |
| 31 | (CCL SOR 2025; Sub Volume - V: New Items-107) Providing of Nylone rope 12mm dia   | 10.00   | Kg  | 177.18 | 1771.80   | INR One Thousand Seven Hundred & Seventy One and Paise Eighty Only          |
| 32 | <b>(PART-C) (AMC other special occasion)</b><br>(CCL SOR 2025; 2.28.1) Surface dressing of the ground including removing vegetation and in-equalities not exceeding 15 cm deep and disposal of rubbish, lead up to 50 m and lift up to 1.5 m. All kinds of soil   | 1550.00 | M2  | 20.5   | 31775.00  | INR Thirty One Thousand Seven Hundred & Seventy Five Only                   |
| 33 | (CCL SOR 2025; 2.32) Clearing grass and removal of the rubbish up to a distance of 50 m outside the periphery of the area cleared.  | 1700.00 | M2  | 5.4    | 9180.00   | INR Nine Thousand One Hundred & Eighty Only                                 |
| 34 | AOR/2025-26/50) Supply and spreadiing of good quality lime.   | 5       | M3  | 596.23 | 2981.15   | INR Two Thousand Nine Hundred & Eighty One and Paise Fifteen Only           |
| 35 | Supply and spreading of good quality stone dust.  | 56.6    | Cum | 1074.4 | 60811.04  | INR Sixty Thousand Eight Hundred & Eleven and Paise Four Only               |
| 36 | (CCL SOR 2025; 13.39.2) Colour washing such as green, blue or buff to give an even shade : New work (two or more coats) with a base coat of whitening   | 3600.00 | M2  | 34.15  | 122940.00 | INR One Lakh Twenty Two Thousand Nine Hundred & Forty Only                  |
| 37 | (CCL SOR 2025; 13.99.1) Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work   | 750.00  | M2  | 73.4   | 55050.00  | INR Fifty Five Thousand & Fifty Only  |

|    |  |         |                               |         |                  |   |
|----|--|---------|-------------------------------|---------|------------------|---|
| 38 | (CCL SOR 2025; 13.87.2 ) White washing with lime to give an even shade : Old work (one or more coats)  | 2000    | M2                            | 9.1     | <b>18200.00</b>  | INR Eighteen Thousand Two Hundred Only  |
| 39 | <b><u>(PART-D) AMC for TANK Cleaning</u></b><br>(CCL SOR 2025; 14.75A) Cleaning of terrace/ loft water storage tank (inside surface area) upto 2000 litre capacity at all heights with coconut brushes, duster etc., removal of silt, rubbish from the tank and cleaning the tank with fresh water disinfecting with bleaching powder @ 0.5gm per litre capacity of tank including marking the date of cleaning on the side of tank body with the help of stencil and paint and disposing of malba all complete as per direction of Engineer-in-Charge. (The old date already written on tank should be removed with paint remover or black paint and if date is not written with the stencil or old date is not removed deduction will be made @ Rs. 0.10 per litre) (if during cleaning any GI fittings or ball cock is damaged that is to be repaired by contractor at his own cost and nothing extra will be paid on this account) | 32000   | litre                         | 0.3     | <b>9600.00</b>   | INR Nine Thousand Six Hundred Only  |
| 40 | <b><u>(PART-E) UPKEEPING Drains, Bush Cutting, Roof Cleaning and CTR Road upkeep</u></b><br>(CCL SOR 2025; Sub Volume - V: New Items; UPKEEPING ITEMS:-17) Cleaning of Concrete or blacktop coal transport roads by brooming and disposal of collected debris/ waste at collection pit/ dustbins or at specified locations within a lead of 50 metres including all tools & plants like spade, basket, brooms with handle stick complete as per the direction of Engineer-In-Charge.   | 4043.00 | Per 100 M2                    | 43.15   | <b>174455.45</b> | INR One Lakh Seventy Four Thousand Four Hundred & Fifty Five and Paise Forty Five Only    |
| 41 | (CCL SOR 2025; Sub Volume - V: New Items; UPKEEPING ITEMS:-21) Upkeeping of Weighbridges by engaging two unskilled labour per day for each weighbridge including daily brooming and weekly mopping of floor in the control room, cleaning of glass panes/wooden panels of window/ door shutters, furniture, window grills etc of control room, cleaning of weighing platform, load cell, its support structure, approach to the platform, spillage coal from under the platform etc as per the direction of Engineer-in-charge including the cost of all consumables like brooms, detergents, phenyle etc. (Two Labours to be deployed either in single shift or one labour each in two shifts as per convenience of the EIC)  | 366     | PER<br>WEIGHBRIDGE<br>PER DAY | 1302.59 | <b>476747.94</b> | INR Four Lakh Seventy Six Thousand Seven Hundred & Forty Seven and Paise Ninety Four Only |

|    |   |          |    |        |          |  |
|----|---|----------|----|--------|----------|--|
| 42 | (CCL SOR 2025; Sub Volume - V: New Items; UPKEEPING ITEMS:-03) Cleaning of all type of roofs including removal of dry leaves,weeding and cleaning drain holes,brooming etc. all complete with tools and tackels and stacking the garbage at specified places as per instruction of EIC.   | 24000.00 | M2 | 3.24   | 77760.00 | INR Seventy Seven Thousand Seven Hundred & Sixty Only                          |
| 43 | (CCL SOR 2025; Sub Volume - V: New Items; UPKEEPING ITEMS:-05) Cleaning of surface drain including disposal of mud,sludge through trolley or other arrangement to a specified place (in no case it shall be kept on banks) within a lead of 1km complete as per instruction of EIC. upto 300 mt. Wide including tools and tackles etc. all complete.  | 8400.00  | M  | 2.59   | 21756.00 | INR Twenty One Thousand Seven Hundred & Fifty Six Only                         |
| 44 | (CCL SOR 2025; Sub Volume - V: New Items; UPKEEPING ITEMS:-06) Cleaning of surface drain including disposal of mud,sludge through trolley or other arrangement to a specified place (in no case it shall be kept on banks) within a lead of 1km complete as per instruction of EIC above 300 mm upto 600 mm including tools and tackles etc. all complete.  | 24456.00 | M  | 3.24   | 79237.44 | INR Seventy Nine Thousand Two Hundred & Thirty Seven and Paise Forty Four Only |
| 45 | (CCL SOR 2025; 2.32) Clearing grass and removal of the rubbish up to a distance of 50 m outside the periphery of the area cleared.  | 12800.00 | M2 | 5.4    | 69120.00 | INR Sixty Nine Thousand One Hundred & Twenty Only                              |
| 46 | (CCL SOR 2025; 1.1.1) Carriage of material by mechanical transport including loading, unloading and stacking of Garbage with 1.00 km lead. (Void deduction of 20% will be done after stack measurement  | 339.60   | M3 | 179.25 | 60873.30 | INR Sixty Thousand Eight Hundred & Seventy Three and Paise Thirty Only         |
| 47 | <b><u>PART (F) ( Cutting and Pruning of tree)</u></b><br>(CCL SOR 2025; Sub Volume - V: New Items-12) Trimming of tree branches coming out of main trunk having girth below 30 cm measured at knot of a main trunk.The average height of tree is 3.00 mtr and above. It also includes stacking of serviceable materials and disposal of unserviceable materials upt the lead of 300 mtrs as per direction of EIC.( based on actual observation at site) | 30       | EA | 484.69 | 14540.70 | INR Fourteen Thousand Five Hundred & Forty and Paise Seventy Only              |

|    |  |        |     |         |                  |  |
|----|--|--------|-----|---------|------------------|--|
| 48 | (CCL SOR 2025; Sub Volume - V: New Items-13) Trimming of tree branches coming out of main trunk having girth 30 cm to 60 cm measured at knot of a main trunk.The average height of tree is 3.00 mtr and above. It also includes stacking of serviceable materials and disposal of unserviceable materials upto the lead of 300 mtrs as per direction of EIC.( based on actual observation at site)   | 15     | EA  | 518.77  | <b>7781.55</b>   | INR Seven Thousand Seven Hundred & Eighty One and Paise Fifty Five Only          |
| 49 | (CCL SOR 2025; Sub Volume - V: New Items-14) Trimming of tree branches coming out of main trunk having girth 60 cm to 90 cm measured at knot of a main trunk.The average height of tree is 3.00 mtr and above. It also includes stacking of serviceable materials and disposal of unserviceable materials upto the lead of 300 mtrs as per direction of EIC.( based on actual observation at site)   | 5      | EA  | 552.82  | <b>2764.10</b>   | INR Two Thousand Seven Hundred & Sixty Four and Paise Ten Only                   |
| 50 | <b>PART (G) (Fogging)</b><br>(CCL SOR 2025; Sub Volume - V: New Items-109) Fogging with smoker mixed with diesel @ 8 ml smoker with one litre of diesel twice per month as per direction of Engineer-in-charge (treatment to be done using spray machine along with proper safety provisions for sprayer like mask etc).   | 32     | Hrs | 732.23  | <b>23431.36</b>  | INR Twenty Three Thousand Four Hundred & Thirty One and Paise Thirty Six Only    |
| 51 | <b>PART-(H) (Civil Repair and maintenance works)</b><br>(CCL SOR 2025; 2.8.1)Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on an), including dressing of sides and ramming of bottoms, lift up to 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.All kinds of soil | 118.75 | M3  | 205.8   | <b>24438.75</b>  | INR Twenty Four Thousand Four Hundred & Thirty Eight and Paise Seventy Five Only |
| 52 | (CCL SOR 2025; 6.4.2)Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (1 cement : 6 coarse sand)   | 31.42  | M3  | 7988.95 | <b>251008.81</b> | INR Two Lakh Fifty One Thousand & Eight and Paise Eighty One Only                |

|    |   |        |    |         |                  |  |
|----|---|--------|----|---------|------------------|--|
| 53 | (CCL SOR 2025; 6.1.2) Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 5 in foundation and plinth in Cement Mortar 1:6 (1 cement : 6 coarse sand)   | 57.23  | M3 | 6770.05 | <b>387422.88</b> | INR Three Lakh Eighty Seven Thousand Four Hundred & Twenty Two and Paise Eighty Eight Only |
| 54 | (CCL SOR 2025; 2.27) Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.  | 3.25   | M3 | 1438.1  | <b>4673.83</b>   | INR Four Thousand Six Hundred & Seventy Three and Paise Eighty Two Only                    |
| 55 | (CCL SOR 2025; 4.1.5) Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)   | 18.70  | M3 | 6773.95 | <b>126672.87</b> | INR One Lakh Twenty Six Thousand Six Hundred & Seventy Two and Paise Eighty Six Only       |
| 56 | (CCL SOR 2025; 6.12.2) Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundations and plinth in :Cement mortar 1:4 (1 cement : 4 coarse sand)  | 155.00 | M2 | 844.15  | <b>130843.25</b> | INR One Lakh Thirty Thousand Eight Hundred & Forty Three and Paise Twenty Five Only        |
| 57 | (CCL SOR 2025; 6.13.2) Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in Superstructure above plinth level upto floor five level in Cement mortar 1:4 (1 cement : 4 coarse sand)  | 72.50  | M2 | 977.75  | <b>70886.88</b>  | INR Seventy Thousand Eight Hundred & Eighty Six and Paise Eighty Eight Only                |
| 58 | (CCL SOR 2025; 5.1.2)Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources) | 2      | M3 | 8343.45 | <b>16686.90</b>  | INR Sixteen Thousand Six Hundred & Eighty Six and Paise Ninety Only                        |

|    |   |        |    |         |  |
|----|---|--------|----|---------|--|
| 59 | (CCL SOR 2025; 5.2.2) Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, flets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement: 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)            | 2      | M3 | 9466    | <b>18932.00</b> INR Eighteen Thousand Nine Hundred & Thirty Two Only                           |
| 60 | (CCL SOR 2025; 5.12) Providing and fixing up to floor five level precast cement concrete string or lacing courses, copings, bed plates, anchor blocks, plain window sills, shelves, louvers, steps, stair cases, etc. including hoisting and setting in position with cement mortar 1:3 (1 cement : 3 coarse sand), cost of required centering, shuttering complete. 1:1.5:3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size)   | 2      | M3 | 9432.95 | <b>18865.90</b> INR Eighteen Thousand Eight Hundred & Sixty Five and Paise Ninety Only         |
| 61 | (CCL SOR 2025; 5.3) Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15* landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources: 3 graded stone aggregate 20mm nominal size derived from natural sources). | 2      | M3 | 9829.55 | <b>19659.10</b> INR Nineteen Thousand Six Hundred & Fifty Nine and Paise Ten Only              |
| 62 | (CCL SOR 2025; 5.22.6) Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete up to plinth level Thermo-Mechanically Treated bar   | 640.00 | kg | 105.6   | <b>67584.00</b> INR Sixty Seven Thousand Five Hundred & Eighty Four Only                       |
| 63 | (CCL SOR 2025; 9.48.2) Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. Fixed to steel windows by welding  | 631.80 | kg | 186.7   | <b>117957.06</b> INR One Lakh Seventeen Thousand Nine Hundred & Fifty Seven and Paise Six Only |

|    |   |        |    |        |                 |   |
|----|---|--------|----|--------|-----------------|---|
| 64 | (CCL SOR 2025; 10.15.1) Providing and fixing M.S. Tubular frames for doors, windows, ventilators and cupboard with rectangular/ L-Type sections, made of 1.60 mm thick M.S. Sheet, joints mitred, welded and grinded finish, with profiles of required size, including fixing of necessary butt hinges and screws and applying a priming coat of approved steel primer. Fixing with 15x3 mm lugs 10 cm long embedded in cement concrete block 15x10x10 cm of C.C. 1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)  | 595.43 | kg | 149.1  | <b>88777.87</b> | INR Eighty Eight Thousand Seven Hundred & Seventy Seven and Paise Eighty Seven Only |
| 65 | (CCL SOR 2025; 9.21.2) Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1 st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters 30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws  | 52.5   | M2 | 1803.9 | <b>94704.75</b> | INR Ninety Four Thousand Seven Hundred & Four and Paise Seventy Five Only           |
| 66 | (CCL SOR 2025; 26.86.1) Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid door/window/Ceostory windows & other Frames/Chowkhat comprising of virgin PVC polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) fabricated with miter joints after applying PVC solvent cement and screwed with full body threaded star headed SS screws having minimum frame density of 750 kg/cum, screw withdrawal strength of 2200 N (Face) & 1100 N (Edge), minimum compressive strength of 58 N/mm2, modulus of elasticity 900 N/ mm2 and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant and fixed in position with M.S hold fast/lugs/SS dash fasteners of required dia and length complete as per direction of Engineer-In- Charge. (M.S hold fast/lugs or SS dash fasteners shall be paid for separately). Note: For WPC solid door/window frames, minus 5mm tolerance indimensions i.e depth and width of profile shall be acceptable. Variation in profile dimensions on plus side shall be acceptable but no extra payment on this account | 33.60  | M  | 560.95 | <b>18847.92</b> | INR Eighteen Thousand Eight Hundred & Forty Seven and Paise Ninety Two Only         |

|    |   |         |    |         |                  |   |
|----|---|---------|----|---------|------------------|---|
| 67 | (CCL SOR 2025; 26.87.1) Providing and fixing factory made single extruded WPC (Wood Polymer Composite) solid plain flush door shutter of required size comprising of virgin polymer of K value 58-60 (Suspension Grade), calcium carbonate and natural fibers (wood powder/ rice husk/wheat husk) and non toxic additives (maximum toxicity index of 12 for 100 gms) having minimum density of 650 kg/cum and screw withdrawal strength of 1800 N (Face) & 900 N (Edge), minimum compressive strength 50 N/mm2, modulus of elasticity 850 N/mm2 and resistance to spread of flame of Class A category with property of being termite/borer proof, water/moisture proof and fire retardant and fixing with stainless steel butt hinges of required size with necessary full body threaded star headed counter sunk S.S screws, all as per direction of Engineer-In Charge. (Note: stainless steel butt hinges and necessary S.S screws shall be paid separately) 30 mm thick | 10.76   | M2 | 3612.7  | <b>38881.68</b>  | INR Thirty Eight Thousand Eight Hundred & Eighty One and Paise Sixty Eight Only       |
| 68 | (CCL SOR 2025; 10.1) Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.  | 4915.70 | kg | 107     | <b>525979.90</b> | INR Five Lakh Twenty Five Thousand Nine Hundred & Seventy Nine and Paise Ninety Only  |
| 69 | (CCL SOR 2025; 10.5.2) Providing and fixing 1 mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer. Using flats 30x6 mm for diagonal braces and central cross piece   | 27.72   | M2 | 4422.65 | <b>122595.86</b> | INR One Lakh Twenty Two Thousand Five Hundred & Ninety Five and Paise Eighty Six Only |

|    |   |        |    |        |   |
|----|---|--------|----|--------|---|
| 70 | (CCL SOR 2025; 21.1.1.2) Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : For fixed portion Powder coated aluminium (minimum thickness of powder coating 50 micron) | 162.13 | kg | 556.35 | <b>90198.24</b> INR Ninety Thousand One Hundred & Ninety Eight and Paise Twenty Four Only   |
| 71 | (CCL SOR 2025; 21.1.2.2) For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately) Powder coated aluminium (minimum thickness of powder coating 50 micron)  | 103.50 | kg | 624.65 | <b>64651.28</b> INR Sixty Four Thousand Six Hundred & Fifty One and Paise Twenty Seven Only |
| 72 | (CCL SOR 2025; 21.3.1) Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item) With float glass panes of 4.0 mm thickness:   | 60.75  | M2 | 921.75 | <b>55996.31</b> INR Fifty Five Thousand Nine Hundred & Ninety Six and Paise Thirty One Only |
| 73 | (CCL SOR 2025; 11.3.1) Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. 11.3.1 40 mm thick with 20 mm nominal size stone aggregate  | 250    | M2 | 500.3  | <b>125075.00</b> INR One Lakh Twenty Five Thousand & Seventy Five Only                      |
| 74 | (CCL SOR 2025; 13.1.2) 12 mm cement plaster of mix:1:6 (1 cement : 6 fine sand)   | 700    | M2 | 230.6  | <b>161420.00</b> INR One Lakh Sixty One Thousand Four Hundred & Twenty Only                 |

|    |   |         |    |        |                 |  |
|----|---|---------|----|--------|-----------------|--|
| 75 | (CCL SOR 2025; 13.3.1) 20 mm cement plaster of mix:1:4 (1 cement : 4 coarse sand)   | 250     | M2 | 338.8  | <b>84700.00</b> | INR Eighty Four Thousand Seven Hundred Only                              |
| 76 | (CCL SOR 2025; 26.28.2 Chipping of unsound/weak concrete material from slabs, beams, columns etc. with manual Chisel and/ or by standard power driven percussion type or of approved make including tapering of all edges, making square shoulders of cavities including cleaning the exposed concrete surface and reinforcement with wire brushes etc. and disposal of debris for all lead and lifts all complete as per direction of Engineer-In-Charge 50mm average thickness  | 69.93   | M2 | 172.45 | <b>12058.57</b> | INR Twelve Thousand & Fifty Eight and Paise Fifty Seven Only             |
| 77 | (CCL SOR 2025; 26.29.1) Cleaning of reinforcement from rust from the reinforcing bars to give it a total rust free steel surface by using alkaline chemical rust remover of approved make with paint brush and removing loose particles after 24 hours of its application with wire brush and thoroughly washing with water and allowing it to dry, all complete as per direction of Engineer-In-Charge. Bars upto 12 mm diameter   | 1118.80 | M  | 6.1    | <b>6824.68</b>  | INR Six Thousand Eight Hundred & Twenty Four and Paise Sixty Eight Only  |
| 78 | (CCL SOR 2025; 26.31.1) Providing, mixing and applying bonding coat of approved adhesive on chipped portion of RCC as per specifications and direction of Engineer-In-charge complete in all respect SBR Polymer (@10% of cement weight) modified cementitious bond coat @ 2.2 kg cement per sqm of surface area mixed with specified proportion of approved polymer  | 69.93   | M2 | 110.5  | <b>7726.71</b>  | INR Seven Thousand Seven Hundred & Twenty Six and Paise Seventy One Only |
| 79 | (CCL SOR 2025; 26.32.1) Providing, mixing and applying SBR polymer of approved make) modified Cement mortar in proportion of 1:4 (1 cement: 4 graded coarse sand with polymer minimum 2% by wt, of cement used) as per specifications and directions of Engineer-in-charge. Note: Measurement and payment: The pre-measurement of thickness shall be done just after the surface preparation is completed and Payment under this item shall be made only after proper wet curing has been done and surface has been satisfactorily evaluated by sounding / tapping with a blunt metal instrument and/or the 75mm size cube crushing strength at the end of 28 days to be not less than 30 N/Sqmm <sup>2</sup> ). 12 mm average thickness. | 69.93   | M2 | 272.2  | <b>19033.59</b> | INR Nineteen Thousand & Thirty Three and Paise Fifty Eight Only          |

|    |  |       |    |        |                  |   |
|----|--|-------|----|--------|------------------|---|
| 80 | (CCL SOR 2025;26.33.1) Providing, mixing and applying SBR polymer (of approved make @ minimum 2% by wt. of cement used) modified plain/reinforced cement concrete for structural members having minimum characteristic compressive strength (with ordinary portland cement, coarse sand and graded stone aggregate of 10mm maximum size in proportion as per design criteria] with specified average thickness. Note: Rates shall be for finished surface area of concrete and shall include the cost of labour, concrete and appropriate approved Super-Plasticiser for rendering concrete as flowable and SBR polymer but shall exclude cost of reinforcement, bond coat, Shear Keys, centering and shuttering, strutting, propping etc (Payment under this item shall be made only after proper wet curing has been done and surface has been satisfactorily evaluated by sounding/tapping with a blunt metal instrument) 50mm thick in Grade M 25 with cement content not less than 330 kg per cum | 69.93 | M2 | 495.1  | <b>34619.87</b>  | INR Thirty Four Thousand Six Hundred & Nineteen and Paise Eighty Seven Only |
| 81 | (CCL SOR 2025; 13.7.2) 12 mm cement plaster finished with a floating coat of neat cement of mix : 1:4 (1 cement: 4 fine sand)  | 90    | M2 | 303.2  | <b>27288.00</b>  | INR Twenty Seven Thousand Two Hundred & Eighty Eight Only                   |
| 82 | (CCL SOR 2025; 15.7.4) Demolishing brick work manually / by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-Charge. In cement mortar  | 10.00 | M3 | 1238.3 | <b>12383.00</b>  | INR Twelve Thousand Three Hundred & Eighty Three Only                       |
| 83 | (CCL SOR 2025; 15.56) Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.  | 475   | M2 | 33.2   | <b>15770.00</b>  | INR Fifteen Thousand Seven Hundred & Seventy Only                           |
| 84 | (CCL SOR 2025; 13.82.2) Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound ) content less than 50 grams/ litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour. Two coats  | 2000  | M2 | 103.95 | <b>207900.00</b> | INR Two Lakh Seven Thousand Nine Hundred Only                               |

|    |  |       |    |         |                  |  |
|----|--|-------|----|---------|------------------|--|
| 85 | (CCL SOR 2025;13.81.1) Distempering with 1st quality acrylic distemper (ready mixed) having VOC (Volatile Organic Compound ) content less than 50 gram/ litre, of approved brand and of required said and colour complete to give and even said. Old work (one or more coats)  | 1000  | M2 | 40.25   | <b>40250.00</b>  | INR Forty Thousand Two Hundred & Fifty Only                          |
| 86 | (CCL SOR 2025;13.99.1) Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work   | 300   | M2 | 73.4    | <b>22020.00</b>  | INR Twenty Two Thousand &Twenty Only                                 |
| 87 | (CCL SOR 2025; 13.61.1) Painting with synthetic enamel paint of approved brand and manufacture to give an even shade :Two or more coats on new work  | 200   | M2 | 112.3   | <b>22460.00</b>  | INR Twenty Two Thousand Four Hundred & Sixty Only                    |
| 88 | (CCL SOR 2024; 13.46.1) Finishing walls with acrylic smooth exterior paint of required shade : New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including primingcoat of exterior primer applied @ 2.20 kg/10 sqm)  | 2000  | M2 | 123.45  | <b>246900.00</b> | INR Two Lakh Forty Six Thousand Nine Hundred Only                    |
| 89 | (CCL SOR 2025; 8.31) Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. | 35.00 | M2 | 1131.6  | <b>39606.00</b>  | INR Thirty Nine Thousand Six Hundred & Six Only                      |
| 90 | (CCL SOR 2025; 11.37) Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete.  | 15.00 | M2 | 1037.35 | <b>15560.25</b>  | INR Fifteen Thousand Five Hundred & Sixty and Paise Twenty Five Only |

|    |  |      |    |         |                  |  |
|----|--|------|----|---------|------------------|--|
| 91 | (CCL SOR 2025; 11.46.2) Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make, in all colours & shade, in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joint with white cement & matching pigments etc. complete. 11.46.2 Size of Tile 600x600 mm | 100  | M2 | 1424.5  | <b>142450.00</b> | INR One Lakh Forty Two Thousand Four Hundred & Fifty Only              |
| 92 | (CCL SOR 2025; 11.41A.3.1) Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), including grouting the joints with white cement and matching pigments etc., complete. Glazed Vitrified tiles Matt/Antiskid finish of size Size of Tile 600 x 600 mm                  | 30   | M2 | 1151.75 | <b>34552.50</b>  | INR Thirty Four Thousand Five Hundred & Fifty Two and Paise Fifty Only |
| 93 | (CCL SOR 2025; 13.80) Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.  | 1750 | M2 | 114.95  | <b>201162.50</b> | INR Two Lakh One Thousand One Hundred & Sixty Two and Paise Fifty Only |
| 94 | (CCL SOR 2025; 13.46.1) Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm)   | 1500 | M2 | 123.45  | <b>185175.00</b> | INR One Lakh Eighty Five Thousand One Hundred & Seventy Five Only      |
| 95 | (CCL SOR 2025; 13.88) Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.  | 375  | M2 | 12.35   | <b>4631.25</b>   | INR Four Thousand Six Hundred & Thirty One and Paise Twenty Five Only  |
| 96 | (CCL SOR 2025; 15.12.1) Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead: Of area 3 sq. metres and below  | 25   | EA | 227.1   | <b>5677.50</b>   | INR Five Thousand Six Hundred & Seventy Seven and Paise Fifty Only     |

|     |   |         |    |        |                 |  |
|-----|---|---------|----|--------|-----------------|--|
| 97  | (CCL SOR 2024; 15.2.1) Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)  | 2.50    | M3 | 1464.6 | <b>3661.50</b>  | INR Three Thousand Six Hundred & Sixty One and Paise Fifty Only      |
| 98  | (CCL SOR 2025; 13.91) Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete   | 1000.00 | M2 | 15.9   | <b>15900.00</b> | INR Fifteen Thousand Nine Hundred Only                               |
| 99  | (CCL SOR 2024; 10.16.1) Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished welded type tubes  | 500     | kg | 115.2  | <b>57600.00</b> | INR Fifty Seven Thousand Six Hundred Only                            |
| 100 | (CCL SOR 2025; 8.2.2.2) Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations, of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels. Granite of any colour and shade, Area of slab over 0.50 sqm | 15      | M2 | 4032.9 | <b>60493.50</b> | INR Sixty Thousand Four Hundred & Ninety Three and Paise Fifty Only  |
| 101 | (CCL SOR 2025; 15.23.1) Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm  | 50.00   | M2 | 45.4   | <b>2270.00</b>  | INR Two Thousand Two Hundred & Seventy Only                          |
| 102 | (CCL SOR 2025; 5.9.1) Centering and shuttering including strutting, propping etc. and removal of form for :Foundations, footings, bases of columns, etc. for mass concrete  | 25      | M2 | 277.9  | <b>6947.50</b>  | INR Six Thousand Nine Hundred & Forty Seven and Paise Fifty Only     |
| 103 | (CCL SOR 2025; 5.9.6) Centering and shuttering including strutting, propping etc. and removal of form for: Columns, Pillars, Piers, Abutments, Posts and Struts   | 25      | M2 | 651.5  | <b>16287.50</b> | INR Sixteen Thousand Two Hundred & Eighty Seven and Paise Fifty Only |

|     |   |         |    |        |                  |  |
|-----|---|---------|----|--------|------------------|--|
| 104 | (CCL SOR 2025; 5.9.5) Centering and shuttering including strutting, propping etc. and removal of form for Lintels, beams, plinth beams, girders, bressumers and cantilevers   | 25      | M2 | 513.35 | <b>12833.75</b>  | INR Twelve Thousand Eight Hundred & Thirty Three and Paise Seventy Five Only   |
| 105 | (CCL SOR 2025; 5.9.3) Centering and shuttering including strutting, propping etc. and removal of form for Suspended floors, roofs, landings, balconies and access platform  | 25      | M2 | 630    | <b>15750.00</b>  | INR Fifteen Thousand Seven Hundred & Fifty Only                                |
| 106 | (CCL SOR 2025; 12.50) Providing and fixing pre-coated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. | 438     | M2 | 698.1  | <b>305767.80</b> | INR Three Lakh Five Thousand Seven Hundred & Sixty Seven and Paise Eighty Only |
| 107 | (CCL SOR 2025; 10.22) Welding by gas or electric plant including transportation of plant at site etc. complete.   | 4000.00 | Cm | 3.6    | <b>14400.00</b>  | INR Fourteen Thousand Four Hundred Only  |

|     |  |       |    |         |                 |  |
|-----|--|-------|----|---------|-----------------|--|
| 108 | (CCL SOR 2025; 14.90.1) Providing and laying APP (Atactic Polypropylene Polymer) modified prefabricated five layer, 3 mm thick water proofing membrane, black finished reinforced with glass fibre matt consisting of a coat of bitumen primer for bitumen membrane @ 0.40 litre/sqm by the same membrane manufactured of density at 25°C, 0.87 - 0.89 kg/litre and viscosity 70 - 160 cps. Over the primer coat the layer of membrane shall be laid using butane torch and sealing all joints etc., and preparing the surface complete. The vital physical and chemical parameters of the membrane shall be as under : Joint strength in longitudinal and transverse direction at 23°C as 350/300 N/5 cm. Tear strength in longitudinal and transverse direction as 60/80N. Softening point of membrane not less than 150°C. Cold flexibility shall be upto -2°C when tested in accordance with ASTM, D - 5147. The laying of membrane shall be got done through the authorised applicator of the manufacturer of membrane : 3 mm thick | 75.00 | M2 | 450.3   | <b>33772.50</b> | INR Thirty Three Thousand Seven Hundred & Seventy Two and Paise Fifty Only         |
| 109 | (CCL SOR 2025; 22.14.1) Grading roof for water proofing treatment with Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size)   | 3.25  | M3 | 7562.7  | <b>24578.78</b> | INR Twenty Four Thousand Five Hundred & Seventy Eight and Paise Seventy Seven Only |
| 110 | (CCL SOR 2025; 26.56) Application of ZMB 60/equivalent solution (100 Kg ZMB 60/equivalent, 1 litre ZMB Nano Thinner, 20 litre water & 1 Litre Zycoprime/equivalent = 122 litre/kg) over already applied coat of Zycosil/equivalent & Zycoprime/equivalent solution on the top of all the RCC plinth beams by brush/spray coat before erection of GFRG over RCC plinth beams in GF. In the case of upper floors 150 mm wide on floor slab for all the external walls, bath/toilet/wet areas (3 hrs drying time) before erection of wall panel on upper floors including erection of parapet wall.   | 100   | M2 | 280.45  | <b>28045.00</b> | INR Twenty Eight Thousand & Forty Five Only  |
| 111 | Supply & fixing of roller blind blackout collection of marvel Décor / SSG or equivalent with cassette all complete as per instruction of EIC.  | 15.12 | M2 | 5546.16 | <b>83857.94</b> | INR Eighty Three Thousand Eight Hundred & Fifty Seven and Paise Ninety Four Only   |

|     |  |        |    |         |           |  |
|-----|--|--------|----|---------|-----------|--|
| 112 | (CCL SOR 2025; 9.83) Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete.  | 20     | EA | 780.35  | 15607.00  | INR Fifteen Thousand Six Hundred & Seven Only                            |
| 113 | (CCL SOR 2025;12.58.1) Providing and fixing tiled false ceiling of specified materials of size 595x595 mm in true horizontal level, suspended on interlocking metal grid of hot dipped galvanized steel sections ( galvanized @ 120 grams/ sqm, both side inclusive) consisting of main "T" runner with suitably spaced joints to get required length and of size 24x38 mm made from 0.30 mm thick (minimum) sheet, spaced at 1200 mm center to center and cross "T" of size 24x25 mm made of 0.30 mm thick (minimum) sheet, 1200 mm long spaced between main "T" at 600 mm center to center to form a grid of 1200x600 mm and secondary cross "T" of length 600 mm and size 24x25 mm made of 0.30 mm thick (minimum) sheet to be interlocked at middle of the 1200x600 mm panel to form grids of 600x600 mm and wall angle of size 24x24x0.3 mm and laying false ceiling tiles of approved texture in the grid including, required cutting/making, opening for services like difusers, grills, light fittings, fixtures, smoke detectors etc. Main "T" runners to be suspended from ceiling using GI slotted cleats of size 27 x 37 x 25 x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm GI adjustable rods with galvanized butterfly level clips of size 85 x 30 x 0.8 mm spaced at 1200 mm center to center along | 70.00  | M2 | 1470.45 | 102931.50 | INR One Lakh Two Thousand Nine Hundred & Thirty One and Paise Fifty Only |
| 114 | (CCL SOR 2025;16.60.1) Manufacturing, supplying and fixing retro reflective overhead signage boards made up of 2 mm thick aluminium sheet, face to be fully covered with high intensity and encapsulated lens type heat activated retro reflective sheeting conforming to type - III of ASTM-D-4956-01 as approved by Engineer-in-charge, letters, borders etc. as per IRC : 67-2001 in silver white with blue colour back ground and with high intensity grade, pasted on substrate by pressure sensitive adhesive backing which shall be activated by applying pressure conforming to class II of ASTM-D-4956-01 and fixing the same to the plate of structural frame work by means of suitable sized aluminium alloys, rivets or bolts & nuts @ 300 mm centre to centre all along the periphery as well as in two vertical rows along with theft resistant measures, including the cost of painting with two or more coats of epoxy paint in grey colour on the back side of aluminium sheet including appropriate priming coat. The rate includes the cost of rounding off the corners, lowering down the structural frame work from the gantry, fixing and erecting the same in position all complete as per drawings, specification and direction of the engineer-in-charge.<br>(Structural frame work including M.S. plate to be provided   | 115.20 | M2 | 4861.2  | 560010.24 | INR Five Lakh Sixty Thousand & Ten and Paise Twenty Four Only            |

|     |   |        |    |        |           |  |
|-----|---|--------|----|--------|-----------|--|
| 115 | (CCL SOR 2025;16.53) Providing and fixing concertina coil fencing with punched tape concertina coil 600 mm dia 10 metre openable length ( total length 90 m), having 50 nos rounds per 6 metre length, upto 3 m height of wall with existing angle iron 'Y' shaped placed 2.4m or 3.00 m apart and with 9 horizontal R.B.T. reinforced barbed wire, stud tied with G.I. staples and G.I. clips to retain horizontal, including necessary bolts or G.I. barbed wire tied to angle iron, all complete as per direction of Engineer-in-charge, with reinforced barbed tape(R.B.T.) / Spring core (2.5 mm thick) wire of high tensile strength of 165 kg/ sq. mm with tape (0.52 mm thick) and weight 43.478 gm/ metre (cost of M.S. angle, C.C. blocks shall be paid separately) | 200.00 | M  | 301.9  | 60380.00  | INR Sixty Thousand Three Hundred & Seventy Nine and Paise One Hundred Only |
| 116 | <b><u>PART-I (WATER SUPPLY AND SANITATION)</u></b><br>(CCL SOR 2025;12.41.2) Providing and fixing on wall face unplastised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 110 mm diameter   | 300    | M  | 338.5  | 101550.00 | INR One Lakh One Thousand Five Hundred & Fifty Only                        |
| 117 | (CCL SOR 2025;12.42.5.2) Providing and fixing on wall face unplastised-PVC moulded fittings / accessories for unplastised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion 110 mm bend  | 70     | EA | 148.85 | 10419.50  | INR Ten Thousand Four Hundred & Nineteen and Paise Fifty Only              |
| 118 | (CCL SOR 2025; 12.42.3.2) Providing and fixing on wall face unplastised-PVC moulded fittings / accessories for unplastised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion3 Single tee with door 110x110x110 mm  | 15     | EA | 184.7  | 2770.50   | INR Two Thousand Seven Hundred & Seventy and Paise Fifty Only              |
| 119 | (CCL SOR 2025;12.43.2) Providing and fixing unplastised-PVC pipe clips of approved design to unplastised-PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete. 12.43.2 110 mm  | 100    | EA | 242.35 | 24235.00  | INR Twenty Four Thousand Two Hundred & Thirty Five Only                    |

|     |   |      |       |         |                 |   |
|-----|---|------|-------|---------|-----------------|---|
| 120 | (CCL SOR 2025;17.13.2) Providing and fixing white vitreous china water closet squatting pan (Indian type) :Orissa pattern W.C. pan of size 580x440 mm   | 7    | EA    | 1757.9  | <b>12305.30</b> | INR Twelve Thousand Three Hundred & Five and Paise Thirty Only          |
| 121 | (CCL SOR 2025;17.15) Providing and fixing white vitreous china pedestal type (European type / wash down type) water closet pan.   | 7    | EA    | 1699.8  | <b>11898.60</b> | INR Eleven Thousand Eight Hundred & Ninety Eight and Paise Sixty Only   |
| 122 | (CCL SOR 2025; 17.18.1) Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete. 10 litre capacity - White   | 12   | EA    | 911.55  | <b>10938.60</b> | INR Ten Thousand Nine Hundred & Thirty Eight and Paise Sixty Only       |
| 123 | (CCL SOR 2025; 17.25.2) White Vitreous China Flat back wash basin size 550x400 mm with single 15 mm C.P. brass pillar tap   | 12   | EA    | 1101.25 | <b>13215.00</b> | INR Thirteen Thousand Two Hundred & Fifteen Only                        |
| 124 | (CCL SOR 2025; 17.8) Providing and fixing white vitreous china pedestal for wash basin completely recessed at the back for the reception of pipes and fittings.   | 10   | EA    | 2193.95 | <b>21939.50</b> | INR Twenty One Thousand Nine Hundred & Thirty Nine and Paise Fifty Only |
| 125 | (CCL SOR 2025; 18.48) Providing and placing on terrace (at all floor levels) polyethylene water storage tank ISI : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.  | 6000 | litre | 9.6     | <b>57600.00</b> | INR Fifty Seven Thousand Six Hundred Only                               |
| 126 | (CCL SOR 2025;18.8.2) Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings and fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 20 mm nominal dia Pipes | 150  | M     | 437.55  | <b>65632.50</b> | INR Sixty Five Thousand Six Hundred & Thirty Two and Paise Fifty Only   |

|     |   |     |    |         |                 |   |
|-----|---|-----|----|---------|-----------------|---|
| 127 | (CCL SOR 2025;18.8.3) Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings and fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. 25 mm nominal dia Pipes | 75  | M  | 508.7   | <b>38152.50</b> | INR Thirty Eight Thousand One Hundred & Fifty Two and Paise Fifty Only      |
| 128 | (CCL SOR 2025;18.7.3) Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply and all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall 25 mm nominal dia Pipes   | 100 | M  | 332.05  | <b>33205.00</b> | INR Thirty Three Thousand Two Hundred & Five Only                           |
| 129 | (CCL SOR 2025;18.7.4) Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply and all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall 32 mm nominal dia Pipes   | 75  | M  | 480.85  | <b>36063.75</b> | INR Thirty Six Thousand & Sixty Three and Paise Seventy Five Only           |
| 130 | (CCL SOR 2025; 18.13.1) Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete: 25 to 40 mm nominal bore   | 25  | EA | 592.15  | <b>14803.75</b> | INR Fourteen Thousand Eight Hundred & Three and Paise Seventy Five Only     |
| 131 | (CCL SOR 2025; 18.13.2) Making connection of G.I. distribution branch with G.I. main of following sizes by providing and fixing tee, including cutting and threading the pipe etc. complete: 50 to 80 mm nominal bore   | 15  | EA | 1063.85 | <b>15957.75</b> | INR Fifteen Thousand Nine Hundred & Fifty Seven and Paise Seventy Five Only |

|     |   |       |    |         |                 |  |
|-----|---|-------|----|---------|-----------------|--|
| 132 | (CCL SOR 2025; 18.17.1) Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 25 mm nominal bore  | 15    | EA | 440.5   | <b>6607.50</b>  | INR Six Thousand Six Hundred & Seven and Paise Fifty Only                  |
| 133 | (CCL SOR 2025; Sub Volume - V: New Items-01) Supplying labours, tools and tackles for cleaning filled and choaked man hole, septic tank, inspection-chamber, gullay pits, sewerage tank etc. in all lift and disposal of spoils upto a lead of 50M all complete as per specification and direction of E/I. (As per JSOR 3.3.9)  | 43.92 | M3 | 1255.77 | <b>55153.42</b> | INR Fifty Five Thousand One Hundred & Fifty Three and Paise Forty Two Only |
| 134 | (CCL SOR 2025; 19.32.1) Making soak pit 2.5 m diameter 3.0 metre deep with 45 x 45 cm dry brick honey comb shaft with bricks and S.W. drain pipe 100 mm diameter, 1.8 m long complete as per standard design. With common burnt clay F.P.S.(non modular) bricks of class designation 7.5  | 4     | EA | 20822.5 | <b>83290.00</b> | INR Eighty Three Thousand Two Hundred & Ninety Only                        |
| 135 | (CCL SOR 2025;2.8.1) Earth work in excavation by mechanical means (Hydraulic excavator) / manual eans in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on an), including dressing of sides and ramming of bottoms, lift up to 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.All kinds of soil | 5.45  | M3 | 205.8   | <b>1120.58</b>  | INR One Thousand One Hundred & Twenty and Paise Fifty Eight Only           |
| 136 | (CCL SOR 2025;2.27) Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.   | 0.36  | M3 | 1438.1  | <b>522.03</b>   | INR Five Hundred & Twenty Two and Paise Three Only                         |
| 137 | (CCL SOR 2025;4.1.5) Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand : 6 graded stone aggregate 20 mm nominal size)  | 0.73  | M3 | 6773.95 | <b>4917.89</b>  | INR Four Thousand Nine Hundred & Seventeen and Paise Eighty Nine Only      |

|     |   |        |    |         |          |  |
|-----|---|--------|----|---------|----------|--|
| 138 | (CCL SOR 2025;6.1.2) Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 5 in foundation and plinth in Cement Mortar 1:6 (1 cement : 6 coarse sand)  | 6.32   | M3 | 6770.05 | 42754.22 | INR Forty Two Thousand Seven Hundred & Fifty Four and Paise Twenty Two Only    |
| 139 | (CCL SOR 2025;5.12) Providing and fixing up to floor five level precast cement concrete string or lacing courses, copings, bed plates, anchor blocks, plain window sills, shelves, louvers, steps, stair cases, etc. including hoisting and setting in position with cement mortar 1:3 (1 cement : 3 coarse sand), cost of required centering, shuttering complete.1:1.5:3 (1 cement : 1.5 coarse sand : 3 graded stone aggregate 20 mm nominal size) | 2.63   | M3 | 9432.95 | 24832.24 | INR Twenty Four Thousand Eight Hundred & Thirty Two and Paise Twenty Four Only |
| 140 | (CCL SOR 2025;5.22.6) Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level Thermo-Mechanically Treated bar   | 210.60 | kg | 105.6   | 22239.36 | INR Twenty Two Thousand Two Hundred & Thirty Nine and Paise Thirty Six Only    |
| 141 | (CCL SOR 2025; 13.7.2) 12 mm cement plaster finished with a floating coat of neat cement of mix : 1:4 (1 cement: 4 fine sand)12 mm cement plaster finished with a floating coat of neat cement of mix : 1:4 (1 cement: 4 fine sand)   | 63.90  | M2 | 303.2   | 19374.48 | INR Nineteen Thousand Three Hundred & Seventy Four and Paise Forty Eight Only  |
| 142 | (CCL SOR 2025; 11.3.1) Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. 11.3.1 40 mm thick with 20 mm nominal size stone aggregate  | 28.56  | M2 | 500.3   | 14288.57 | INR Fourteen Thousand Two Hundred & Eighty Eight and Paise Fifty Seven Only    |
| 143 | <b>PART I (SUPPLY ITEMS)</b><br>Supplying Hand Shower (Health Faucet) with 8mm Dia 1.2 Meter Long Flexible Chrome Tube and Wall Hook (Jaquar or its equivalent) as per direction of EIC.  | 6      | no | 1061.61 | 6369.67  | INR Six Thousand Three Hundred & Sixty Nine and Paise Sixty Seven Only         |

|     |  |       |    |         |                 |  |
|-----|--|-------|----|---------|-----------------|--|
| 144 | Supply of counter table top basin (Jaquar or its equivalent) complete as per instruction of EIC.   | 2     | no | 5498.54 | <b>10997.08</b> | INR Ten Thousand Nine Hundred & Ninety Seven and Paise Eight Only                |
| 145 | Supply of Stainless steel Towel Rack 600 mm (Jaquar or its equivalent) all complete as per instruction of EIC.   | 5     | no | 4967.74 | <b>24838.68</b> | INR Twenty Four Thousand Eight Hundred & Thirty Eight and Paise Sixty Eight Only |
| 146 | Supply of Stainless steel Towel rail (Jaquar or its equivalent) all complete as per direction of EIC.  | 5     | no | 1471.62 | <b>7358.10</b>  | INR Seven Thousand Three Hundred & Fifty Eight and Paise Ten Only                |
| 147 | Supply of C.P. brass Waste Coupling for wash basin and sink (Jaquar or its equivalent) of approved quality and colour, Waste coupling 32 mm dia of 130 mm length all complete as per instruction of EIC. | 4     | no | 1230.03 | <b>4920.12</b>  | INR Four Thousand Nine Hundred & Twenty and Paise Twelve Only                    |
| 148 | Supply of 15mm size C.P.Brass pillar cock (Jaquar or its equivalent) all complete as per instruction of EIC.   | 10    | no | 1978.03 | <b>19780.35</b> | INR Nineteen Thousand Seven Hundred & Eighty and Paise Thirty Five Only          |
| 149 | Supply of two way bib cock with wall flange (jaquar or equivalent) complete as per instruction of EIC.   | 4     | no | 1978.03 | <b>7912.14</b>  | INR Seven Thousand Nine Hundred & Twelve and Paise Fourteen Only                 |
| 150 | Supply of ISI marked SS sliding door bolts as per direction of EIC: 250x16 mm  | 30.00 | EA | 290.38  | <b>8711.25</b>  | INR Eight Thousand Seven Hundred & Eleven and Paise Twenty Five Only             |
| 151 | Supply of ISI marked oxidised SS tower bolt black finish, (Barrel type) as per direction of EIC: 150x10 mm   | 30.00 | EA | 98.73   | <b>2961.83</b>  | INR Two Thousand Nine Hundred & Sixty One and Paise Eighty Three Only            |
| 152 | Supply of ISI marked oxidised SS handles conforming to IS:4992 as per direction of EIC: 125 mm   | 30.00 | EA | 139.38  | <b>4181.40</b>  | INR Four Thousand One Hundred & Eighty One and Paise Forty Only                  |
| 153 | Supply of ISI marked oxidised SS handles conforming to IS:4992 as per direction of EIC: 100 mm   | 30.00 | EA | 127.77  | <b>3832.95</b>  | INR Three Thousand Eight Hundred & Thirty Two and Paise Ninety Five Only         |

|     |  |       |              |        |                |  |
|-----|--|-------|--------------|--------|----------------|--|
| 154 | Supply of Chromium plated Brass screws 25 mm of approved brand as per direction of EIC.                              | 2.00  | Per 100 Nos. | 197.46 | <b>394.92</b>  | INR Three Hundred & Ninety Four and Paise Ninety Two Only              |
| 155 | Supply of Oxidised mild steel screws 40 mm of approved brand as per direction of EIC.                                | 2.00  | Per 100 Nos. | 69.69  | <b>139.38</b>  | INR One Hundred & Thirty Nine and Paise Thirty Eight Only              |
| 156 | Supply of Oxidised mild steel screws 30 mm of approved brand as per direction of EIC.                                | 2.00  | Per 100 Nos. | 55.75  | <b>111.50</b>  | INR One Hundred & Eleven and Paise Fifty Only                          |
| 157 | Supply of Stainless steel butt hinges 125x64x1.9 mm IS : 12817 marked of approved brand as per direction of EIC.     | 30.00 | EA           | 27.76  | <b>832.80</b>  | INR Eight Hundred & Thirty Two and Paise Eighty Only                   |
| 158 | Supply of Stainless steel butt hinges 100x58x1.9 mm IS : 12817 marked of approved brand as per direction of EIC.     | 30.00 | EA           | 25.55  | <b>766.50</b>  | INR Seven Hundred & Sixty Six and Paise Fifty Only                     |
| 159 | Supply of Stainless steel screws 50 mm of approved brand as per direction of EIC.                                    | 2.00  | 100 Nos.     | 288.05 | <b>576.10</b>  | INR Five Hundred & Seventy Six and Paise Ten Only                      |
| 160 | Supply of Stainless steel screws 40 mm of approved brand as per direction of EIC.                                    | 2.00  | 100 Nos.     | 245.08 | <b>490.16</b>  | INR Four Hundred & Ninety and Paise Sixteen Only                       |
| 161 | Providing Stainless steel screws 30 mm of approved brand as per direction of EIC.                                    | 2.00  | 100 Nos.     | 199.78 | <b>399.56</b>  | INR Three Hundred & Ninety Nine and Paise Fifty Six Only               |
| 162 | Supply of P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe 32 mm dia | 15.00 | EA           | 30.20  | <b>453.00</b>  | INR Four Hundred & Fifty Three Only                                    |
| 163 | Supply of uplasticised PVC connection pipe with brass unions : 30 cm length : 15 mm nominal bore                     | 20.00 | EA           | 44.14  | <b>882.80</b>  | INR Eight Hundred & Eighty Two and Paise Eighty Only                   |
| 164 | Supply of White plastic seat (solid) with lid C.P. brass hinges and rubber buffers                                   | 5.00  | EA           | 394.91 | <b>1974.55</b> | INR One Thousand Nine Hundred & Seventy Four and Paise Fifty Five Only |

|     |   |       |         |         |                 |   |
|-----|---|-------|---------|---------|-----------------|---|
| 165 | Supply of C.P. brass bib cock of approved quality conforming to IS:8931 : 15 mm nominal bore  | 15.00 | EA      | 662.06  | <b>9930.90</b>  | INR Nine Thousand Nine Hundred & Thirty and Paise Ninety Only                   |
| 166 | Supplying C.P. angle Cock With Wall flange for basin mixer and geyser points 15 mm nominal bore (Jaquar or its equivalent) all complete as per instruction of EIC | 10.00 | EA      | 1133.62 | <b>11336.20</b> | INR Eleven Thousand Three Hundred & Thirty Six and Paise Twenty Only            |
| 167 | Supply of G.I. socket 25 mm of approved brand and quality : 25 mm nominal bore.   | 35.00 | EA      | 32.52   | <b>1138.20</b>  | INR One Thousand One Hundred & Thirty Eight and Paise Twenty Only               |
| 168 | Supply of 600x450 mm beveled edge mirror of superior glass (of approved quality) as per direction of EIC.   | 8.00  | EA      | 364.71  | <b>2917.68</b>  | INR Two Thousand Nine Hundred & Seventeen and Paise Sixty Eight Only            |
| 169 | Supply of Wire nails (25mm, 32mm, 40mm, 50mm) of approved quality as per instruction of EIC.  | 2.50  | kg      | 60.40   | <b>151.00</b>   | INR One Hundred & Fifty One Only  |
| 170 | Providing PVC tank cover of approved quality as per instruction of EIC.   | 10.00 | EA      | 472.47  | <b>4724.70</b>  | INR Four Thousand Seven Hundred & Twenty Four and Paise Seventy Only            |
| 171 | Supply of CPVC Valve 20mm   | 10.00 | EA      | 374.00  | <b>3740.00</b>  | INR Three Thousand Seven Hundred & Forty Only                                   |
| 172 | Supply of Bleaching Powder  | 1.00  | Qunital | 2032.63 | <b>2032.63</b>  | INR Two Thousand & Thirty Two and Paise Sixty Three Only                        |
| 173 | Supply of High Density Polyethelene pipe (HDPE Pipe of 25 mm diameter   | 350   | M       | 31.05   | <b>10866.41</b> | INR Ten Thousand Eight Hundred & Sixty Six and Paise Forty One Only             |
| 174 | Supply of High Density Polyethelene pipe (HDPE Pipe of 40 mm diameter   | 1000  | M       | 79.97   | <b>79969.28</b> | INR Seventy Nine Thousand Nine Hundred & Sixty Nine and Paise Twenty Seven Only |
| 175 | Supply of High Density Polyethelene pipe (HDPE Pipe of 50 mm diameter   | 75    | M       | 123.58  | <b>9268.77</b>  | INR Nine Thousand Two Hundred & Sixty Eight and Paise Seventy Seven Only        |

|     |  |       |         |        |                 |   |
|-----|--|-------|---------|--------|-----------------|---|
| 176 | stainless steel Jali for drain 4"  | 8     | EA      | 92.92  | <b>743.36</b>   | INR Seven Hundred & Forty Three and Paise Thirty Six Only               |
| 177 | Supply of material: Surf excel Easy Wash Detergent Powder 5 kg or Equivalent       | 8.00  | 5 kg    | 639.99 | <b>5119.89</b>  | INR Five Thousand One Hundred & Nineteen and Paise Eighty Nine Only     |
| 178 | Supply of material: Phenyl Nimyl   | 25.00 | 2 litre | 363.55 | <b>9088.74</b>  | INR Nine Thousand & Eighty Eight and Paise Seventy Four Only            |
| 179 | Supply of material: Harpic Toilet Cleaner 1000 ml bottle                           | 10.00 | EA      | 229.98 | <b>2299.77</b>  | INR Two Thousand Two Hundred & Ninety Nine and Paise Seventy Seven Only |
| 180 | Supply of material: Naptha Ball  | 2.50  | kg      | 447.18 | <b>1117.94</b>  | INR One Thousand One Hundred & Seventeen and Paise Ninety Four Only     |
| 181 | Supply of material: Phool Broom  | 48.00 | EA      | 219.52 | <b>10537.13</b> | INR Ten Thousand Five Hundred & Thirty Seven and Paise Thirteen Only    |
| 182 | Supply of material: Stick Broom  | 48.00 | EA      | 126.60 | <b>6076.97</b>  | INR Six Thousand & Seventy Six and Paise Ninety Seven Only              |
| 183 | Supply of material: Toilet brush   | 12.00 | EA      | 256.69 | <b>3080.30</b>  | INR Three Thousand & Eighty and Paise Thirty Only                       |
| 184 | Supply of material: Floor Wiper  | 12.00 | EA      | 196.29 | <b>2355.52</b>  | INR Two Thousand Three Hundred & Fifty Five and Paise Fifty Two Only    |
| 185 | Supply of material: Floor Mop  | 12.00 | EA      | 347.29 | <b>4167.46</b>  | INR Four Thousand One Hundred & Sixty Seven and Paise Forty Six Only    |
| 186 | Supply of material: Plastic bucket with Mug 16 litre capacity, Cello or Equivalent | 5.00  | EA      | 298.51 | <b>1492.53</b>  | INR One Thousand Four Hundred & Ninety Two and Paise Fifty Three Only   |

|     |   |       |       |         |                  |   |
|-----|---|-------|-------|---------|------------------|---|
| 187 | Supply of material: Dettol Foaming Handwash Pump 250ml  | 50.00 | EA    | 124.28  | <b>6214.03</b>   | INR Six Thousand Two Hundred & Fourteen and Paise Three Only    |
| 188 | Supply of material: Godrej aer Power Pocket Bathroom Freshener Assorted Pack of 5 (50g)   | 24.00 | EA    | 429.76  | <b>10314.12</b>  | INR Ten Thousand Three Hundred & Fourteen and Paise Twelve Only |
| 189 | <b>"(CAMC Electrical wiring)"</b><br>Wiring for light point/ fanpoint/ exhaust fanpoint/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. box and earthing the point with 1.5 sq.mm. FRLS PVC insulated copper conductor single core cable etc. as required. Group C | 80    | Point | 1184.00 | <b>94720.00</b>  | INR Ninety Four Thousand Seven Hundred & Twenty Only            |
| 190 | Supplying and fixing 5A to 32A rating, 240/415V, 10kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MOB DB complete with connections, testing and commissioning etc. as required. Single pole and neutral  | 60    | No.   | 518.00  | <b>31080.00</b>  | INR Thirty One Thousand & Eighty Only                           |
| 191 | Wiring for circuit/submain wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. (2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire)  | 280   | M     | 193.00  | <b>54040.00</b>  | INR Fifty Four Thousand & Forty Only                            |
| 192 | Wiring for circuit/ submain wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. (2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire)   | 280   | M     | 230.00  | <b>64400.00</b>  | INR Sixty Four Thousand Four Hundred Only                       |
| 193 | Wiring for circuit/ submain wiring along with earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. (2 X 4 sq. mm + 1 X 4 sq. mm earth wire)   | 440   | M     | 282.00  | <b>124080.00</b> | INR One Lakh Twenty Four Thousand & Eighty Only                 |

|     |   |     |     |        |                 |  |
|-----|---|-----|-----|--------|-----------------|--|
| 194 | Supplying and fixing 3 pin, 5 A ceiling rose on the existing junction box/ wooden block including connections etc. as required.   | 40  | Nos | 70.00  | <b>2800.00</b>  | INR Two Thousand Eight Hundred Only                |
| 195 | Supplying and fixing PVC batten/ angleholder including connections etc. as required.  | 160 | Nos | 89.00  | <b>14240.00</b> | INR Fourteen Thousand Two Hundred & Forty Only     |
| 196 | Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 5/6 amps switch                                | 200 | Nos | 42.00  | <b>8400.00</b>  | INR Eight Thousand Four Hundred Only               |
| 197 | Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 3 pin 5/6 A socket outlet                      | 160 | Nos | 57.00  | <b>9120.00</b>  | INR Nine Thousand One Hundred & Twenty Only        |
| 198 | Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 A switch                                 | 100 | Nos | 101.00 | <b>10100.00</b> | INR Ten Thousand One Hundred Only                  |
| 199 | Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 6 pin 15/16 A socket outlet                    | 80  | Nos | 115.00 | <b>9200.00</b>  | INR Nine Thousand Two Hundred Only                 |
| 200 | Supplying and fixing two module stepped type electronic fanregulator on the existing modular plate switch box including connections but excluding modular plate etc. as required. | 80  | Nos | 316.00 | <b>25280.00</b> | INR Twenty Five Thousand Two Hundred & Eighty Only |
| 201 | Supplying and fixing of approve make PVC box minimum depth 40mm and minimum thickness 2mm with cover plate including fixing on surface etc.as required 4"X4"                      | 60  | Nos | 132.00 | <b>7920.00</b>  | INR Seven Thousand Nine Hundred & Twenty Only      |
| 202 | Supplying and fixing of approve make PVC box minimum depth 40mm and minimum thickness 2mm with cover plate including fixing on surface etc.as required 7"X4"                      | 60  | Nos | 160.00 | <b>9600.00</b>  | INR Nine Thousand Six Hundred Only                 |
| 203 | Supplying and fixing of approve make PVC box minimum depth 40mm and minimum thickness 2mm with cover plate including fixing on surface etc.as required 8"X6"                      | 60  | Nos | 192.00 | <b>11520.00</b> | INR Eleven Thousand Five Hundred & Twenty Only     |

|                         |   |       |     |             |                    |   |
|-------------------------|---|-------|-----|-------------|--------------------|---|
| 204                     | Supplying and fixing of approve make PVC box minimum depth 40mm and minimum thickness 2mm with cover plate including fixing on surface etc.as required 8"X10"   | 60    | Nos | 225.00      | 13500.00           | INR Thirteen Thousand Five Hundred Only   |
| 205                     | Supply and fixing of Main Switch 16 Amp. Single pole on 8" X 6" PVC box.  | 50    | Nos | 1200.00     | 60000.00           | INR Sixty Thousand Only   |
| 206                     | Supply and fixing of Main Switch 32 Amp. Single pole on 8" X 10" PVC box.   | 20    | Nos | 1750.00     | 35000.00           | INR Thirty Five Thousand Only   |
| 207                     | supply and fixing of PVC box 7" X 4" (nominal size) on surface or in recess including providing and fixing of 3 pin 5/6A socket outlet and 5/6 Amp. Piano type switch, connection, painting etc. as required.     | 30    | Nos | 210.00      | 6300.00            | INR Six Thousand Three Hundred Only   |
| 208                     | supply and fixing of PVC box 8" X 6" (nominal size) on surface or in recess including providing and fixing of 6 pin 15/16A socket outlet and 15/16 Amp. Piano type switch, connection, painting etc. as required. | 25    | Nos | 306.00      | 7650.00            | INR Seven Thousand Six Hundred & Fifty Only   |
| 209                     | 63A TP&N  | 12    | Nos | 2737.00     | 32844.00           | INR Thirty Two Thousand Eight Hundred & Forty Four Only   |
| 210                     | Supplying and drawing following sizes of ARI.s PVC insulatedcopper conductor, single core cable in the existing surface/ recessed steel/PVC conduit as required. ( 2x 2.5 sq mm).                                 | 540   | M   | 84.00       | 45360.00           | INR Forty Five Thousand Three Hundred & Sixty Only  |
| 211                     | supply of LED tube 20 Watt (reputed brand)  | 240   | Nos | 211.50      | 50760.00           | INR Fifty Thousand Seven Hundred & Sixty Only   |
| 212                     | supply of LED Bulb 20 Watt (reputed brand)  | 160   | Nos | 195.00      | 31200.00           | INR Thirty One Thousand Two Hundred Only  |
| 213                     | <b>Total impact of GST for the purpose of CTC</b>   | 1.000 | Nos | <b>0.00</b> | <b>0.00</b>        | INR Zero Only   |
| <b>Total in Figures</b> |   |       |     |             | <b>10622169.83</b> | INR One Crore Six Lakh Twenty Two Thousand One Hundred & Sixty Nine and Paise Eighty Three Only |

|                               |                      |               |  |             |               |
|-------------------------------|----------------------|---------------|--|-------------|---------------|
| <b>Quoted Rate in Figures</b> |                      | <b>Select</b> |  | <b>0.00</b> | INR Zero Only |
| <b>Quoted Rate in Words</b>   | <b>INR Zero Only</b> |               |  |             |               |