

Tender Inviting Authority: Staff Officer (Civil), Argada Area

Name of Work : "Construction of Rain water Harvesting PIT in excavation workshop of Gidi-C OCP under Argada Area." (e-tender 43 of 25-26)

	Category of Services (To Be Selected by Department)	Category of Bidder(To Be Selected by Bidder)	To Be Entered by Department		
ITC Not Available	Works Contract	Bidder's Status (Mandatory)	Rate of GST (in %)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)
Name of the Bidder/ Bidding Firm / Company :		Select	18.00	0.00	0.00

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
1	(CCL SOR 2025; 23.1.1.1) Boring/drilling bore well of required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/ bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level. All types of soil 300 mm dia	50	M	517.4	25870.00	INR Twenty Five Thousand Eight Hundred & Seventy Only
2	(CCL SOR 2025; 23.1.2.1) Boring/drilling bore well of required dia for casing/ strainer pipe, by suitable method prescribed in IS: 2800 (part I), including collecting samples from different strata, preparing and submitting strata chart/ bore log, including hire & running charges of all equipments, tools, plants & machineries required for the job, all complete as per direction of Engineer-in-charge, upto 90 metre depth below ground level. Rocky strata including Boulders 300 mm dia	10	M	1207.45	12074.50	INR Twelve Thousand & Seventy Four and Paise Fifty Only
3	(CCL SOR 2025; 23.3.2) Supplying, assembling, lowering and fixing in vertical position in bore well, unplasticized PVC medium well casing (CM) pipe of required dia, conforming to IS: 12818, including required hire and labour charges, fittings & accessories etc. all complete, for all depths, as per direction of Engineer -in-charge. 150 mm nominal size dia	30	M	540.85	16225.50	INR Sixteen Thousand Two Hundred & Twenty Five and Paise Fifty Only

4	(CCL SOR 2025; 23.4.2) Supplying, assembling, lowering and fixing in vertical position in bore well unplasticized PVC medium well screen (RMS) pipes with ribs, conforming to IS: 12818, including hire & labour charges, fittings & accessories etc. all complete, for all depths, as per direction of Engineer-in-charge. 150 mm nominal size dia	20	M	546.85	10937.00	INR Ten Thousand Nine Hundred & Thirty Seven Only
5	(CCL SOR 2025; 12.51.6) Providing and fixing precoated galvanised steel sheet roofing accessories of total coated thickness 0.50 mm (base metal of minimum 0.45 mm thickness with total coating thickness of 0.05 mm) with Zinc coating 120 gram per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete : Gutter (600 mm over all girth)	118	M	1007.4	118873.20	INR One Lakh Eighteen Thousand Eight Hundred & Seventy Three and Paise Twenty Only
6	(CCL SOR 2025; 10.2) Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	200	M	114.9	22980.00	INR Twenty Two Thousand Nine Hundred & Eighty Only
7	(CCL SOR 2025; 12.50) Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-Charge) of total coated thickness 0.50 mm (base metal of minimum 0.45 mm thickness with total coating thickness of 0.05mm) with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.	189.34	M2	698.1	132178.25	INR One Lakh Thirty Two Thousand One Hundred & Seventy Eight and Paise Twenty Five Only
8	(CCL SOR 2025; 12.41.2) Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 110 mm diameter	150	M	338.5	50775.00	INR Fifty Thousand Seven Hundred & Seventy Five Only

9	(CCL SOR 2025; 12.42.5.2) Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS :5382, leaving 10 mm gap for thermal expansion. 110 mm bend	30	EA	148.85	4465.50	INR Four Thousand Four Hundred & Sixty Five and Paise Fifty Only
10	(CCL SOR 2025; 12.43.2) Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete. 110 mm	30	EA	242.35	7270.50	INR Seven Thousand Two Hundred & Seventy and Paise Fifty Only
11	(CCL SOR 2025; 2.8.1) Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil.	65.59	M3	205.8	13498.42	INR Thirteen Thousand Four Hundred & Ninety Eight and Paise Forty Two Only
12	(CCL SOR 2025; 2.27) Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.	1.32	M3	1438.1	1898.29	INR One Thousand Eight Hundred & Ninety Eight and Paise Twenty Nine Only
13	(CCL SOR 2025; 4.1.5) Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)	2.63	M3	6773.95	17815.49	INR Seventeen Thousand Eight Hundred & Fifteen and Paise Forty Nine Only
14	(CCL SOR 2025; 2.26.1) Extra for every additional lift of 1.5 m or part thereof in excavation / banking excavated or stacked materials. All kinds of soil	24.98	M3	76.45	1909.72	INR One Thousand Nine Hundred & Nine and Paise Seventy Two Only
15	(CCL SOR 2025; 2.25) Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 and for all lift.	16.37	M3	118.65	1942.30	INR One Thousand Nine Hundred & Forty Two and Paise Thirty Only

16	(CCL SOR 2025; 6.1.2) Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:6(1 cement :6 coarse sand)	15.03	M3	6770.05	101753.85	INR One Lakh One Thousand Seven Hundred & Fifty Three and Paise Eighty Five Only
17	(CCL SOR 2025; 13.7.2) 12 mm cement plaster finished with a floating coat of neat cement of mix: 1:4(1 cement: 4 fine sand)	92.37	M2	303.2	28006.58	INR Twenty Eight Thousand & Six and Paise Fifty Eight Only
18	(CCL SOR 2025; 4.5.1) Providing and fixing up to floor five level precast cement concrete string or lacing courses, copings, bed plates, anchor blocks, plain window sills, shelves, louvers, steps, stair cases, etc., including hoisting and setting in position with cement mortar 1:3 (1 Cement : 3 coarse sand), cost of required Centering complete. 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	0.65	M3	9129.25	5934.01	INR Five Thousand Nine Hundred & Thirty Four and Paise One Only
19	(CCL SOR 2025; 5.22.6) Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more.	48.75	KG	105.6	5148.00	INR Five Thousand One Hundred & Forty Eight Only
20	(CCL SOR 2025; 9.48.2) Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. Fixed to openings /wooden frames with rawl plugs screws etc.	320.98	M2	186.7	59926.97	INR Fifty Nine Thousand Nine Hundred & Twenty Six and Paise Ninety Seven Only
21	(CCL SOR 2025; 23.5) Supplying, filling, spreading & leveling stone boulders of size range 5 cm to 20 cm, in recharge pit, in the required thickness, for all leads & lifts, all complete as per direction of Engineer-in-charge.	5.44	M3	545.45	2967.25	INR Two Thousand Nine Hundred & Sixty Seven and Paise Twenty Five Only
22	(CCL SOR 2025; 23.6) Supplying, filling, spreading & leveling gravels of size range 5 mm to 10 mm, in the recharge pit, over the existing layer of boulders, in required thickness, for all leads & lifts, all complete as per direction of Engineer- in-charge.	4.54	M3	914.8	4153.19	INR Four Thousand One Hundred & Fifty Three and Paise Nineteen Only

23	(CCL SOR 2025; 23.7) Supplying, filling, spreading & leveling coarse sand of size range 1.5 mm to 2 mm in recharge pit, in required thickness over gravel layer, for all leads & lifts, all complete as per direction of Engineer -in-charge.	3.63	M3	885.75	3215.27	INR Three Thousand Two Hundred & Fifteen and Paise Twenty Seven Only
24	(CCL SOR 2025; 23.8) Gravel packing in tubewell construction in accordance with IS: 4097, including providing gravel fine/ medium/ coarse, in required grading & sizes as per actual requirement, all complete as per direction of Engineer- in-charge.	6.36	M3	1626.85	10346.77	INR Ten Thousand Three Hundred & Forty Six and Paise Seventy Seven Only
25	(CCL SOR 2025; 13.61.1) Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	12.84	M2	112.3	1441.93	INR One Thousand Four Hundred & Forty One and Paise Ninety Three Only
26	(CCL SOR 2025; 16.68) Providing and laying 60 mm thick factory made cement concrete interlocking paver block of M - 30 grade made by block making machine with strong vibratory compaction, of approved size, design & shape, laid in required colour and pattern over and including 50 mm thick compacted bed of coarse sand, filling the joints with line sand etc. all complete as per the direction of Engineer-in-charge.	128	M2	670.05	85766.40	INR Eighty Five Thousand Seven Hundred & Sixty Six and Paise Forty Only
27	Total impact of GST for the purpose of CTC	1.000	Nos	0.00	0.00	INR Zero Only
Total in Figures					747373.90	INR Seven Lakh Forty Seven Thousand Three Hundred & Seventy Three and Paise Ninety Only
Quoted Rate in Figures			Select		0.00	INR Zero Only
Quoted Rate in Words						INR Zero Only