

Tender Inviting Authority: General Manager (Civil)/ Welfare & Services, CCL Ranchi.

Name of Work: Annual repair and maintenance of civil works at DHC under welfare and services department, CCL, HQ. Ranchi, for the period of two years, Vide NIT No. 56 of 25-26.

	Category of Services (To Be Selected by Department)	Category of Bidder(To Be Selected by Bidder)	To Be Entered by Department		
ITC Available	Works Contract	Bidder's Status (Mandatory)	Rate of GST (in %)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)
Name of the Bidder/ Bidding Firm / Company :		Select	18.00	0.00	0.00

PRICE SCHEDULE
 (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
1.01	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth up to 30 cm measured at a height of 1 m above ground level and removal of rubbish up to a distance of 50 m outside the periphery of the area cleared. (CCL SOR 2025 2.31)	2000.00	Sqm	13.15	26300.00	INR Twenty Six Thousand Three Hundred Only
1.02	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 and for all lif.(CCL SOR 2025 2.25)	50.00	cum	146.95	7347.50	INR Seven Thousand Three Hundred & Forty Seven and Paise Fifty Only
1.03	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil.(CCL SOR 2025 2.8.1)	50.00	cum	207.30	10365.00	INR Ten Thousand Three Hundred & Sixty Five Only
1.04	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and for all lift, as directed by Engineer-in-charge. All kinds of soil All kinds of soil(CCL SOR 2025 2.6.1)	30.00	cum	141.25	4237.50	INR Four Thousand Two Hundred & Thirty Seven and Paise Fifty Only
1.05	Surface dressing of the ground including removing vegetation and in- equalities not exceeding 15 cm deep and disposal of rubbish, lead up to 50 m and lift up to 1.5 m. All kinds of soil(CCL SOR 2025 2.28.1)	1000.00	sqm	25.50	25500.00	INR Twenty Five Thousand Five Hundred Only
1.06	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering. All work up to plinth level : 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources) (CCL SOR 2025 4.1.3)	15.00	cum	7795.50	116932.50	INR One Lakh Sixteen Thousand Nine Hundred & Thirty Two and Paise Fifty Only

1.07	Providing and fixing up to floor five level precast cement concrete string or lacing courses, copings, bed plates, anchor blocks, plain window sills, shelves, louvers, steps, stair cases, etc., including hoisting and setting in position with cement mortar 1:3 (1 Cement : 3 coarse sand), cost of required Centering complete. 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)(CCL SOR 2025 4.5.1)	5.00	cum	9691.70	48458.50	INR Forty Eight Thousand Four Hundred & Fifty Eight and Paise Fifty Only
1.08	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size derived from natural sources)(CCL SOR 2025 5.1.3)	2.00	cum	8328.90	16657.80	INR Sixteen Thousand Six Hundred & Fifty Seven and Paise Eighty Only
1.09	Centering and shuttering including strutting, propping etc. and removal of form for Foundations, footings, bases of columns, etc. for mass concrete(CCL SOR 2025 5.9.1)	20.00	sqm	312.65	6253.00	INR Six Thousand Two Hundred & Fifty Three Only
1.10	Centering and shuttering including strutting, propping etc. and removal of form for Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.(CCL SOR 2025 5.9.2)	20.00	sqm	660.60	13212.00	INR Thirteen Thousand Two Hundred & Twelve Only
1.11	Centering and shuttering including strutting, propping etc. and removal of form for Suspended floors, roofs, landings, balconies and access platform(CCL SOR 2025 5.9.3)	20.00	sqm	735.50	14710.00	INR Fourteen Thousand Seven Hundred & Ten Only
1.12	Centering and shuttering including strutting, propping etc. and removal of form for Shelves (Cast in situ)(CCL SOR 2025 5.9.4)	20.00	sqm	735.50	14710.00	INR Fourteen Thousand Seven Hundred & Ten Only
1.13	Centering and shuttering including strutting, propping etc. and removal of form for Lintels, beams, plinth beams, girders, bressumers and cantilevers (CCL SOR 2025 5.9.5)	20.00	sqm	590.60	11812.00	INR Eleven Thousand Eight Hundred & Twelve Only
1.14	Centering and shuttering including strutting, propping etc. and removal of form for Columns, Pillars, Piers, Abutments, Posts and Struts(CCL SOR 2025 5.9.6)	20.00	sqm	754.45	15089.00	INR Fifteen Thousand & Eighty Nine Only
1.15	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more.(CCL SOR 2025 5.22.6)	500.00	Kg	108.65	54325.00	INR Fifty Four Thousand Three Hundred & Twenty Five Only
1.16	Providing and fixing aluminium extruded section body tubular type universal hydraulic door closer (having brand logo with ISI, IS : 3564, embossed on the body, door weight upto 36 kg to 80 kg and door width from 701 mm to 1000 mm), with double speed adjustment with necessary accessories and screws etc. complete.(CCL SOR 2025 9.84)	200.00	each	1038.45	207690.00	INR Two Lakh Seven Thousand Six Hundred & Ninety Only
1.17	Providing and fixing factory made P.V.C. door frame of size 50x47 mm with a wall thickness of 5 mm, made out of extruded 5 mm rigid PVC foam sheet, mitred at corners and joined with 2 Nos of 150 mm long brackets of 15x15 mm M.S. square tube, the vertical door frame profiles to be reinforced with 19x19 mm M.S. square tube of 19 gauge, EPDM rubber gasket weather seal to be provided through out the frame. The door frame to be fixed to the wall using M.S. screws of 65/100 mm size, complete as per manufacturer's specification and direction of Engineer- in-Charge.(CCL SOR 2025 9.119)	20.00	metre	467.70	9354.00	INR Nine Thousand Three Hundred & Fifty Four Only

1.18	24 mm thick factory made PVC door shutters made of styles cleats. The shutter frame filled and rails of a uPVC hollow section of size 59x24 mm and wall thickness 2 mm (± 0.2 mm) with inbuilt edging on both sides. The styles and rails mitred and joint at the corners by means of M.S. galvanised/ plastic brackets of size 75x220 mm having wall thickness 1.0 mm and stainless steel screws. The styles of the shutter reinforced by inserting galvanised M.S. tube of size 20x20 mm and 1 mm (± 0.1 mm) wall thickness. The lock rail made up of 'H' section, a uPVC hollow section of size 100x24 mm and 2 mm (± 0.2 mm) wall thickness, fixed to the shutter styles by means of plastic/galvanised M.S. with a uPVC multi-chambered single panel of size not less than 620 mm, having over all thickness of 20 mm and 1 mm (± 0.1 mm) wall thickness. The panels filled vertically and tie bar at two places by inserting horizontally 6 mm galvanised M.S. rod and fastened with nuts and washers, complete as per manufacturer's specification and direction of Engineer- in-charge. (For W.C. and bathroom door shutter).(CCL SOR 2025 9.118.1)	10.00	sqm	2929.55	29295.50	INR Twenty Nine Thousand Two Hundred & Ninety Five and Paise Fifty Only
1.19	Providing and fixing powder coated telescopic drawer channels 300 mm long with necessary screws etc. complete as per directions of Engineer- in-charge,(CCL SOR 2025 9.115)	100.00	one set	189.30	18930.00	INR Eighteen Thousand Nine Hundred & Thirty Only
1.20	Providing and fixing sliding arrangement in racks/ cupboards/cabinets shutter with stainless steel rollers to run inside C or E aluminium channel section (The payment of C or E channel shall be made separately)(CCL SOR 2025 9.116)	50.00	each	12.10	605.00	INR Six Hundred & Five Only
1.21	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. Fixed to openings /wooden frames with rawl plugs screws etc.(CCL SOR 2025 9.48.2)	300.00	kg	203.50	61050.00	INR Sixty One Thousand & Fifty Only
1.22	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. Twin rubber stopper(CCL SOR 2025 9.101.2)	300.00	each	75.15	22545.00	INR Twenty Two Thousand Five Hundred & Forty Five Only
1.23	Providing and fixing special quality chromium plated brass cupboard locks with six levers of approved quality including necessary screws etc. complete. Size 75 mm(CCL SOR 2025 9.90.4)	100.00	each	305.85	30585.00	INR Thirty Thousand Five Hundred & Eighty Five Only
1.24	Providing and fixing special quality chromium plated brass cupboard locks with six levers of approved quality including necessary screws etc. complete. Size 50 mm(CCL SOR 2025 9.90.2)	100.00	each	267.50	26750.00	INR Twenty Six Thousand Seven Hundred & Fifty Only
1.25	Providing and fixing ISI marked aluminium butt hinges anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete: Note :- Aluminum hinges shall not be used in wooden shutters, stainless steel hinges shall be preferred. 125x63x4 mm(CCL SOR 2025 9.95.2)	300.00	each	96.55	28965.00	INR Twenty Eight Thousand Nine Hundred & Sixty Five Only
1.26	Providing and fixing ISI marked aluminium butt hinges anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete: Note :- Aluminum hinges shall not be used in wooden shutters, stainless steel hinges shall be preferred. 100x63x4 mm (CCL SOR 2025 9.95.4)	250.00	each	102.45	25612.50	INR Twenty Five Thousand Six Hundred & Twelve and Paise Fifty Only
1.27	Providing and fixing IS : 12817 marked stainless steel butt hinges with stainless steel screws etc. complete : 75x47x1.80 mm(CCL SOR 2025 9.70.3)	500.00	each	48.50	24250.00	INR Twenty Four Thousand Two Hundred & Fifty Only

1.28	Providing and fixing IS : 12817 marked stainless steel butt hinges with stainless steel screws etc. complete : 125x64x1.90 mm(CCL SOR 2025 9.70.1)	200.00	each	70.95	14190.00	INR Fourteen Thousand One Hundred & Ninety Only
1.29	Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with nuts and screws etc. complete : 250x16 mm(CCL SOR 2025 9.96.2)	100.00	each	205.25	20525.00	INR Twenty Thousand Five Hundred & Twenty Five Only
1.30	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 150x10 mm(CCL SOR 2025 9.97.4)	100.00	each	63.50	6350.00	INR Six Thousand Three Hundred & Fifty Only
1.31	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 250x10 mm(CCL SOR 2025 9.97.2)	150.00	each	79.05	11857.50	INR Eleven Thousand Eight Hundred & Fifty Seven and Paise Fifty Only
1.32	Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 200x10 mm(CCL SOR 2025 9.97.3)	150.00	each	78.60	11790.00	INR Eleven Thousand Seven Hundred & Ninety Only
1.33	Providing and fixing aluminium handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 125 mm(CCL SOR 2025 9.100.1)	100.00	each	69.45	6945.00	INR Six Thousand Nine Hundred & Forty Five Only
1.34	Providing and fixing magnetic catcher of approved quality in cupboard/ ward robe shutters, including fixing with necessary screws etc. complete. Double strip (horizontal type)(CCL SOR 2025 9.114.2)	300.00	each	21.00	6300.00	INR Six Thousand Three Hundred Only
1.35	Providing & Fixing decorative high pressure laminated sheet of plain / wood grain in gloss / matt/ suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS : 2046 Type S, including cost of adhesive of approved quality. 1.0 mm thick(CCL SOR 2025 9.127.2)	500.00	sqm	878.45	439225.00	INR Four Lakh Thirty Nine Thousand Two Hundred & Twenty Five Only
1.36	Providing and fixing anodised aluminium grill (anodised transparent or dyed to required shade according to IS: 1868 with minimum anodic coating of grade AC 15) of approved design/pattern, with approved standard section and fixed to the existing window frame with C.P. brass/ stainless steel screws @ 200 mm centre to centre, including cutting the grill to proper opening size for fixing and operation of handles and fixing approved anodised aluminium standard section around the opening, all complete as per requirement and direction of Engineer-in-charge. (Only weight of grill to be measured for payment).(CCL SOR 2025 (CCL SOR 2025 21.17)	50.00	kg	456.15	22807.50	INR Twenty Two Thousand Eight Hundred & Seven and Paise Fifty Only
1.37	Providing and fixing 12 mm thick frameless toughened glass door shutter of approved brand and manufacture, including providing and fixing top & bottom pivot & double acting hydraulic floor spring type fixing arrangement and making necessary holes etc. for fixing required door fittings, all complete as per direction of Engineer-in-charge (Door handle, lock and stopper etc.to be paid separately).(CCL SOR 2025 21.18)	20.00	sqm	4088.50	81770.00	INR Eighty One Thousand Seven Hundred & Seventy Only

1.38	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : For fixed portion Powder coated aluminium (minimum thickness of powder coating 50 micron)(CCL SOR 2025 21.1.1.2)	75.00	kg	571.85	42888.75	INR Forty Two Thousand Eight Hundred & Eighty Eight and Paise Seventy Five Only
1.39	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : Powder coated aluminium (minimum thickness of powder coating 50 micron)(CCL SOR 2025 21.1.2.2)	150.00	kg	651.20	97680.00	INR Ninety Seven Thousand Six Hundred & Eighty Only
1.40	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge.Pre-laminated particle board with decorative lamination on both sides (CCL SOR 2025 21.2.2)	50.00	sqm	935.15	46757.50	INR Forty Six Thousand Seven Hundred & Fifty Seven and Paise Fifty Only
1.41	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 4.0 mm thickness (weight not less than 10kg/sqm)(CCL SOR 2025 21.3.1)	50.00	sqm	991.45	49572.50	INR Forty Nine Thousand Five Hundred & Seventy Two and Paise Fifty Only
1.42	Providing and fixing double action hydraulic floor spring of approved brand and manufacture conforming to IS : 6315, having brand logo embossed on the body / plate with double spring mechanism and door weight upto 125 kg, for doors, including cost of cutting floors, embedding in floors as required and making good the same matching to the existing floor finishing and cover plates with brass pivot and single piece M.S. sheet outer box with slide plate etc. complete as per the direction of Engineer- in-charge. With stainless steel cover plate minimum 1.25 mm thickness(CCL SOR 2025 21.4.1)	15.00	each	2217.45	33261.75	INR Thirty Three Thousand Two Hundred & Sixty One and Paise Seventy Five Only
1.43	Providing and fixing chromium plated brass handles with necessary screws etc. complete: 125 mm(CCL SOR 2025 9.92.1)	100.00	each	197.20	19720.00	INR Nineteen Thousand Seven Hundred & Twenty Only
1.44	Providing and fixing chromium plated brass handles with necessary screws etc. complete: 100 mm(CCL SOR 2025 9.92.2)	100.00	each	173.50	17350.00	INR Seventeen Thousand Three Hundred & Fifty Only

1.45	Providing and fixing fly proof stainless steel grade 304 wire gauge, to windows and clerestory windows using wire gauge with average width of aperture 1.4 mm in both directions with wire of dia. 0.50 mm all complete. With 12 mm mild steel U beading(CCL SOR 2025 9.135.2)	40.00	sqm	1375.85	55034.00	INR Fifty Five Thousand &Thirty Four Only
1.46	Providing and fixing 19 mm thick ply board of Greenply or equivalent of any other brand, treated for borer, termite and fungus proof, boiling water proof with fire retardant properties, in shelves with screws and fittings wherever required, edges to be painted with polyurethane primer (fittings to be paid separately)(CCL SOR 2025 sub volume-v:New item-95)	400.00	sqm	2155.40	862160.00	INR Eight Lakh Sixty Two Thousand One Hundred & Sixty Only
1.47	Providing and fixing 12 mm thick plywood of Greenply or equivalent of any other brand, treated for borer, termite and fungus proof, boiling water proof with fire retardant properties, in shelves with screws and fittings wherever required, edges to be painted with polyurethane primer (fittings to be paid separately)(CCL SOR 2025 sub volume-v:New item-94)	80.00	sqm	1564.25	125140.00	INR One Lakh Twenty Five Thousand One Hundred & Forty Only
1.48	Providing and fixing 6 mm thick plywood of Greenply or equivalent of any other brand, treated for borer, termite and fungus proof, boiling water proof with fire retardant properties, in shelves with screws and fittings wherever required, edges to be painted with polyurethane primer (fittings to be paid separately)(CCL SOR 2025 sub volume-v:New item-93)	60.00	sqm	1193.05	71583.00	INR Seventy One Thousand Five Hundred & Eighty Three Only
1.49	Supply & fixing of roller blind blackout collection of marvel Décor / SSG or equivalent with cassette all complete as per instruction of EIC.(CCL SOR 2025 sub volume-v:New item-97)	30.00	per sq. metres	5546.16	166384.80	INR One Lakh Sixty Six Thousand Three Hundred & Eighty Four and Paise Eighty Only
1.50	Providing stainless Stainless Steel 304 Glass Door Pull Handle (450mm) and dia 38 mm including all necessary fittings all complete as per direction of EIC. (Analyzed Rate)	10.00	each	1722.56	17225.60	INR Seventeen Thousand Two Hundred & Twenty Five and Paise Sixty Only
1.51	Providing and fixing bottom door lock for toughened glass door all complete as per direction of EIC. (Analyzed Rate)	10.00	each	3208.89	32088.90	INR Thirty Two Thousand &Eighty Eight and Paise Ninety Only
1.52	Providing and fixing partition upto ceiling height consisting of G.I. frame and required board, including providing and fixing of frame work made of special section power pressed/ roll form G.I. sheet with zinc coating of 120 gms/sqm(both side inclusive), consisting of floor and ceiling channel 50 mm wide having equal flanges of 32 mm and 0.50 mm thick, fixed to the floor and ceiling at the spacing of 610 mm centre to centre with dash fastener of 12.5 mm dia meter 50 mm length or suitable anchor fastener or metal screws with nylon plugs and the studs 48 mm wide having one flange of 34 mm and other flange 36 mm and 0.50 mm thick fixed vertically within flanges of floor and ceiling channel and placed at a spacing of 610 mm centre to centre by 6 mm dia bolts and nuts, including fixing of studs along both ends of partition fixed flush to wall with suitable anchor fastener or metal screws with nylon plugs at spacing of 450 mm centre to centre, and fixing of boards to both side of frame work by 25 mm long dry wall screws on studs, floor and ceiling channels at the spacing of 300 mm centre to centre. The boards are to be fixed to the frame work with joints staggered to avoid through cracks, M.S. fixing channel of 99 mm width (0.9 mm thick having two flanges of 9.5 mm each) to be provided at the horizontal joints of two boards, fixed to the studs using metal to metal flat head screws, including jointing and finishing to a flush finish with recommended jointing compound, jointing tape, angle beads at corners (25 mm x 25 mm x 0.5 mm), joint finisher and two coats of primer suitable for board as per manufacture's specification and direction of engineer in charge all complete, 75 mm overall thickness partition with 12.5 mm thick double skin tapered edged plain Gypsum plaster board conforming to IS: 2095: (part I): 2011 (Board with BIS certification marks)(CCL SOR 2025 9.105.2)	80.00	sqm	1417.00	113360.00	INR One Lakh Thirteen Thousand Three Hundred & Sixty Only

1.53	Supply and fixing Wall paper all complete as per instruction of EIC. (CCL SOR 2025 sub volume-v:New item-98)	600.00	sqft	110.34	66204.00	INR Sixty Six Thousand Two Hundred & Four Only
1.54	Supply of Mortice lock (Godrej or its equivalent) as per instruction of EIC.(CCL SOR 2025 sub volume-v:New item-99)	20.00	each	4413.70	88274.00	INR Eighty Eight Thousand Two Hundred & Seventy Four Only
1.55	Supply and fixing polished table top glass as per instruction of EIC. (Analyzed Rate)	50.00	sqm	847.22	42361.00	INR Forty Two Thousand Three Hundred & Sixty One Only
1.56	Providing and fixing ISI marked flush door shutters conforming to IS : 2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters: 35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws(CCL SOR 2025 9.20.1)	100.00	sqm	2809.65	280965.00	INR Two Lakh Eighty Thousand Nine Hundred & Sixty Five Only
1.57	Deployment of 1 (one) no. carpenter (skilled manpower) and 1 (one) no. carpenter helper (unskilled manpower) in general shift for day to day maintenance work related to carpentry work like repairing of door, window, fixing of door and window fittings as and when required as per instruction of EIC. (CCL SOR 2025 sub volume-v:New item-27)	570.00	days	1820.05	1037428.50	INR Ten Lakh Thirty Seven Thousand Four Hundred & Twenty Eight and Paise Fifty Only
1.58	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. (CCL SOR 2025 10.1)	1000.00	kg	110.65	110650.00	INR One Lakh Ten Thousand Six Hundred & Fifty Only
1.59	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete(CCL SOR 2025 10.2)	1000.00	kg	121.05	121050.00	INR One Lakh Twenty One Thousand & Fifty Only
1.60	Providing and fixing stainless steel (Grade 304) railing made of Hollow tubes, channels, plates etc., including welding, grinding, bufing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners , stainless steel bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-in-charge, (for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners etc.)(CCL SOR 2025 10.28)	100.00	kg	772.20	77220.00	INR Seventy Seven Thousand Two Hundred & Twenty Only
1.61	Providing and fixing pre-coated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-Charge) of total coated thickness 0.50 mm (base metal of minimum 0.45 mm thickness with total coating thickness of 0.05mm) with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.(CCL SOR 2025 12.50)	600.00	sqm	712.90	427740.00	INR Four Lakh Twenty Seven Thousand Seven Hundred & Forty Only

1.62	Providing and fixing false ceiling at all heights including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50 mm long with 6 mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25 mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5 x 25 mm at 230 mm c/c, including jointing and finishing to a flush finish of tapered and square edges of the board with recommended jointing compound, jointing tapes, finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with :12.5 mm thick tapered edge gypsum plain board conforming to IS: 2095- (Part I) :2011 (Board with BIS certification marks)(CCL SOR 202512.45.1)	400.00	sqm	1047.95	419180.00	INR Four Lakh Nineteen Thousand One Hundred & Eighty Only
1.63	Providing and fixing precoated galvanised steel sheet roofing accessories of total coated thickness 0.50 mm (base metal of minimum 0.45 mm thickness with total coating thickness of 0.05 mm) with Zinc coating 120 gram per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete : Ridges plain (500-600mm)(CCL SOR 2025 12.51.1)	20.00	metre	655.60	13112.00	INR Thirteen Thousand One Hundred & Twelve Only
1.64	Grading roof for water proofing treatment with Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)(CCL SOR 2025 22.14.1)	10.00	sqm	7934.05	79340.50	INR Seventy Nine Thousand Three Hundred & Forty and Paise Fifty Only
1.65	Dry brick on edge flooring in required pattern with bricks of class designation 5.00 on a bed of 12 mm mud mortar, including filling joints with Jamuna sand, with common burnt clay non modular bricks.(CCL SOR 2025 11.2)	100.00	sqm	814.10	81410.00	INR Eighty One Thousand Four Hundred & Ten Only
1.66	Cement concrete flooring 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate(CCL SOR 2025 11.3.1)	100.00	sqm	549.75	54975.00	INR Fifty Four Thousand Nine Hundred & Seventy Five Only
1.67	Chequered precast cement concrete tiles 22 mm thick in footpath & courtyard, jointed with neat cement slurry mixed with pigment to match the shade of tiles, including rubbing and cleaning etc. complete, on 20 mm thick bed of cement mortar 1:4 (1 cement: 4 coarse sand). Ordinary cement without any pigment(CCL SOR 2025 11.20.4)	60.00	sqm	856.20	51372.00	INR Fifty One Thousand Three Hundred & Seventy Two Only

1.68	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels. Granite stone slab of colour black, Cherry/Ruby red Area of slab upto 0.50 sqm (CCL SOR 2025 8.2.2.1)	20.00	sqm	4270.15	85403.00	INR Eighty Five Thousand Four Hundred & Three Only
1.69	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels. Granite stone slab of colour black, Cherry/Ruby red Area of slab over 0.50 sqm(CCL SOR 2025 8.2.2.2)	20.00	sqm	4239.85	84797.00	INR Eighty Four Thousand Seven Hundred & Ninety Seven Only
1.70	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3(1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.(CCL SOR 2025 8.31)	60.00	sqm	1210.60	72636.00	INR Seventy Two Thousand Six Hundred & Thirty Six Only
1.71	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement :4 Coarse sand), Jointing with grey cement slurry @ 3.3 kg/sqm including pointing the joints with white cement and matching pigment etc., complete.(CCL SOR 2025 11.37)	40.00	sqm	1102.20	44088.00	INR Forty Four Thousand & Eighty Eight Only
1.72	Providing and laying vitrified floor tiles in diferent sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20 mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 600x600 mm (CCL SOR 202511.41.2)	200.00	sqm	1450.05	290010.00	INR Two Lakh Ninety Thousand & Ten Only
1.73	Providing and laying Vitrified tiles in diferent sizes (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make, in all colours & shade, in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joint with white cement & matching pigments etc. complete.Size of Tile 600x600 mm(CCL SOR 2025 11.46.2)	40.00	sqm	1503.50	60140.00	INR Sixty Thousand One Hundred & Forty Only

1.74	Providing and laying matt finished vitrified tile of size 300x300x9.8 mm having with water absorption less than 0.5% and conforming to IS: 15622 of approved make in all colours and shades in for outdoor floors such as footpath, court yard, multi modals location etc., laid on 20 mm thick base of cement mortar 1:4 (1 cement : 4 coarse sand) in all shapes & patterns including grouting the joints with white cement mixed with matching pigments etc. complete as per direction of Engineer-in-Charge.(CCL SOR 2025 16.89)	120.00	Sqm	1400.70	168084.00	INR One Lakh Sixty Eight Thousand & Eighty Four Only
1.75	Providing and laying 60 mm thick factory made cement concrete interlocking paver block of M -30 grade made by block making machine with strong vibratory compaction, of approved size, design & shape, laid in required colour and pattern over and including 50 mm thick compacted bed of coarse sand, filling the joints with line sand etc. all complete as per the direction of Engineer-in-charge.(CCL SOR 2025 16.68)	100.00	sqm	708.40	70840.00	INR Seventy Thousand Eight Hundred & Forty Only
1.76	Taking out existing CC interlocking paver blocks from footpath/ central verge, including removal of rubbish etc., disposal of unserviceable material to the dumping ground, for which payment shall be made separately and stacking of serviceable material within 50 metre lead as per direction of Engineer-in-Charge. (CCL SOR 2025(CCL SOR 2025 16.83)	120.00	Sqm	98.60	11832.00	INR Eleven Thousand Eight Hundred & Thirty Two Only
1.77	Laying old cement concrete interlocking paver blocks of any design/ shape laid in required line, level, curvature, colour and pattern over and including 50 mm thick compacted bed of coarse sand, filling the joints with fine sand etc. all complete as per the direction of Engineer-in-charge. (Old CC paver blocks shall be supplied by the department free of cost).(CCL SOR 2025 16.84)	120.00	Sqm	297.25	35670.00	INR Thirty Five Thousand Six Hundred & Seventy Only
1.78	Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour. Two coats(CCL SOR 2025 13.83.2)	5000.00	sqm	117.40	587000.00	INR Five Lakh Eighty Seven Thousand Only
1.79	Wall painting with premium acrylic emulsion paint of interior grade, having VOC (Volatile Organic Compound) content less than 50 grams/ litre of approved brand and manufacture, including applying additional coats wherever required to achieve even shade and colour One coat(CCL SOR 2025 13.83.1)	5000.00	sqm	78.20	391000.00	INR Three Lakh Ninety One Thousand Only
1.80	Distempering with 1st quality acrylic distemper (ready mixed) having VOC (Volatile Organic Compound) content less than 50 gram/ litre, of approved brand and manufacturer including applying additional coats wherever required to achieve even shade and colour Old work (one or more coats) (CCL SOR 2025 13.81.1)	4000.00	sqm	47.80	191200.00	INR One Lakh Ninety One Thousand Two Hundred Only
1.81	Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 0.90 litre/10 sqm)(CCL SOR 2025 13.46.1)	1000.00	sqm	137.75	137750.00	INR One Lakh Thirty Seven Thousand Seven Hundred & Fifty Only
1.82	Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade Old work (one or more coats applied @ 0.83 ltr/10 sqm).(CCL SOR 2025 13.112.2)	10000.00	sqm	67.05	670500.00	INR Six Lakh Seventy Thousand Five Hundred Only
1.83	Finishing walls with water proofing cement paint of required shade: Old work (one or more coats @ 2.20 kg/10 sqm) complete.(CCL SOR 2025 13.109.2)	5000.00	sqm	59.80	299000.00	INR Two Lakh Ninety Nine Thousand Only
1.84	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: One or more coats on old work(CCL SOR 2025 13.99.1)	3000.00	sqm	84.30	252900.00	INR Two Lakh Fifty Two Thousand Nine Hundred Only

1.85	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work(CCL SOR 2025 13.61.1)	1000.00	sqm	128.65	128650.00	INR One Lakh Twenty Eight Thousand Six Hundred & Fifty Only
1.86	Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound) content. With water thinnable cement primer on wall surface having VOC content less than 50 grams/litre(CCL SOR 2025 13.85.3)	10000.00	sqm	65.60	656000.00	INR Six Lakh Fifty Six Thousand Only
1.87	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.(CCL SOR 2025 13.80)	5000.00	sqm	128.85	644250.00	INR Six Lakh Forty Four Thousand Two Hundred & Fifty Only
1.88	Painting with silicon & acrylic emulsion based water thinnable sealer of approved brand and manufacture on wet or patchy portion of plastered surfaces: Two coats(CCL SOR 2025 13.51.2)	1500.00	sqm	136.40	204600.00	INR Two Lakh Four Thousand Six Hundred Only
1.89	Melamine polishing on wood work (one or more coat).(CCL SOR 2025 13.114)	100.00	sqm	102.20	10220.00	INR Ten Thousand Two Hundred & Twenty Only
1.90	12 mm cement plaster of mix: 1:6(1 cement: 6 fine sand)(CCL SOR 2025 13.1.2)	2000.00	sqm	267.85	535700.00	INR Five Lakh Thirty Five Thousand Seven Hundred Only
1.91	1:3(1 cement :3 fine sand) 1:3(1 cement :3 fine sand)(CCL SOR 2025 13.16.1)	250.00	sqm	241.05	60262.50	INR Sixty Thousand Two Hundred & Sixty Two and Paise Fifty Only
1.92	Cement plaster 1:3(1 cement: 3 coarse sand) finished with a floating coat of neat cement. 12 mm cement plaster(CCL SOR 2025 13.9.1)	300.00	sqm	363.95	109185.00	INR One Lakh Nine Thousand One Hundred & Eighty Five Only
1.93	Neat cement punning.(CCL SOR 2025 13.18)	500.00	sqm	67.20	33600.00	INR Thirty Three Thousand Six Hundred Only
1.94	Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. With cement mortar 1:4 (1cement: 4 coarse sand) (CCL SOR 2025 14.1.2)	200.00	sqm	440.65	88130.00	INR Eighty Eight Thousand One Hundred & Thirty Only
1.95	Removing dry or oil bound distemper, water proofing cement paint and the like by scrapping, sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete.(CCL SOR 2025 13.91)	25000.00	sqm	19.15	478750.00	INR Four Lakh Seventy Eight Thousand Seven Hundred & Forty Nine and Paise One Hundred Only
1.96	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in-charge. (CCL SOR 2025 15.3)	10.00	cum	2657.30	26573.00	INR Twenty Six Thousand Five Hundred & Seventy Three Only
1.97	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. (CCL SOR 2025 15.56)	2500.00	sqm	41.00	102500.00	INR One Lakh Two Thousand Five Hundred Only
1.98	Dismantling aluminium/ Gypsum partitions, doors, windows, fixed glazing and false ceiling including disposal of unserviceable material and stacking of serviceable material with in 50 metres lead as directed by Engineer- in-charge.(CCL SOR 2025 15.57)	250.00	sqm	42.60	10650.00	INR Ten Thousand Six Hundred & Fifty Only
1.99	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (including equivalent design mix) (CCL SOR 2025 15.2.1)	10.00	cum	1821.45	18214.50	INR Eighteen Thousand Two Hundred & Fourteen and Paise Fifty Only

2.00	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. In cement mortar (CCL SOR 2025 15.7.4)	15.00	cum	1541.10	23116.50	INR Twenty Three Thousand One Hundred & Sixteen and Paise Fifty Only
2.01	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead : Of area 3 sq. metres and below(CCL SOR 2025 15.12.1)	20.00	each	277.20	5544.00	INR Five Thousand Five Hundred & Forty Four Only
2.02	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead : Of area beyond 3 sq. metres(CCL SOR 2025 15.12.2)	10.00	each	379.70	3797.00	INR Three Thousand Seven Hundred & Ninety Seven Only
2.03	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead : Of area 3 sq. metres and below(CCL SOR 2025 15.13.1)	20.00	each	108.20	2164.00	INR Two Thousand One Hundred & Sixty Four Only
2.04	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead : Of area beyond 3 sq. metres(CCL SOR 2025 15.13.2)	10.00	each	142.55	1425.50	INR One Thousand Four Hundred & Twenty Five and Paise Fifty Only
2.05	Dismantling steel work in built up sections in angles, tees, flats and channels including all gusset plates, bolts, nuts, cutting rivets, welding etc. including dismembering and stacking within 50 metres lead.(CCL SOR 2025 15.18)	1000.00	kg	4.30	4300.00	INR Four Thousand Three Hundred Only
2.06	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm(CCL SOR 2025 15.23.1)	250.00	sqm	55.40	13850.00	INR Thirteen Thousand Eight Hundred & Fifty Only
2.07	Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 metres lead of: G.S. Sheet(CCL SOR 2025 15.28.1)	120.00	sqm	124.25	14910.00	INR Fourteen Thousand Nine Hundred & Ten Only
2.08	Carriage of Materials By Mechanical Transport including loading,unloading and stacking Lime, moorum, building rubbish Lead - 5 km (CCL SOR 2025 1.1.1)	500.00	cum	201.35	100675.00	INR One Lakh Six Hundred & Seventy Five Only
2.09	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 5.00 in superstructure above plinth level up to floor V level. Cement mortar 1:4(1 cement :4 coarse sand)(CCL SOR 2025 6.13.2)	60.00	sqm	1060.70	63642.00	INR Sixty Three Thousand Six Hundred & Forty Two Only
2.10	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 5.00 in foundations and plinth in : cement mortar 1:4(1 cement :4 coarse sand) (CCL SOR 2025 6.12.2)	120.00	sqm	895.70	107484.00	INR One Lakh Seven Thousand Four Hundred & Eighty Four Only
2.11	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 5.00 in foundation and plinth in: Cement mortar 1:6(1 cement :6 coarse sand) (CCL SOR 2025 6.1.2)	25.00	cum	7152.15	178803.75	INR One Lakh Seventy Eight Thousand Eight Hundred & Three and Paise Seventy Five Only
2.12	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 5.00 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6(1 cement : 6 coarse sand)(CCL SOR 2025 6.4.2)	15.00	cum	8645.35	129680.25	INR One Lakh Twenty Nine Thousand Six Hundred & Eighty and Paise Twenty Five Only
2.13	Felling trees of the girth (measured at a height of 1 m above ground level), including cutting of trunks and branches, removing the roots and stacking of serviceable material and disposal of unserviceable material. Beyond 60 cm girth upto and including 120 cm girth(CCL SOR 2025 2.33.2)	20.00	each	1776.25	35525.00	INR Thirty Five Thousand Five Hundred & Twenty Five Only
2.14	Dismantling of flushing cistern of all types (C.I./PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead. (CCL SOR 2025 15.52)	15.00	each	84.70	1270.50	INR One Thousand Two Hundred & Seventy and Paise Fifty Only
2.15	Providing and fixing brass bib cock of approved quality : 15 mm nominal bore (CCL SOR 2025 18.15.1)	20.00	each	664.60	13292.00	INR Thirteen Thousand Two Hundred & Ninety Two Only

2.16	Providing and fixing brass stop cock of approved quality : 15 mm nominal bore (CCL SOR 2025 18.16.1)	20.00	each	641.35	12827.00	INR Twelve Thousand Eight Hundred & Twenty Seven Only
2.17	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 : 15 mm nominal bore (CCL SOR 2025 18.49.1)	60.00	each	693.50	41610.00	INR Forty One Thousand Six Hundred & Ten Only
2.18	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931.15 mm nominal bore (CCL SOR 2025 18.52.1)	50.00	each	734.55	36727.50	INR Thirty Six Thousand Seven Hundred & Twenty Seven and Paise Fifty Only
2.19	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 15 mm nominal bore (CCL SOR 2025 18.53.1)	100.00	each	462.80	46280.00	INR Forty Six Thousand Two Hundred & Eighty Only
2.20	Providing and fixing C.P. Brass extension nipple (size 15 mm x 50 mm) of approved make and quality as per direction of Engineer-in-charge. (CCL SOR 2025 18.53A)	100.00	each	62.90	6290.00	INR Six Thousand Two Hundred & Ninety Only
2.21	Providing and fixing uplasticised PVC connection pipe with brass unions : 15 mm nominal bore(CCL SOR 2025 18.21.2.1)	100.00	each	75.10	7510.00	INR Seven Thousand Five Hundred & Nine and Paise One Hundred Only
2.22	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete. Flexible pipe 32 mm dia (CCL SOR 2025 17.28.2.1)	100.00	each	85.30	8530.00	INR Eight Thousand Five Hundred & Thirty Only
2.23	Providing and fixing PTMT Ball cock of approved quality, colour and make complete with Epoxy coated aluminium rod with L.P./ H.P.H.D. plastic ball 15 mm nominal bore, 105 mm long, weighing not less than 138 gms (CCL SOR 2025 18.62.1)	120.00	each	214.30	25716.00	INR Twenty Five Thousand Seven Hundred & Sixteen Only
2.24	Providing and fixing PTMT Ball cock of approved quality, colour and make complete with Epoxy coated aluminium rod with L.P./ H.P.H.D. plastic ball. 25 mm nominal bore, 152 mm long, weighing not less than 440 gms (CCL SOR 2025 18.62.3)	40.00	each	575.45	23018.00	INR Twenty Three Thousand & Eighteen Only
2.25	Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete. 10 litre capacity - White(CCL SOR 2025 17.18.1)	20.00	each	950.15	19003.00	INR Nineteen Thousand & Three Only
2.26	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Flat back wash basin size 550x 400 mm with single 15 mm C.P. brass pillar tap(CCL SOR 2025 17.7.4)	10.00	each	2008.95	20089.50	INR Twenty Thousand & Eighty Nine and Paise Fifty Only
2.27	Providing and fixing solid plastic seat with lid for pedestal type W.C. pan complete : White solid plastic seat with lid (CCL SOR 2025 17.20.1)	10.00	each	431.30	4313.00	INR Four Thousand Three Hundred & Thirteen Only
2.28	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply and all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall 15 mm nominal dia Pipes(CCL SOR 2025 18.7.1)	60.00	metre	242.05	14523.00	INR Fourteen Thousand Five Hundred & Twenty Three Only
2.29	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply and all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall 20 mm nominal dia Pipes(CCL SOR 2025 18.7.2)	120.00	metre	309.05	37086.00	INR Thirty Seven Thousand & Eighty Six Only
2.30	Providing and fixing white vitreous china water closet squatting pan (Indian type) : Orissa pattern W.C. pan of size 580x440 mm(CCL SOR 2025 17.13.2)	6.00	each	1912.35	11474.10	INR Eleven Thousand Four Hundred & Seventy Four and Paise Ten Only

2.31	Providing and fixing white vitreous china pedestal type (European type/ wash down type) water closet pan.(CCL SOR 2025 17.15)	6.00	each	1854.30	11125.80	INR Eleven Thousand One Hundred & Twenty Five and Paise Eighty Only
2.32	Cutting holes up to 30x30 cm in walls including making good the same: With common burnt clay F.P.S. (non modular) bricks (CCL SOR 2025 18.76.1)	5.00	each	356.25	1781.25	INR One Thousand Seven Hundred & Eighty One and Paise Twenty Five Only
2.33	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings and fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc.20 mm nominal dia Pipes(CCL SOR 2025 18.8.2)	120.00	metre	488.15	58578.00	INR Fifty Eight Thousand Five Hundred & Seventy Eight Only
2.34	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 110 mm diameter (CCL SOR 2025 12.41.2)	120.00	metre	358.75	43050.00	INR Forty Three Thousand & Fifty Only
2.35	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 75 mm diameter(CCL SOR 2025 12.41.1)	60.00	metre	220.15	13209.00	INR Thirteen Thousand Two Hundred & Nine Only
2.36	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS :5382, leaving 10 mm gap for thermal expansion. Single tee without door 75x75x75 mm(CCL SOR 2025 12.42.4.1)	60.00	each	112.30	6738.00	INR Six Thousand Seven Hundred & Thirty Eight Only
2.37	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS :5382, leaving 10 mm gap for thermal expansion. Single tee without door 110x110x110 mm(CCL SOR 2025 12.42.4.2)	60.00	each	176.55	10593.00	INR Ten Thousand Five Hundred & Ninety Three Only
2.38	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS :5382, leaving 10 mm gap for thermal expansion. Bend 87.5° 75 mm bend(CCL SOR 2025 12.42.5.1)	60.00	each	83.40	5004.00	INR Five Thousand & Four Only
2.39	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS :5382, leaving 10 mm gap for thermal expansion. Bend 87.5° 110 mm bend (CCL SOR 2025 12.42.5.2)	120.00	each	148.85	17862.00	INR Seventeen Thousand Eight Hundred & Sixty Two Only
2.40	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete. 75 mm(CCL SOR 2025 12.43.1)	40.00	each	285.10	11404.00	INR Eleven Thousand Four Hundred & Four Only
2.41	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete. 110 mm (CCL SOR 2025 12.43.2)	200.00	each	283.95	56790.00	INR Fifty Six Thousand Seven Hundred & Ninety Only

2.42	Deployment 01 (one) Plumber(Skilled mapower) and 01 (one) Plumber helper (unskilled mapower) for day to day maintenance works related with plumbing works in General shift as per instruction of Engineer-in-charge. (CCL SOR 2025 Sub Volume - V: New Item-28)	570.00	per day	1820.05	1037428.50	INR Ten Lakh Thirty Seven Thousand Four Hundred & Twenty Eight and Paise Fifty Only
2.43	Supply of two way bib cock with wall flange (jaquar or equivalent) complete as per instruction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 48)	20.00	metre	1978.03	39560.60	INR Thirty Nine Thousand Five Hundred & Sixty and Paise Sixty Only
2.44	Supply of C.P. brass Waste Coupling for wash basin and sink (Jaquar or its equivalent) of approved quality and colour,Waste coupling 32 mm dia of 130 mm length all complete as per instruction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 38)	10.00	each	1230.03	12300.30	INR Twelve Thousand Three Hundred and Paise Thirty Only
2.45	Providing and fixing auto closing pillar tap of Jaguar make having model no:PRS-031L65 or equivalent of any other brand as per instruction of EIC.(Analysed Rate)	20.00	each	2381.08	47621.60	INR Forty Seven Thousand Six Hundred & Twenty One and Paise Sixty Only
2.46	Providing and fixing 600x120x5 mm glass shelf with edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail complete fixed with 40 mm long screws, rawl plugs etc., complete. (CCL SOR 2025 17.33)	20.00	each	758.70	15174.00	INR Fifteen Thousand One Hundred & Seventy Four Only
2.47	Providing and fixing toilet paper holder : C.P. brass (CCL SOR 2025 17.34.1)	10.00	each	563.65	5636.50	INR Five Thousand Six Hundred & Thirty Six and Paise Fifty Only
2.48	Providing and fixing 600x450 mm beveled edge mirror of superior glass (of approved quality) complete with 6 mm thick hard board ground fixed to wooden cleats with C.P. brass screws and washers complete. (CCL SOR 2025 17.31)	20.00	each	1091.30	21826.00	INR Twenty One Thousand Eight Hundred & Twenty Six Only
2.49	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required : 610x460 mm bowl depth 200 mm(CCL SOR 2025 17.10.2.2)	5.00	each	2706.10	13530.50	INR Thirteen Thousand Five Hundred & Thirty and Paise Fifty Only
2.50	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. (CCL SOR 2025 18.48)	10000.00	litres	9.60	96000.00	INR Ninety Six Thousand Only
2.51	Providing and fixing white vitreous china pedestal for wash basin completely recessed at the back for the reception of pipes and fittings. (CCL SOR 2025 17.8)	10.00	each	2193.95	21939.50	INR Twenty One Thousand Nine Hundred & Thirty Nine and Paise Fifty Only
2.52	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required : W.C. pan with ISI marked white solid plastic seat and lid (CCL SOR 2025 17.2.1)	4.00	each	4718.80	18875.20	INR Eighteen Thousand Eight Hundred & Seventy Five and Paise Twenty Only
2.53	Providing and fixing white vitreous china flat back half stall urinal of size 580x380x350 mm with white PVC automatic flushing cistern, with fittings, standard size C.P. brass flush pipe, spreaders with unions and clamps (all in C.P. brass) with waste fitting as per IS : 2556, C.I. trap with outlet grating and other couplings in C.P. brass, including painting of fittings and cutting and making good the walls and floors wherever required : Single half stall urinal with 5 litre P.V.C. automatic flushing cistern (CCL SOR 2025 17.5.1)	4.00	each	10218.00	40872.00	INR Forty Thousand Eight Hundred & Seventy Two Only

2.54	Supplying Hand Shower (Health Faucet) with 8mm Dia 1.2 Meter Long Flexible Chrome Tube and Wall Hook (Jaquar or its equivalent) as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 31)	80.00	each	1061.61	84928.80	INR Eighty Four Thousand Nine Hundred & Twenty Eight and Paise Eighty Only
2.55	Lifting of submersible pump-motor set from deep bore well with rigid PVC pipe of 50 mm dia including all accessories etc. complete including stacking all materials as per instruction of Engineer-in-charge. (CCL SOR 2025 Sub Volume - V: New Item- 105)	16.00	Job	4468.30	71492.80	INR Seventy One Thousand Four Hundred & Ninety Two and Paise Eighty Only
2.56	Lowering and commissioning of 7.50 / 10.00 HP submersible pump-motor set in deep bore well with rigid PVC pipe of 50 mm dia with all accessories etc. complete including cost of labour, tools & plant & machineries but excluding the cost of pump, motor, cable, rigid PVC pipe, control panel etc. which will be paid separately.(Analysed Rate) (CCL SOR 2025 Sub Volume - V: New Item- 106)	16.00	Job	3238.96	51823.36	INR Fifty One Thousand Eight Hundred & Twenty Three and Paise Thirty Six Only
2.57	Providing of Rigid PVC pipe 50mm outer dia conforming to IS:4985 specification(6kgf/sqcm) (CCL SOR 2025 Sub Volume - V: New Item- 108)	122.00	metre	545.91	66601.02	INR Sixty Six Thousand Six Hundred & One and Paise Two Only
2.58	Providing of Nylone rope 12mm dia (CCL SOR 2025 Sub Volume - V: New Item- 107)	960.00	metre	177.18	170092.80	INR One Lakh Seventy Thousand & Ninety Two and Paise Eighty Only
2.59	Providing of 50 mm dia CI Adopter as per instruction of Engineer-in-charge.(Analysed Rate)	8.00	each	1626.10	13008.80	INR Thirteen Thousand & Eight and Paise Eighty Only
2.60	Flusing of bore hole by drilling machine.(Analysed Rate)	1600.00	Feet	162.60	260160.00	INR Two Lakh Sixty Thousand One Hundred & Sixty Only
2.61	Trimming of tree branches coming out of main trunk having girth below 30 cm measured at knot of a main trunk.The average height of tree is 3.00 mtr and above. It also includes stacking of serviceable materials and disposal of unserviceable materials upt the lead of 300 mtrs as per direction of EIC. (based on actual observation at site) (CCL SOR 2025 Sub Volume - V: New Item- 12)	50.00	each	515.00	25750.00	INR Twenty Five Thousand Seven Hundred & Fifty Only
2.62	Trimming of tree branches coming out of main trunk having girth 30 cm to 60 cm measured at knot of a main trunk.The average height of tree is 3.00 mtr and above. It also includes stacking of serviceable materials and disposal of unserviceable materials upt the lead of 300 mtrs as per direction of EIC.(based on actual observation at site) (CCL SOR 2025 Sub Volume - V: New Item- 13)	50.00	each	556.65	27832.50	INR Twenty Seven Thousand Eight Hundred & Thirty Two and Paise Fifty Only
2.63	Trimming of tree branches coming out of main trunk having girth 60 cm to 90 cm measured at knot of a main trunk.The average height of tree is 3.00 mtr and above. It also includes stacking of serviceable materials and disposal of unserviceable materials upt the lead of 300 mtrs as per direction of EIC.(based on actual observation at site) (CCL SOR 2025 Sub Volume - V: New Item- 14)	50.00	each	598.29	29914.50	INR Twenty Nine Thousand Nine Hundred & Fourteen and Paise Fifty Only
2.64	Trimming of tree branches coming out of main trunk having girth above 90 cm measured at knot of a main trunk.The average height of tree is 3.00 mtr and above. It also includes stacking of serviceable materials and disposal of unserviceable materials upt the lead of 300 mtrs as per direction of EIC.(based on actual observation at site) (CCL SOR 2025 Sub Volume - V: New Item- 15)	50.00	each	759.85	37992.50	INR Thirty Seven Thousand Nine Hundred & Ninety Two and Paise Fifty Only
2.65	Providing 20 mm UPVC Ball Valve (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item-55)	10.00	each	176.55	1765.50	INR One Thousand Seven Hundred & Sixty Five and Paise Fifty Only
2.66	Providing 25 mm UPVC Valve (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item-59)	50.00	each	335.67	16783.50	INR Sixteen Thousand Seven Hundred & Eighty Three and Paise Fifty Only
2.67	Providing 50 mm UPVC Ball Valve (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 57)	10.00	each	1562.22	15622.20	INR Fifteen Thousand Six Hundred & Twenty Two and Paise Twenty Only

2.68	Providing 76.2 mm UPVC Valve (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 58)	10.00	each	2802.70	28027.00	INR Twenty Eight Thousand &Twenty Seven Only
2.69	Providing Upvc union 25 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 60)	50.00	each	67.37	3368.50	INR Three Thousand Three Hundred & Sixty Eight and Paise Fifty Only
2.70	Providing Upvc union 40 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 61)	10.00	each	187.00	1870.00	INR One Thousand Eight Hundred & Seventy Only
2.71	Providing Upvc union 50 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 62)	10.00	each	317.09	3170.90	INR Three Thousand One Hundred & Seventy and Paise Ninety Only
2.72	Providing Upvc union 75 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 63)	10.00	each	380.97	3809.70	INR Three Thousand Eight Hundred & Nine and Paise Seventy Only
2.73	Providing Upvc union 100 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 64)	10.00	each	1008.18	10081.80	INR Ten Thousand &Eighty One and Paise Eighty Only
2.74	Supply Sink Cock with Regular Swinging Spout (Wall Mounted Model) With Wall Flange all complete as per instruction of EIC. (CCL SOR 2025 Sub Volume - V: New Item-44)	4.00	each	1929.25	7717.00	INR Seven Thousand Seven Hundred & Seventeen Only
2.75	Supply of 15mm size C.P.Brass pillar cock (Jaquar or its equivalent) all complete as per instruction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 39)	10.00	each	1978.03	19780.30	INR Nineteen Thousand Seven Hundred & Eighty and Paise Thirty Only
2.76	Supply of Soft Close WC Seat Cover Colour: White of approved brand as per instruction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 47)	10.00	each	2362.49	23624.90	INR Twenty Three Thousand Six Hundred & Twenty Four and Paise Ninety Only
2.77	Supply of Stainless steel Towel rail (Jaquar or its equivalent) all complete as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 36)	10.00	each	1471.62	14716.20	INR Fourteen Thousand Seven Hundred & Sixteen and Paise Twenty Only
2.78	Supply of Glass shelf 550 mm long (Jaquar or equivalent) all complete as per instruction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 45)	10.00	each	3327.70	33277.00	INR Thirty Three Thousand Two Hundred & Seventy Seven Only
2.79	Supply of Corner Glass Shelf with Bracket(Jaquar or equivalent) all complete as per instruction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 46)	12.00	each	1422.84	17074.08	INR Seventeen Thousand &Seventy Four and Paise Eight Only
2.80	Providing unplasticized Polyvinyl Chloride (uPVC) pipes : (External work): 80 mm dia SCH 80 as per ASTM-D1785 as per direction of EIC. (supreme,astral or equivalent.) (CCL SOR 2025 Sub Volume - V: New Item-51)	30.00	metre	843.25	25297.50	INR Twenty Five Thousand Two Hundred & Ninety Seven and Paise Fifty Only
2.81	Providing unplasticized Polyvinyl Chloride (uPVC) pipes : (External work): 50 mm dia SCH 80 as per ASTM-D1785 as per direction of EIC. (supreme,astral or equivalent.) (CCL SOR 2025 Sub Volume - V: New Item- 52)	200.00	metre	412.33	82466.00	INR Eighty Two Thousand Four Hundred & Sixty Six Only
2.82	Providing unplasticized Polyvinyl Chloride (uPVC) pipes : (External work): 40 mm dia SCH 80 as per ASTM-D1785 as per direction of EIC. (supreme,astral or equivalent.) (CCL SOR 2025 Sub Volume - V: New Item-53)	120.00	metre	300.83	36099.60	INR Thirty Six Thousand &Ninety Nine and Paise Sixty Only
2.83	Providing unplasticized Polyvinyl Chloride (uPVC) pipes : (External work): 25 mm dia SCH 80 as per ASTM-D1785 as per direction of EIC. (supreme,astral or equivalent.) (CCL SOR 2025 Sub Volume - V: New Item- 54)	500.00	metre	137.06	68530.00	INR Sixty Eight Thousand Five Hundred & Thirty Only

2.84	Providing Upvc socket 25 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 65)	300.00	each	19.75	5925.00	INR Five Thousand Nine Hundred & Twenty Five Only
2.85	Providing Upvc socket 40 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 66)	200.00	each	38.33	7666.00	INR Seven Thousand Six Hundred & Sixty Six Only
2.86	Providing Upvc socket 50 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 67)	120.00	each	49.94	5992.80	INR Five Thousand Nine Hundred & Ninety Two and Paise Eighty Only
2.87	Providing Upvc socket 75 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 68)	40.00	each	223.01	8920.40	INR Eight Thousand Nine Hundred & Twenty and Paise Forty Only
2.88	Providing Upvc MTA brass inserts 25 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.V 75)	60.00	each	292.70	17562.00	INR Seventeen Thousand Five Hundred & Sixty Two Only
2.89	Providing Upvc MTA brass inserts 40 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.V 76)	40.00	each	617.92	24716.80	INR Twenty Four Thousand Seven Hundred & Sixteen and Paise Eighty Only
2.90	Providing Upvc FTA brass inserts 25 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 77)	60.00	each	232.30	13938.00	INR Thirteen Thousand Nine Hundred & Thirty Eight Only
2.91	Providing Upvc FTA brass inserts 40 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 78)	60.00	each	720.13	43207.80	INR Forty Three Thousand Two Hundred & Seven and Paise Eighty Only
2.92	Providing Upvc FTA brass inserts 50 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 79)	40.00	each	1022.12	40884.80	INR Forty Thousand Eight Hundred & Eighty Four and Paise Eighty Only
2.93	Providing Upvc FTA brass inserts 80 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 80)	20.00	each	2134.84	42696.80	INR Forty Two Thousand Six Hundred & Ninety Six and Paise Eighty Only
2.94	Providing Upvc MTA 25 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 81)	30.00	each	24.39	731.70	INR Seven Hundred & Thirty One and Paise Seventy Only
2.95	Providing Upvc MTA 40 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 82)	50.00	each	44.14	2207.00	INR Two Thousand Two Hundred & Seven Only
2.96	Providing Upvc MTA 50 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 83)	60.00	each	62.72	3763.20	INR Three Thousand Seven Hundred & Sixty Three and Paise Twenty Only
2.97	Providing Upvc MTA 80 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 84)	20.00	each	161.45	3229.00	INR Three Thousand Two Hundred & Twenty Nine Only
2.98	Providing Upvc FTA 25 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 86)	50.00	each	27.88	1394.00	INR One Thousand Three Hundred & Ninety Four Only
2.99	Providing Upvc FTA 40 mm (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 87)	40.00	each	51.11	2044.40	INR Two Thousand & Forty Four and Paise Forty Only

3.00	Providing Upvc FTA 50 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 88)	60.00	each	72.01	4320.60	INR Four Thousand Three Hundred & Twenty and Paise Sixty Only
3.01	Providing Upvc FTA 80 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 89)	20.00	each	187.00	3740.00	INR Three Thousand Seven Hundred & Forty Only
3.02	Providing Upvc solvent for fixing supplied pipe fittings as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 91)	200.00	each	134.73	26946.00	INR Twenty Six Thousand Nine Hundred & Forty Five and Paise One Hundred Only
3.03	Providing thread Sealant Teflon Tapes non adhesive of size 0.5 inch as per direction of EIC. (CCL SOR 2025 Sub Volume - V: New Item- 92)	2000.00	each	7.39	14780.00	INR Fourteen Thousand Seven Hundred & Eighty Only
4.00	Total impact of GST for the purpose of CTC	1.000	Nos	0.00	0.00	INR Zero Only
Total in Figures					16903647.01	INR One Crore Sixty Nine Lakh Three Thousand Six Hundred & Forty Seven and Paise One Only
Quoted Rate in Figures			Select		0.00	INR Zero Only
Quoted Rate in Words	INR Zero Only					