

Tender Inviting Authority: General Manager (Civil)/ Welfare & Services, CCL Ranchi.

Name of Work: Complete Annual Maintenance of Gandhi Nagar Colony, CCL, Ranchi for a period of 02(two) years, Vide NIT no. 03 of 26-27.

	Category of Services (To Be Selected by Department)	Category of Bidder(To Be Selected by Bidder)	To Be Entered by Department		
ITC Not Available	Works Contract	Bidder's Status (Mandatory)	Rate of GST (in %)	GST to be Paid By Bidder (in Rs.)	GST to be Paid By CIL/Subsidiary (in Rs.)
Name of the Bidder/ Bidding Firm / Company :		Select	18.00	0.00	0.00

PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only)

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT in Rs. P	TOTAL AMOUNT In Words
1	2	4	5	6	7	8
1.000	PART A (Facility Management Services)					
1.001	Deployment of Facility Manager for heading the entire team and single point of contact & overall incharge of FM on site operators and reporting to Engineer-in-charge or his representative. (Note: Facility Manager is to be deployed on monthly basis only)(Refer CCL SOR-2025-26)	24.00	Month	34299.10	823178.40	INR Eight Lakh Twenty Three Thousand One Hundred & Seventy Eight and Paise Forty Only
2.000	PART A2 (CRITICAL SERVICES)					
2.001	Deployment of three nos. semiskilled workmen for eight hours working per day in two shift on regular basis for distribution of potable water to all quarters & other service buildings at CCL, Gandhinagar Colony, Ranchi including operation of submersible pump-motor and valves etc. complete as per instruction of Engineer-in-charge. (Analysed rate)	730.00	Day	5296.45	3866408.50	INR Thirty Eight Lakh Sixty Six Thousand Four Hundred & Eight and Paise Fifty Only
3.000	PART A3 MAINTENANCE SERVICES (SPECIAL EMERGENT & UNMEASURABLE). The deployment will be as per the direction of FM/AFM to meet the services of the colony.					

3.01	Deployment of 1 (one) no. carpenter (skilled manpower) in general shift for day to day maintenance work related to carpentry work like repairing of door, window, fixing of door and window fittings as and when required as per instruction of EIC. (Analysed Rate)	665.00	day	1037.20	689738.00	INR Six Lakh Eighty Nine Thousand Seven Hundred & Thirty Eight Only
3.02	Deployment 01 (one) Plumber (skilled manpower) for day to day maintenance works related with plumbing works in General Shift as per instruction of Engineer-in-charge (Analysed Rate)	665.00	day	1037.20	689738.00	INR Six Lakh Eighty Nine Thousand Seven Hundred & Thirty Eight Only
3.03	Deployment 01 (one) Helper (unskilled manpower) for day to day maintenance works related with plumbing and carpentry works in General Shift as per instruction of Engineer-in-charge. (Analysed rate)	1330.00	day	782.85	1041190.50	INR Ten Lakh Forty One Thousand One Hundred & Ninety and Paise Fifty Only
3.04	Deployment 01 (one) Sweeper (unskilled manpower) for day to day sanitary maintenance works in general shift as per instruction of Engineer-in-charge. (Analysed rate)	730.00	day	782.85	571480.50	INR Five Lakh Seventy One Thousand Four Hundred & Eighty and Paise Fifty Only
4.000	PART B (AMC for Boring)					
4.01	Lifting of submersible pump-motor set from deep bore well with rigid PVC pipe of 50 mm dia including all accessories etc. complete including stacking all materials as per instruction of Engineer-in-charge. (Refer CCL SOR-2025-105)	16.00	Job	4468.30	71492.80	INR Seventy One Thousand Four Hundred & Ninety Two and Paise Eighty Only
4.02	Lowering and commissioning of submersible pump in the deep bore well with rigid PVC pipe, all accessories ect. Complete including cost of labour but excluding the cost of materials and fittings (Cost of pump, cable, rigid PVC pipe, control panel to be paid separately) (Refer CCL SOR-2025-106)	16.00	Job	3238.96	51823.36	INR Fifty One Thousand Eight Hundred & Twenty Three and Paise Thirty Six Only
4.03	Providing rigid PVC pipe of 50 mm outer dia conforming to IS: 4985 (6kgf / sqcm) as per instruction of Engineer-in-charge. (Refer CCL SOR-2025-108)	400.00	metre	545.91	218364.00	INR Two Lakh Eighteen Thousand Three Hundred & Sixty Four Only
4.04	Providing of Nylon rope 12 mm dia for holding the submersible pump-motor set as per instruction of Engineer-in-charge. (Refer CCL SOR-2025-107)	400.00	metre	177.18	70872.00	INR Seventy Thousand Eight Hundred & Seventy Two Only
4.05	Providing of 50 mm dia CI Adaptor as per instruction of Engineer-in-charge. (Analysed rate)	8.00	each	1626.10	13008.80	INR Thirteen Thousand & Eight and Paise Eighty Only
4.06	Flusing of bore hole by drilling machine. (Analysed rate)	4000.00	Feet	162.60	650400.00	INR Six Lakh Fifty Thousand Four Hundred Only
5.00	PART C (AMC for 15th August, 26th January, Vishwakarma Puja & Durga Puja)					
5.01	Clearing grass and removal of the rubbish upto a distance of 50 m outside the periphery of the area cleared. (Refer CCL SOR -2.32C)	3400.00	sqm	6.70	22780.00	INR Twenty Two Thousand Seven Hundred & Eighty Only

5.02	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 5 in foundation and plinth in: Cement mortar 1:6 (1cement : 6coarse sand) (ReferCCL SOR 2025- 6.1.2 DR)	5.00	cum	7152.15	35760.75	INR Thirty Five Thousand Seven Hundred & Sixty and Paise Seventy Five Only
5.03	Cement concrete flooring 1:2:4 (1cement : 2coarse sand : 4graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate. (ReferCCL SOR 2025-11.3.1)	40.00	sqm	549.75	21990.00	INR Twenty One Thousand Nine Hundred & Ninety Only
5.04	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 5 in foundations and plinth in : cement mortar 1:4 (1cement : 4coarse sand) (ReferCCL SOR 2025- 6.12.2 DR)	8.00	sqm	895.70	7165.60	INR Seven Thousand One Hundred & Sixty Five and Paise Sixty Only
5.05	12 mm cement plaster of mix : 1:6 (1cement: 6fine sand) (ReferCCL SOR 2025-13.1.2)	300.00	sqm	267.85	80355.00	INR Eighty Thousand Three Hundred & Fifty Five Only
5.06	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. (ReferCCL SOR 2025-15.56)	300.00	sqm	41.00	12300.00	INR Twelve Thousand Three Hundred Only
5.07	Supply of good quality stone dust. (Analysed rate)	66.10	cum	1265.00	83616.50	INR Eighty Three Thousand Six Hundred & Sixteen and Paise Fifty Only
5.08	Supply of good quality lime. (Analysed rate)	18.00	quintal	1380.00	24840.00	INR Twenty Four Thousand Eight Hundred & Forty Only
5.09	Supply of good quality binding wire. (Analysed rate)	12.00	kg	69.00	828.00	INR Eight Hundred & Twenty Eight Only
5.10	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. (ReferCCL SOR 2025- 10.1)	60.00	kg	110.65	6639.00	INR Six Thousand Six Hundred & Thirty Nine Only
5.11	Providing and fixing G.I. chain link fabric fencing of required width in mesh size 50x50 mm including strengthening with 2 mm dia wire or nuts, bolts and washers as required complete as per the direction of Engineer-in-charge. Made of G.I. wire of dia 4 mm. (ReferCCL SOR 2025- 16.70.1)	20.00	sqm	720.25	14405.00	INR Fourteen Thousand Four Hundred & Five Only
5.12	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work (ReferCCL SOR 2025- 13.99.1)	7900.00	sqm	84.30	665970.00	INR Six Lakh Sixty Five Thousand Nine Hundred & Seventy Only
5.13	Finishing walls with water proofing cement paint of required shade : Old work (one or more coats @ 2.20 kg/10 sqm) complete. (ReferCCL SOR 2025- 13.109.1)	8000.00	sqm	59.80	478400.00	INR Four Lakh Seventy Eight Thousand Four Hundred Only
5.14	Carriage of material by mechanical transport including loading, unloading and stacking: Lime, moorum, building rubbish with one km lead. (ReferCCL SOR 2025 -1.1.1)	80.00	cum	201.35	16108.00	INR Sixteen Thousand One Hundred & Eight Only
5.15	Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete. (ReferCCL SOR 2025,13.26)	50.00	sqm	211.55	10577.50	INR Ten Thousand Five Hundred & Seventy Seven and Paise Fifty Only

5.16	Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade : Old work (one or more coats). (ReferCCL SOR 2025-13.81.1)	1200.00	sqm	47.80	57360.00	INR Fifty Seven Thousand Three Hundred & Sixty Only
5.17	Finishing walls with Acrylic Smooth exterior paint of required shade : Old work (Two or more coat applied @ 1.67 ltr/ 10 sqm) on existing cement paint surface (Refer CCL SOR-2025-13.111.1)	4000.00	sqm	97.90	391600.00	INR Three Lakh Ninety One Thousand Six Hundred Only
5.18	Lettering with black Japan paint of approved brand and manufacture (ReferCCL SOR 2025-13.71)	28000.00	Per letter per cm height	4.65	130200.00	INR One Lakh Thirty Thousand Two Hundred Only
6.00	PART D (AMC FOR TANK CLEANING)					
6.01	Cleaning of terrace/loft water storage tank (inside surface area) upto 2000 litre capacity at all heights with coconut brushes, duster etc., removal of silt, rubbish from the tank and cleaning the tank with fresh water disinfecting with bleaching powder @ 0.5gm per litre capacity of tank including marking the date of cleaning on the side of tank body with the help of stencil and paint and disposing of malba all complete as per direction of Engineer-in-Charge. (The old date already written on tank should be removed with paint remover or black paint and if date is not written with the stencil or old date is not removed deduction will be made @ Rs. 0.10 per litre) (if during cleaning any GI fittings or ball cock is damaged that is to be repaired by contractor at his own cost and nothing extra will be paid on this account) (ReferCCL SOR 2025 -14.75A)	2684000.00	litre	0.35	939400.00	INR Nine Lakh Thirty Nine Thousand Four Hundred Only
6.02	Cleaning of under ground sump, Over Head R.C.C. Tank (independent staging) including disposal of slit and rubbish, all as per direction of Engineer-in-Charge. The cleaning shall consist following operations:- (i)Tank shall be emptied of water by pumping & bottom shall be cleaned of slit and other deposits. (ii) Entire surface area of the sump shall then scrubbed thoroughly with wire brush etc. and pressure washed with water. (iii) Chlorination of RCC internal surface by liquid chlorine. (iv) The treated surface shall be dried using air jetting and all loose particles shall be removal from the surface. (v) Finally the surface shall be treated with ultraviolet radiation etc. as per direction of Engineer-in-Charge. (ReferCCL SOR 2025 -14.78)	633.48	sqm	64.55	40891.13	INR Forty Thousand Eight Hundred & Ninety One and Paise Thirteen Only
7.00	PART E (AMC FOR QUARTER REPAIRING)					
7.01	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil. (CCL SOR - 2.8.1)	30.00	cum	207.30	6219.00	INR Six Thousand Two Hundred & Nineteen Only

7.02	Providing, hoisting and fixing up to floor five level precast reinforced cement concrete work in string courses, bands, copings, bed plates, anchor blocks, plain window sills and the like, including the cost of required centering, shuttering but excluding cost of reinforcement, with 1:2:4 (1cement : 2coarse sand : 4graded stone aggregate 20 mm nominal size). (CCL SOR- 5.12 A)	3.10	cum	9776.50	30307.15	INR Thirty Thousand Three Hundred & Seven and Paise Fifteen Only
7.03	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level. Thermo-Mechanically Treated bars (CCL SOR- 5.22B.1)	204.00	kg	101.40	20685.60	INR Twenty Thousand Six Hundred & Eighty Five and Paise Sixty Only
7.04	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 5 in foundation and plinth in: Cement mortar 1:6 (1cement : 6coarse sand) (CCL SOR - 6.1.2)	35.00	cum	7152.15	250325.25	INR Two Lakh Fifty Thousand Three Hundred & Twenty Five and Paise Twenty Five Only
7.05	Brick work with non modular fly ash bricks conforming to IS:12894, class designation 10 average compressive strength in super structure above plinth level up to floor V level in : Cement mortar 1:4(1 cement :4 coarse sand) (CCL SOR 6.34.1)	30.00	cum	6460.10	193803.00	INR One Lakh Ninety Three Thousand Eight Hundred & Three Only
7.06	Half brick masonry with common burnt clay F.P.S. (non modular) bricks of class designation 5 in foundations and plinth in : cement mortar 1:4 (1cement : 4coarse sand) (CCL SOR- 6.12.2 DR)	75.00	sqm	895.70	67177.50	INR Sixty Seven Thousand One Hundred & Seventy Seven and Paise Fifty Only
7.07	Providing wood work in frames of doors, windows, clerestory windows and other frames, wrought framed and fixed in position with hold fast lugs or with dash fasteners of required dia & length (hold fast lugs or dash fastener shall be paid for separately).Sal wood (CCL SOR- 9.1.2)	0.32	cum	88153.35	28209.07	INR Twenty Eight Thousand Two Hundred & Nine and Paise Seven Only
7.08	Providing and fixing ISI marked flush door shutters conforming to IS :2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 30 mm thick including ISI marked Stainless Steel butt hinges with necessary screws (CCL SOR- 9.21.2)	300.00	sqm	1880.45	564135.00	INR Five Lakh Sixty Four Thousand One Hundred & Thirty Five Only
7.09	Providing and fixing ISI marked flush door shutters conforming to IS :2202 (Part I) non-decorative type, core of block board construction with frame of 1st class hard wood and well matched commercial 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters. 25 mm thick (for cupboard) including ISI marked nickel plated bright finished M.S. piano hinges with necessary screws (CCL SOR- 9.21.3)	100.00	sqm	1861.35	186135.00	INR One Lakh Eighty Six Thousand One Hundred & Thirty Five Only

7.10	Providing and fixing factory made P.V.C. door frame of size 50x47 mm with a wall thickness of 5 mm, made out of extruded 5mm rigid PVC foam sheet, mitred at corners and joined with 2 Nos of 150 mm long brackets of 15x15 mm M.S. square tube, the vertical door frame profiles to be reinforced with 19x19 mm M.S. square tube of 19 gauge, EPDM rubber gasket weather seal to be provided through out the frame. The door frame to be fixed to the wall using M.S. screws of 65/100 mm size, complete as per manufacturer's specification and direction of Engineer-in-Charge. (Refer CCL SOR 2025-9.119)	300.00	metre	467.70	140310.00	INR One Lakh Forty Thousand Three Hundred & Ten Only
7.11	Providing and fixing factory made panel PVC door shutter consisting of frame made out of M.S. tubes of 19 gauge thickness and size of 19 mm x 19 mm for styles and 15x15 mm for top & bottom rails. M.S. frame shall have a coat of steel primers of approved make and manufacture. M.S. frame covered with 5 mm thick heat moulded PVC 'C' channel of size 30 mm thickness, 70 mm width out of which 50 mm shall be flat and 20 mm shall be tapered in 45 degree angle on both side forming styles and 5 mm thick, 95 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered in 45 degree on the inner side to form top and bottom rail and 115 mm wide PVC sheet out of which 75 mm shall be flat and 20 mm shall be tapered on both sides to form lock rail. Top, bottom and lock rails shall be provided both side of the panel. 10 mm (5 mm x 2) thick, 20 mm wide cross PVC sheet be provided as gap insert for top rail & bottom rail, paneling of 5 mm thick both side PVC sheet to be fitted in the M.S. frame welded/ sealed to the styles & rails with 7 mm (5 mm+2 mm) thick x 15 mm wide PVC sheet beading on inner side, and joined together with solvent cement adhesive. An additional 5 mm thick PVC strip of 20 mm width is to be stuck on the interior side of the 'C' Channel using PVC solvent adhesive etc. complete as per direction of Engineer-in-charge, manufacturer's specification & drawing. 30 mm thick plain PVC door shutters (CCL SOR-9.120.1)	130.00	sqm	2936.20	381706.00	INR Three Lakh Eighty One Thousand Seven Hundred & Six Only
7.12	Renewing glass panes, with putty and nails wherever necessary including racking out the old putty: Float glass panes of thickness 4 mm (Refer CCL SOR 2025-14.5.1)	70.00	sqm	856.55	59958.50	INR Fifty Nine Thousand Nine Hundred & Fifty Eight and Paise Fifty Only
7.13	Applying priming coat : With ready mixed pink or Grey primer of approved brand and manufacture on wood work (hard and soft wood) (Refer CCL SOR 2025-13.85.1)	413.00	sqm	67.50	27877.50	INR Twenty Seven Thousand Eight Hundred & Seventy Seven and Paise Fifty Only
7.14	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer. Using flats 30x6mm for diagonal braces and central cross piece. (Refer CCL SOR 2025, Item No. 10.5.2)	200.00	sqm	4815.85	963170.00	INR Nine Lakh Sixty Three Thousand One Hundred & Seventy Only
7.15	Providing 40x5 mm flat iron hold fast 40 cm long including fixing to frame with 10 mm diameter bolts, nuts and wooden plugs and embedding in cement concrete block 30x10x15cm 1:3:6 mix (1 cement : 3 coarse sand : 6 graded stone aggregate 20mm nominal size). (Refer CCL SOR 2025- 9.53)	190.00	each	196.35	37306.50	INR Thirty Seven Thousand Three Hundred & Six and Paise Fifty Only

7.16	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead :Of area 3 sq. metres and below (ReferCCL SOR 2025-15.12.1)	135.00	each	277.20	37422.00	INR Thirty Seven Thousand Four Hundred & Twenty Two Only
7.17	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead: Of area 3 sq. metres and below (ReferCCL SOR 2025-15.13.1)	122.00	each	108.20	13200.40	INR Thirteen Thousand Two Hundred and Paise Forty Only
7.18	Cement concrete flooring 1:2:4 (1cement : 2coarse sand : 4graded stone aggregate) finished with a floating coat of neat cement, including cement slurry, but excluding the cost of nosing of steps etc. complete. 40 mm thick with 20 mm nominal size stone aggregate. (ReferCCL SOR 2025-11.3.1)	7000.00	sqm	549.75	3848250.00	INR Thirty Eight Lakh Forty Eight Thousand Two Hundred & Fifty Only
7.19	12 mm cement plaster of mix : 1:6 (1cement: 6fine sand) (ReferCCL SOR 2025-13.1.2)	900.00	sqm	267.85	241065.00	INR Two Lakh Forty One Thousand & Sixty Five Only
7.20	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) (ReferCCL SOR 2025- 4.1.3)	40.00	cum	7795.50	311820.00	INR Three Lakh Eleven Thousand Eight Hundred & Twenty Only
7.21	Neat cement punning. (ReferCCL SOR 2025- 13.18)	430.00	sqm	67.20	28896.00	INR Twenty Eight Thousand Eight Hundred & Ninety Six Only
7.22	Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. In cement mortar (ReferCCL SOR 2025- 15.7.4)	25.00	cum	1541.10	38527.50	INR Thirty Eight Thousand Five Hundred & Twenty Seven and Paise Fifty Only
7.23	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead. (ReferCCL SOR 2025- 15.56)	246.00	sqm	41.00	10086.00	INR Ten Thousand & Eighty Six Only
7.24	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 110 mm diameter (ReferCCL SOR 2025-12.41.2)	568.00	metre	358.75	203770.00	INR Two Lakh Three Thousand Seven Hundred & Seventy Only
7.25	Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion. Bend 87.5° 110 mm bend (ReferCCL SOR 2025-12.42.5.2)	200.00	each	148.85	29770.00	INR Twenty Nine Thousand Seven Hundred & Seventy Only

7.26	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length,including cutting brick work and fixing in cement mortar 1:4 (1 cement: 4 coarse sand) and making good the wall etc. complete. 110 mm (ReferCCL SOR 2025- 12.43.2)	132.00	each	283.95	37481.40	INR Thirty Seven Thousand Four Hundred & Eighty One and Paise Forty Only
7.27	Distemping with oil bound washable distemper of approved brand and manufacture to give an even shade : Old work (one or more coats). (ReferCCL SOR 2025-13.81.1)	40000.00	sqm	47.80	1912000.00	INR Nineteen Lakh Twelve Thousand Only
7.28	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade : One or more coats on old work (ReferCCL SOR 2025- 13.99.1)	10000.00	sqm	84.30	843000.00	INR Eight Lakh Forty Three Thousand Only
7.29	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work (ReferCCL SOR 2025- 13.61.1)	900.00	sqm	128.65	115785.00	INR One Lakh Fifteen Thousand Seven Hundred & Eighty Five Only
7.30	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix). (ReferCCL SOR 2025- 15.2.1)	280.00	cum	1821.45	510006.00	INR Five Lakh Ten Thousand & Six Only
7.31	Carriage of material by mechanical transport including loading, unloading and stacking: Lime, moorum, building rubbish with one km lead. (ReferCCL SOR 2025 - 1.1.1)	300.00	cum	201.35	60405.00	INR Sixty Thousand Four Hundred & Five Only
7.32	Providing and fixing M.S. round or square bars with M.S. flats at required spacing in wooden frames of windows and clerestory windows. (ReferCCL SOR 2025 - 14.29)	50.00	kg	116.75	5837.50	INR Five Thousand Eight Hundred & Thirty Seven and Paise Fifty Only
7.33	Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. Fixed to steel windows by welding (ReferCCL SOR 2025-9.48.1)	1300.00	kg	194.15	252395.00	INR Two Lakh Fifty Two Thousand Three Hundred & Ninety Five Only
7.34	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. (ReferCCL SOR 2025 -10.1)	2400.00	kg	110.65	265560.00	INR Two Lakh Sixty Five Thousand Five Hundred & Sixty Only

7.35	Providing and fixing pre-coated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineer- in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. (ReferCCL SOR 2025 -12.5)	600.00	sqm	712.90	427740.00	INR Four Lakh Twenty Seven Thousand Seven Hundred & Forty Only
7.36	Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 metres lead of : G.S. Sheet. (ReferCCL SOR 2025-15.28.1)	530.00	sqm	124.25	65852.50	INR Sixty Five Thousand Eight Hundred & Fifty Two and Paise Fifty Only
7.37	12 mm cement plaster finished with a floating coat of neat cement of mix : 1:4 (1cement : 4fine sand) (ReferCCL SOR 2025-13.7.2)	14.00	sqm	348.70	4881.80	INR Four Thousand Eight Hundred & Eighty One and Paise Eighty Only
7.38	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete. (ReferCCL SOR 2025-13.8)	2900.00	sqm	128.85	373665.00	INR Three Lakh Seventy Three Thousand Six Hundred & Sixty Five Only
7.39	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS : 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 600x600 mm (ReferCCL SOR 2025 -11.41.2)	100.00	sqm	1450.05	145005.00	INR One Lakh Forty Five Thousand & Five Only
7.40	Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make, in all colours & shade, in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand), including grouting the joint with white cement & matching pigments etc. complete. Size of Tile 600x600 mm (ReferCCL SOR 2025 -11.46.2)	40.00	sqm	1503.50	60140.00	INR Sixty Thousand One Hundred & Forty Only
7.41	Kota stone slab flooring over 20 mm (average) thick base laid over and jointed with grey cement slurry mixed with pigment to match the shade of the slab, including rubbing and polishing complete with base of cement mortar 1 : 4 (1 cement : 4 coarse sand) : 25 mm thick (Refer CCL SOR 2025 - 11.26.1)	50.00	sqm	1500.60	75030.00	INR Seventy Five Thousand & Thirty Only

7.42	Kota stone slabs 20 mm thick in risers of steps, skirting, dado and pillars laid on 12 mm (average) thick cement mortar 1:3 (1 cement: 3 coarse sand) and jointed with grey cement slurry mixed with pigment to match the shade of the slabs, including rubbing and polishing complete. (ReferCCL SOR 2025 -11.27)	30.00	sqm	1782.75	53482.50	INR Fifty Three Thousand Four Hundred & Eighty Two and Paise Fifty Only
7.43	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer) of 1st quality conforming to IS : 15622 of approved make in colours such as White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement : 4Coarse sand), including pointing the joints with white cement and matching pigment etc., complete. (ReferCCL SOR 2025 -11.37)	100.00	sqm	1102.20	110220.00	INR One Lakh Ten Thousand Two Hundred & Twenty Only
7.44	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete. (Refer CCL SOR -11.37A)	120.00	sqm	1110.65	133278.00	INR One Lakh Thirty Three Thousand Two Hundred & Seventy Eight Only
7.45	Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills , facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing to edges to give high gloss finish etc. complete at all levels.Granite of any colour and shade Area of slab over 0.50 sqm (ReferCCL SOR 2025- 8.2.2.2)	45.00	sqm	4239.85	190793.25	INR One Lakh Ninety Thousand Seven Hundred & Ninety Three and Paise Twenty Five Only
7.46	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item):. With float glass panes of 4.0 mm thickness (ReferCCL SOR 2025-21.3.1)	40.00	sqm	991.45	39658.00	INR Thirty Nine Thousand Six Hundred & Fifty Eight Only

7.47	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) : For fixed portion Powder coated aluminium (minimum thickness of powder coating 50 micron) (ReferCCL SOR 2025- 21.1.1.2)	60.00	kg	571.85	34311.00	INR Thirty Four Thousand Three Hundred & Eleven Only
7.48	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) Powder coated aluminium (minimum thickness of powder coating 50 micron) (ReferCCL SOR 2025- 21.1.2.2)	50.00	Kg	651.20	32560.00	INR Thirty Two Thousand Five Hundred & Sixty Only
7.49	Providing and fixing aluminium hanging floor door stopper ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade with necessary screws etc. complete.: Single rubber stopper (ReferCCL SOR 2025-9.101.1)	70.00	each	32.20	2254.00	INR Two Thousand Two Hundred & Fifty Four Only
7.50	Providing and fixing ISI m arked oxidised M.S.sliding door bolts with nuts and screws etc. complete. 250x16 mm (ReferCCL SOR 2025- 9.62.2)	256.00	each	146.70	37555.20	INR Thirty Seven Thousand Five Hundred & Fifty Five and Paise Twenty Only
7.51	Providing and fixing ISI marked oxidised M.S. tower bolt black finish, (Barrel type) with necessary screws etc. complete : 200x10 mm (ReferCCL SOR 2025- 9.63.2)	675.00	each	52.35	35336.25	INR Thirty Five Thousand Three Hundred & Thirty Six and Paise Twenty Five Only
7.52	Providing and fixing ISI marked oxidised M.S. handles conforming to IS:4992 with necessary screws etc. complete : 125 mm(ReferCCL SOR 2025- :9.66.1)	347.00	each	29.75	10323.25	INR Ten Thousand Three Hundred & Twenty Three and Paise Twenty Five Only
7.53	Providing and fixing ISI marked oxidised M.S. handles conforming to IS:4992 with necessary screws etc. complete : 100 mm(ReferCCL SOR 2025- 9.66.2)	250.00	each	23.70	5925.00	INR Five Thousand Nine Hundred & Twenty Five Only

7.54	Providing and fixing ISI marked M.S. pressed butt hinges bright finished with necessary screws etc. complete : 100x58x1.90 mm(ReferCCL SOR 2025-9.55.2)	200.00	each	35.60	7120.00	INR Seven Thousand One Hundred & Twenty Only
7.55	Providing and fixing ISI marked M.S. pressed butt hinges bright finished with necessary screws etc. complete : 125x65x2.12 mm (ReferCCL SOR 2025-9.55.1)	154.00	each	42.60	6560.40	INR Six Thousand Five Hundred & Sixty and Paise Forty Only
7.56	Providing and fixing ISI marked M.S. pressed butt hinges bright finished with necessary screws etc. complete : 75x47x1.70 mm (ReferCCL SOR 2025-9.55.3)	182.00	each	29.65	5396.30	INR Five Thousand Three Hundred & Ninety Six and Paise Thirty Only
7.57	Trimming of tree branches coming out of main trunk having girth below 30 cm measured at knot of a main trunk.The average height of tree is 3.00 mtr and above. It also includes stacking of serviceable materials and disposal of unserviceable materials upt the lead of 300 mtrs as per direction of EIC.(based on actual observation at site) (Refer CCL SOR-2025-12)	165.00	each	515.00	84975.00	INR Eighty Four Thousand Nine Hundred & Seventy Five Only
7.58	Trimming of tree branches coming out of main trunk having girth 30 cm to 60 cm measured at knot of a main trunk.The average height of tree is 3.00 mtr and above. It also includes stacking of serviceable materials and disposal of unserviceable materials upt the lead of 300 mtrs as per direction of EIC.(based on actual observation at site) (Refer CCL SOR-2025-13)	100.00	each	556.65	55665.00	INR Fifty Five Thousand Six Hundred & Sixty Five Only
7.59	Trimming of tree branches coming out of main trunk having girth 60 cm to 90 cm measured at knot of a main trunk.The average height of tree is 3.00 mtr and above. It also includes stacking of serviceable materials and disposal of unserviceable materials upt the lead of 300 mtrs as per direction of EIC.(based on actual observation at site) (Refer CCL SOR-2025-14)	80.00	each	598.29	47863.20	INR Forty Seven Thousand Eight Hundred & Sixty Three and Paise Twenty Only
7.60	Trimming of tree branches coming out of main trunk having girth above 90 cm measured at knot of a main trunk.The average height of tree is 3.00 mtr and above. It also includes stacking of serviceable materials and disposal of unserviceable materials upt the lead of 300 mtrs as per direction of EIC.(based on actual observation at site)(Refer CCL SOR-2025-15)	39.00	each	759.85	29634.15	INR Twenty Nine Thousand Six Hundred & Thirty Four and Paise Fifteen Only
7.61	Deployment 01 (one) welder (Skilled mapower) and 01 (one) welder helper (unskilled mapower) for day to day maintenance works related with welding works in General shift as per instruction of Engineer-in-charge. (welding rod and electricity is to be provided by the department) (Refer CCL SOR-2025-30)	400.00	Day	1994.30	797720.00	INR Seven Lakh Ninety Seven Thousand Seven Hundred & Twenty Only
7.62	Taking out existing CC interlocking paver blocks from footpath/ central verge, including removal of rubbish etc., disposal of unserviceable material to the dumping ground, for which payment shall be made separately and stacking of serviceable material within 50 metre lead as per direction of Engineer-in-Charge. CCL SOR 2025-16.83	500.00	sqm	98.60	49300.00	INR Forty Nine Thousand Three Hundred Only

7.63	Laying old cement concrete interlocking paver blocks of any design/ shape laid in required line, level, curvature, colour and pattern over and including 50 mm thick compacted bed of coarse sand, filling the joints with fine sand etc. all complete as per the direction of Engineer-in-charge. (Old CC paver blocks shall be supplied by the department free of cost).CCL SOR 2025-16.84	500.00	sqm	297.25	148625.00	INR One Lakh Forty Eight Thousand Six Hundred & Twenty Five Only
7.64	Providing and fixing stainless steel (Grade 304) railing made of Hollow tubes, channels, plates etc., including welding, grinding, buffing, polishing and making curvature (wherever required) and fitting the same with necessary stainless steel nuts and bolts complete, i/c fixing the railing with necessary accessories & stainless steel dash fasteners , stainless steel bolts etc., of required size, on the top of the floor or the side of waist slab with suitable arrangement as per approval of Engineer-in-charge,(for payment purpose only weight of stainless steel members shall be considered excluding fixing accessories such as nuts, bolts, fasteners etc.)CCL SOR 10.28	500.00	Kg	772.20	386100.00	INR Three Lakh Eighty Six Thousand One Hundred Only
7.65	Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete.10.16.1 Hot finished welded type tubes CCL SOR 10.16.1	500.00	Kg	125.45	62725.00	INR Sixty Two Thousand Seven Hundred & Twenty Five Only
7.66	Removal of old tarfelt and disposal of debris with all leads complete job as per direction of E/I(Refer JH SOR -5.10.20	300.00	sqm	68.50	20550.00	INR Twenty Thousand Five Hundred & Fifty Only
7.67	Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound) content.With water thinnable cement primer on wall surface having VOC content less than 50 grams/litre (CCL SOR 13.85.3)	5000.00	sqm	65.60	328000.00	INR Three Lakh Twenty Eight Thousand Only
7.68	Providing & Fixing decorative high pressure laminated sheet of plain /wood grain in gloss / matt / suede finish with high density protective surface layer and reverse side of adhesive bonding quality conforming to IS :2046 Type S, including cost of adhesive of approved quality. 1.0 mm thick CCL SOR 9.127.2	300.00	sqm	878.45	263535.00	INR Two Lakh Sixty Three Thousand Five Hundred & Thirty Five Only
7.69	Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc. complete CCL SOR 13.88	5000.00	sqm	14.95	74750.00	INR Seventy Four Thousand Seven Hundred & Fifty Only
7.70	Grading roof for water proofing treatment with Cement mortar 1:3 (1 cement : 3 coarse sand) CCL SOR 22.14.2	10.00	cum	13212.80	132128.00	INR One Lakh Thirty Two Thousand One Hundred & Twenty Eight Only

7.71	Manufacturing, supplying and fixing retro reflective overhead signage boards made up of 2 mm thick aluminium sheet, face to be fully covered with high intensity and encapsulated lens type heat activated retro reflective sheeting conforming to type - III of ASTM-D-4956-01 as approved by Engineer-in-charge, letters, borders etc. as per IRC : 67-2001 in silver white with blue colour back ground and with high intensity grade, pasted on substrate by pressure sensitive adhesive backing which shall be activated by applying pressure conforming to class II of ASTM-D-4956-01 and fixing the same to the plate of structural frame work by means of suitable sized aluminium alloys, rivets or bolts & nuts @ 300 mm centre to centre all along the periphery as well as in two vertical rows along with theft resistant measures, including the cost of painting with two or more coats of epoxy paint in grey colour on the back side of aluminium sheet including appropriate priming coat. The rate includes the cost of rounding off the corners, lowering down the structural frame work from the gantry, fixing and erecting the same in position all complete as per drawings, specification and direction of the engineer-in-charge.(Structural frame work including M.S. plate to be provided separately. Rectangular area of the sheet only shall be measured for payment). Overhead informatory road signage CCL SOR 16.60.1	100.00	sqm	4885.15	488515.00	INR Four Lakh Eighty Eight Thousand Five Hundred & Fifteen Only
7.72	Providing unplasticized Polyvinyl Chloride (uPVC) pipes : (External work): 80 mm dia SCH 80 as per ASTM-D1785 as per direction of EIC. (supreme, astral or equivalent.) (Refer CCL SOR-2025-51)	50.00	metre	843.25	42162.50	INR Forty Two Thousand One Hundred & Sixty Two and Paise Fifty Only
7.73	Providing unplasticized Polyvinyl Chloride (uPVC) pipes : (External work): 50 mm dia SCH 80 as per ASTM-D1785 as per direction of EIC. (supreme, astral or equivalent.) (Refer CCL SOR-2025-52)	50.00	metre	412.33	20616.50	INR Twenty Thousand Six Hundred & Sixteen and Paise Fifty Only
7.74	Providing and fixing in position collapsible steel shutters with vertical channels 20x10x2 mm and braced with flat iron diagonals 20x5 mm size, with top and bottom rail of T-iron 40x40x6 mm, with 40 mm dia steel pulleys, complete with bolts, nuts, locking arrangement, stoppers, handles, including applying a priming coat of approved steel primer CCL SOR 10.3	20.00	sqm	9474.40	189488.00	INR One Lakh Eighty Nine Thousand Four Hundred & Eighty Eight Only

7.75	Providing and laying APP (Atactic Polypropylene Polymer) modified prefabricated five layer 3 mm thick water proofing membrane, black finished reinforced with non-woven polyester matt consisting of a coat of bitumen primer for bitumen membrane @ 0.40 litre/sqm by the same membrane manufacture of density at 25°C, 0.87-0.89 kg/ litre and viscosity 70-160 cps. Over the primer coat the layer of membrane shall be laid using Butane Torch and sealing all joints etc, and preparing the surface complete. The vital physical and chemical parameters of the membrane shall be as under : Joint strength in longitudinal and transverse direction at 23°C as 650/ 450N/ 5cm. Tear strength in longitudinal and transverse direction as 300/250N. Softening point of membrane not less than 150°C. Cold flexibility shall be upto -2°C when tested in accordance with ASTM, D - 5147. The laying of membrane shall be got done through the authorised applicator of the manufacturer of membrane : 3 mm thick (Refer CCL SOR-2025-14.91.1)	300.00	sqm	510.95	153285.00	INR One Lakh Fifty Three Thousand Two Hundred & Eighty Five Only
7.76	Floor painting with floor enamel paint of approved brand and manufacture of required colour to give an even shade : Two or more coats on new work .	252.10	sqm	138.39	34888.12	INR Thirty Four Thousand Eight Hundred & Eighty Eight and Paise Twelve Only
8.00	PART F (AMC FOR GARDENING)					
8.01	Supplying and stacking of good earth at site including royalty and carriage complete (earth measured in stacks will be reduced by 20% for payment). (CCL SOR -2.2)	70.00	cum	581.60	40712.00	INR Forty Thousand Seven Hundred & Twelve Only
8.02	Mixing earth and sludge or manure in the required proportion specified or directed by the Officer-in-charge (CCL SOR- 2.9)	100.00	cum	39.15	3915.00	INR Three Thousand Nine Hundred & Fifteen Only
8.03	Spreading of sludge, dump manureand/or goodearth inrequiredthicknessasperdirectionof officer-in-charge (cost of sludge, dump manure and/ or good earth to be paid separately). (CCL SOR- 2.8)	100.00	cum	56.20	5620.00	INR Five Thousand Six Hundred & Twenty Only
8.04	Supplying and stacking of well decayed cattle manure at site including royalty and carriage upto 5k.m. lead complete(Cattle manure measured in stacks will reduced by 8% for Payment). (CCL SOR-2.25)	21.00	cum	295.85	6212.85	INR Six Thousand Two Hundred & Twelve and Paise Eighty Five Only
8.05	Carriage of materials by mechanical transport including loading, unloading and stacking. Earth Lead 5.00 KM. (ReferCCL SOR 2025- 1.1.2)	30.00	cum	251.70	7551.00	INR Seven Thousand Five Hundred & Fifty One Only

8.06	Complete maintenance of the entire garden features having as per yard stick in the garden area i.e. lawn trees, shrubs, hedge, flower beds, foliages, creepers etc. including hoeing,weeding pruning replacement of plants, gap filling, watering, mowing of lawn, grass cutting by lawn mover and brush cutter, removal of garden waste, applying insecticide, pesticide & fertilizers(whenever required) top dressing of lawn with good earth and manure and maintenance of other garden related works as directed by office-in-charge (Cost of Good Earth, Manure, Fertilizer, Insecticide, Pesticide, lawn mover and brush cutter with fuel will be provided by the Department & other T & P material/articles shall be provided by the contractor.) CCL SOR 112	112539.60	Per Sqm per Month	25.45	2864132.82	INR Twenty Eight Lakh Sixty Four Thousand One Hundred & Thirty Two and Paise Eighty Two Only
8.07	Maintenance of earthen potted plants in displayed at ground floor only in bungalow, office complex including application of good earth, manure, insecticide, pesticide and fertilizer, removing of dry leaves and displaying in appropriate place and replacement of broken pots, colouring of pots and change of location of pots and replacing with fresh plants as and when required (Material will be provided by the department) as per the instruction of Engineer-in-charge.(Refer CCL SOR-2025-2.45)	15600.00	Per Pot Per Month	27.15	423540.00	INR Four Lakh Twenty Three Thousand Five Hundred & Forty Only
8.08	Supply of earthen flower pots 12" dia (Analysed Rate)	300.00	each	164.95	49485.00	INR Forty Nine Thousand Four Hundred & Eighty Five Only
8.09	Supplying of summer season flower (putica, kochiya, butter flower etc.) (Analysed rate)	10000.00	each	22.07	220700.00	INR Two Lakh Twenty Thousand Seven Hundred Only
8.10	Supplying of ornamental plants (Hybrid Rose, Areca Palm, Aglaonema, Peace Lily etc.) (Analysed rate)	1000.00	each	127.77	127770.00	INR One Lakh Twenty Seven Thousand Seven Hundred & Seventy Only
8.11	Supplying of Winter season (Dalia , silica, china, inka marigold, putunia) etc. (Analysed rate)	12000.00	each	23.23	278760.00	INR Two Lakh Seventy Eight Thousand Seven Hundred & Sixty Only
8.12	Supply Karang Khalli of standard quality orcludorg carriage to the work site as per orstruction of EIC (Refer CCL SOR-2025-133)	100.00	kg	145.20	14520.00	INR Fourteen Thousand Five Hundred & Twenty Only
8.13	Supplyorg DAP of standard quality orcludorg carriage to the work site as per orstruction of EIC (Refer CCL SOR-2025-134)	350.00	kg	26.60	9310.00	INR Nine Thousand Three Hundred & Ten Only
8.14	Supplyorg Urea of standard quality orcludorg carriage to the work site as per orstruction of EIC (Refer CCL SOR-2025-135)	300.00	kg	29.05	8715.00	INR Eight Thousand Seven Hundred & Fifteen Only
8.15	Supplying Bone Meal of standard quality including carriage to the work site as per instruction of EIC (Refer CCL SOR-2025-136)	100.00	kg	240.45	24045.00	INR Twenty Four Thousand & Forty Five Only
8.16	Supplying Rose Mixture of standard quality including carriage to the work site as per instruction of EIC (Refer CCL SOR-2025-137)	120.00	kg	137.05	16446.00	INR Sixteen Thousand Four Hundred & Forty Six Only
8.17	Supplying Organic Manure of standard quality including carriage to the work site as per instruction of EIC (Refer CCL SOR-2025-138)	230.00	kg	29.05	6681.50	INR Six Thousand Six Hundred & Eighty One and Paise Fifty Only

8.18	Supplying Thimet of standard quality including carriage to the work site as per instruction of EIC (Refer CCL SOR-2025-139)	100.00	kg	185.85	18585.00	INR Eighteen Thousand Five Hundred & Eighty Five Only
8.19	Supplying Super Phosphate of standard quality including carriage to the work site as per instruction of EIC (Refer CCL SOR-2025-140)	100.00	kg	243.90	24390.00	INR Twenty Four Thousand Three Hundred & Ninety Only
8.20	Supplying Rogar of standard quality including carriage to the work site as per instruction of EIC (Refer CCL SOR-2025-141)	5.00	ltr	894.45	4472.25	INR Four Thousand Four Hundred & Seventy Two and Paise Twenty Five Only
8.21	Supplying Babestine of standard quality including carriage to the work site as per instruction of EIC (Refer CCL SOR-2025-142)	20.00	kg	1132.45	22649.00	INR Twenty Two Thousand Six Hundred & Forty Nine Only
8.22	Edging with 2nd class Bricks, laid dry lengthwise (Edging with 2nd class bricks, laid dry lengthwise, including excavation, refilling, consolidation, with a hand packing and spreading nearly surplus earth within a lead of 50 metres)(Refer CCL SOR-2025-11.15)	500.00	metre	54.00	27000.00	INR Twenty Seven Thousand Only
8.23	Providing and fixing Korean grass turf with earthy 50mm to 60mm thickness of existing ground prepared with proper level and ramming with required tools wooden (Dhurmos) and than rolling the surface with light roller make the surface smoothen and light, watering with sprinkler and maintenance for 30 days or more till the grass establish properly as per direction of officer incharge (Refer CCL SOR-2025-111)	100.00	sqm	585.05	58505.00	INR Fifty Eight Thousand Five Hundred & Five Only
9.00	PART G (WATER SUPPLY & SANITATION)					
9.01	Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS : 13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required : Kitchen sink without drain board 610x460 mm bowl depth 200 mm (CCL SOR 2025-17.10.2.2)	13.00	each	2706.10	35179.30	INR Thirty Five Thousand One Hundred & Seventy Nine and Paise Thirty Only
9.02	Providing and fixing white vitreous china water closet squatting pan (Indian type) : Orissa pattern W.C. pan of size 580x440 mm (CCL SOR 2025-17.13.2)	32.00	each	1912.35	61195.20	INR Sixty One Thousand One Hundred & Ninety Five and Paise Twenty Only
9.03	Providing and fixing white vitreous china pedestal type (European type/ wash down type) water closet pan. (CCL SOR 2025-17.15)	40.00	each	1854.30	74172.00	INR Seventy Four Thousand One Hundred & Seventy Two Only
9.04	Providing and fixing trap of self cleansing design with screwed down or hinged grating with or without vent arm complete, including cost of cutting and making good the walls and floors : 100 mm inlet and 100 mm outlet Sand Cast Iron S&S as per IS: 1729 (CCL SOR 2025-17.60.1.2)	75.00	each	1259.70	94477.50	INR Ninety Four Thousand Four Hundred & Seventy Seven and Paise Fifty Only

9.05	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require : White Vitreous China Flat back wash basin size 550x400 mm with single 15 mm C.P. brass pillar tap (CCL SOR 2025-17.7.4)	53.00	each	2008.95	106474.35	INR One Lakh Six Thousand Four Hundred & Seventy Four and Paise Thirty Five Only
9.06	Providing and fixing P.V.C. low level flushing cistern with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete. 10 litre capacity - White (CCL SOR 2025-17.18.1)	250.00	each	950.15	237537.50	INR Two Lakh Thirty Seven Thousand Five Hundred & Thirty Seven and Paise Fifty Only
9.07	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, i/c cutting and making good the walls etc. Internal work - Exposed on wall : 15 mm dia nominal bore (CCL SOR 2025-18.10.1)	50.00	metre	346.00	17300.00	INR Seventeen Thousand Three Hundred Only
9.08	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, i/c cutting and making good the walls etc. Internal work - Exposed on wall : 20 mm dia nominal bore (CCL SOR 2025-18.10.2)	50.00	metre	412.15	20607.50	INR Twenty Thousand Six Hundred & Seven and Paise Fifty Only
9.09	Providing and fixing G.I. pipes complete with G.I. fittings and clamps, i/c cutting and making good the walls etc. Internal work - Exposed on wall : 25 mm dia nominal bore(CCL SOR 2025-18.10.3)	50.00	metre	523.05	26152.50	INR Twenty Six Thousand One Hundred & Fifty Two and Paise Fifty Only
9.10	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. External work : 40 mm dia nominal bore. (CCL SOR 2025-18.12.5)	50.00	metre	604.80	30240.00	INR Thirty Thousand Two Hundred & Forty Only
9.11	Providing and fixing G.I. pipes complete with G.I. fittings including trenching and refilling etc. External work : 50 mm dia nominal bore. (CCL SOR 2025-18.12.6)	50.00	metre	738.40	36920.00	INR Thirty Six Thousand Nine Hundred & Twenty Only
9.12	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge : 15 mm to 40 mm nominal bore (CCL SOR 2025 -15.44.1)	210.00	metre	113.10	23751.00	INR Twenty Three Thousand Seven Hundred & Fifty One Only
9.13	Dismantling G.I. pipes (external work) including excavation and refilling trenches after taking out the pipes, manually/ by mechanical means including stacking of pipes within 50 metres lead as per direction of Engineer-in-charge : Above 40 mm nominal bore. (CCL SOR 2025- 15.44.2)	166.00	metre	122.85	20393.10	INR Twenty Thousand Three Hundred & Ninety Three and Paise Ten Only
9.14	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 25 mm nominal bore (CCL SOR 2025 -18.17.1)	28.00	each	440.50	12334.00	INR Twelve Thousand Three Hundred & Thirty Four Only
9.15	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 40 mm nominal bore (CCL SOR 2025 -18.17.3)	5.00	each	605.90	3029.50	INR Three Thousand & Twenty Nine and Paise Fifty Only
9.16	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 50 mm nominal bore. (CCL SOR 2025 -18.17.4)	5.00	each	772.05	3860.25	INR Three Thousand Eight Hundred & Sixty and Paise Twenty Five Only

9.17	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, ISI : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank. (CCL SOR 2025 -18.48)	40000.00	per litre	9.60	384000.00	INR Three Lakh Eighty Four Thousand Only
9.18	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement ,trenching ,refilling & testing of joints complete as per direction of Engineer in Charge. External work : 20 mm nominal outer dia Pipes (CCL SOR 2025-18.9.2)	400.00	metre	260.05	104020.00	INR One Lakh Four Thousand &Twenty Only
9.19	Providing unplasticized Polyvinyl Chloride (uPVC) pipes : (External wak): 25 mm dia SCH 80 as per ASTM-D1785 as per direction of EIC. (supreme, astral or equivalent.) (Refer CCL SOR-2025-54)	985.00	metre	137.06	135004.10	INR One Lakh Thirty Five Thousand &Four and Paise Ten Only
9.20	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement ,trenching ,refilling & testing of joints complete as per direction of Engineer in Charge. External work : 25 mm nominal outer dia Pipes. (CCL SOR 2025-18.9.3)	100.00	metre	324.10	32410.00	INR Thirty Two Thousand Four Hundred & Ten Only
9.21	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.Flexible pipe 32mm dia (CCL SOR 2025-17.28.2.1)	600.00	Each	85.30	51180.00	INR Fifty One Thousand One Hundred & Eighty Only
9.22	Providing and fixing uplasticised PVC connection pipe with brass unions :30 cm length 15 mm nominal bore (CCL SOR 2025-18.21.1.1)	600.00	Each	66.90	40140.00	INR Forty Thousand One Hundred & Forty Only
9.23	Providing and fixing solid plastic seat with lid for pedestal type W.C. pan complete : White solid plastic seat with lid (CCL SOR 2025-17.20.1)	50.00	Each	431.30	21565.00	INR Twenty One Thousand Five Hundred & Sixty Five Only
9.24	Providing and fixing brass stop cock of approved quality :15 mm nominal bore (CCL SOR 2025-18.16.1)	600.00	Each	641.35	384810.00	INR Three Lakh Eighty Four Thousand Eight Hundred & Ten Only
9.25	Providing and fixing C.P. brass long body bib cock of approved quality conforming to IS standards and weighing not less than 690 gms.15mm nominal bore.(CCL SOR 2025-18.51.1)	1200.00	Each	757.95	909540.00	INR Nine Lakh Nine Thousand Five Hundred & Forty Only
9.26	Providing and fixing C.P. brass stop cock (concealed) of standard design and of approved make conforming to IS:8931. 15mm nominal bore. (CCL SOR 2025-18.52.1)	75.00	Each	734.55	55091.25	INR Fifty Five Thousand &Ninety One and Paise Twenty Five Only
9.27	Providing and fixing PTMT pillar cock of approved quality and colour . 15mm nominal bore, 107mm long, weighing not less than 110 grams.(CCL SOR 2025-18.56.1)	50.00	Each	252.30	12615.00	INR Twelve Thousand Six Hundred & Fifteen Only

9.28	Providing and fixing PTMT bib cock of approved quality and colour.15 mm nominal bore, 165 mm long, weighing not less than 110 grams. (CCL SOR 2025-18.54.3)	60.00	Each	207.75	12465.00	INR Twelve Thousand Four Hundred & Sixty Five Only
9.29	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet: 150 mm diameter (CCL SOR 2025-18.22.2)	50.00	Each	88.10	4405.00	INR Four Thousand Four Hundred & Five Only
9.30	Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work): 15 mm nominal bore (CCL SOR 2025-18.46.1)	30.00	Each	274.85	8245.50	INR Eight Thousand Two Hundred & Forty Five and Paise Fifty Only
9.31	Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work): 20 mm nominal bore (CCL SOR 2025-18.46.2)	30.00	Each	298.10	8943.00	INR Eight Thousand Nine Hundred & Forty Three Only
9.32	Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work): 25 mm nominal bore (CCL SOR 2025-18.46.3)	30.00	Each	309.70	9291.00	INR Nine Thousand Two Hundred & Ninety One Only
9.33	Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work): 50mm nominal bore (CCL SOR 2025-18.46.6)	10.00	Each	545.10	5451.00	INR Five Thousand Four Hundred & Fifty One Only
9.34	Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing :Rectangular shape 453x357mm (CCL SOR 2025-17.32.2)	100.00	Each	997.80	99780.00	INR Ninety Nine Thousand Seven Hundred & Eighty Only
9.35	Providing and fixing PTMT grating of approved quality and colour. Circular type. 100 mm nominal dia.(CCL SOR 2025-18.58.1.1)	100.00	Each	63.55	6355.00	INR Six Thousand Three Hundred & Fifty Five Only
9.36	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fitting arrangement of approved quality and colour. 450mm long towel rail with total length of 495mm, 78mm wide and effective height of 88mm, weighing not less than 170gms (CCL SOR 2025-17.73.1)	130.00	Each	530.20	68926.00	INR Sixty Eight Thousand Nine Hundred & Twenty Six Only
9.37	Providing and fixing C.I. sluice valves (with cap) complete with bolts, nuts, rubber insertions etc. (the tail pieces if required will be paid separately): 100 mm diameter Class I (CCL SOR 2025-18.31.1.1)	6.00	Each	3862.60	23175.60	INR Twenty Three Thousand One Hundred & Seventy Five and Paise Sixty Only
9.38	Providing and fixing PTMT Ball cock of approved quality, colour and make complete with Epoxy coated aluminium rod with L.P./ H.P.H.D. plastic ball.25 mm nominal bore, 152mm long, weighing not less than 440gms. (CCL SOR 2025-18.62.3)	25.00	Each	575.45	14386.25	INR Fourteen Thousand Three Hundred & Eighty Six and Paise Twenty Five Only
9.39	Providing and fixing PTMT stop cock of approved quality and colour.15 mm nominal bore, 86mm long, weighing not less than 88 grams. (CCL SOR 2025-18.55.1)	30.00	Each	178.70	5361.00	INR Five Thousand Three Hundred & Sixty One Only

9.40	Providing and fixing PTMT shelf 440 mm long, 124 mm width and 36 mm height of approved quality and colour, weighing not less than 300gms (CCL SOR 2025-17.74)	100.00	Each	712.55	71255.00	INR Seventy One Thousand Two Hundred & Fifty Five Only
9.41	Providing and fixing C.P. Brass extension nipple (size 15 mm x 50 mm) of approved make and quality as per direction of Engineer-in charge (CCL SOR 18.53A)	100.00	Each	62.90	6290.00	INR Six Thousand Two Hundred & Ninety Only
10.00	PART H (SUPPLY ITEMS)					
10.01	Supply of 15mm size C.P.Brass pillar cock (Jaquar or its equivalent) all complete as per instruction of EIC. (Refer CCL SOR-2025-39)	130.00	each	1978.03	257143.90	INR Two Lakh Fifty Seven Thousand One Hundred & Forty Three and Paise Ninety Only
10.02	Supply of C.P. brass Waste Coupling for wash basin and sink (Jaquar or its equivalent) of approved quality and colour,Waste coupling 32 mm dia of 130 mm length all complete as per instruction of EIC. (Refer CCL SOR-2025-38)	120.00	each	1230.03	147603.60	INR One Lakh Forty Seven Thousand Six Hundred & Three and Paise Sixty Only
10.03	Supply of 2 way bib cock 15 mm nominal size with wall flange JAQUAR make or equivalent as per direction of EIC. (Analysed rate) (Refer CCL SOR-2025-48)	50.00	each	1978.03	98901.50	INR Ninety Eight Thousand Nine Hundred & One and Paise Fifty Only
10.04	Supplying Hand Shower (Health Faucet) with 8mm Dia 1.2 Meter Long Flexible Chrome Tube and Wall Hook (Jaquar or its equivalent) as per direction of EIC (Refer CCL SOR-2025-31)	60.00	each	1061.61	63696.60	INR Sixty Three Thousand Six Hundred & Ninety Six and Paise Sixty Only
10.05	Providing PVC tank cover of approved quality as per instruction of EIC. (Analysed rate)	50.00	each	638.85	31942.50	INR Thirty One Thousand Nine Hundred & Forty Two and Paise Fifty Only
10.06	Supply of Water proof 19 mm thick plywood of Greenply or equivalent of any other brand as per direction of EIC. (Refer CCL SOR-2025-95)	100.00	sqm	2155.40	215540.00	INR Two Lakh Fifteen Thousand Five Hundred & Forty Only
10.07	Supply of Water proof 12 mm thick plywood of Greenply or equivalent of any other brand as per direction of EIC. ((Refer CCL SOR-2025-94)	100.00	sqm	1564.25	156425.00	INR One Lakh Fifty Six Thousand Four Hundred & Twenty Five Only
10.08	Supply of Water proof 6 mm thick plywood of Greenply or equivalent of any other brand as per direction of EIC. (Refer CCL SOR-2025-93)	100.00	sqm	1193.05	119305.00	INR One Lakh Nineteen Thousand Three Hundred & Five Only
10.09	Supply of UPVC tank Connector 25mm as per direction of EIC. (Analysed rate)	90.00	each	81.31	7317.90	INR Seven Thousand Three Hundred & Seventeen and Paise Ninety Only
10.10	Providing unplasticized Polyvinyl Chloride (uPVC) pipes : (External work): 50 mm dia SCH 80 as per ASTM-D1785 as per direction of EIC. (supreme,astral or equivalent.) (Refer CCL SOR-2025- 52)	200.00	each	412.33	82466.00	INR Eighty Two Thousand Four Hundred & Sixty Six Only
10.11	Providing unplasticized Polyvinyl Chloride (uPVC) pipes : (External work): 40 mm dia SCH 80 as per ASTM-D1785 as per direction of EIC. (supreme,astral or equivalent.) (Refer CCL SOR-2025-53)	60.00	each	300.83	18049.80	INR Eighteen Thousand & Forty Nine and Paise Eighty Only
10.12	Providing unplasticized Polyvinyl Chloride (uPVC) pipes : (External work): 25 mm dia SCH 80 as per ASTM-D1785 as per direction of EIC. (supreme,astral or equivalent.) (Refer CCL SOR-2025-54)	500.00	each	137.06	68530.00	INR Sixty Eight Thousand Five Hundred & Thirty Only
10.13	Providing 20 mm UPVC Ball Valve (supreme,astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-55)	30.00	each	176.55	5296.50	INR Five Thousand Two Hundred & Ninety Six and Paise Fifty Only

10.14	Providing 100 mm UPVC Ball Valve (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-56)	5.00	each	4386.99	21934.95	INR Twenty One Thousand Nine Hundred & Thirty Four and Paise Ninety Five Only
10.15	Providing 50 mm UPVC Ball Valve (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-57)	10.00	each	1562.22	15622.20	INR Fifteen Thousand Six Hundred & Twenty Two and Paise Twenty Only
10.16	Providing 76.2 mm UPVC ball Valve (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-58)	5.00	each	2802.70	14013.50	INR Fourteen Thousand & Thirteen and Paise Fifty Only
10.17	Providing 25 mm UPVC ball Valve (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-59)	30.00	each	335.67	10070.10	INR Ten Thousand & Seventy and Paise Ten Only
10.18	Providing Upvc union 25 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-60)	30.00	each	67.37	2021.10	INR Two Thousand & Twenty One and Paise Ten Only
10.19	Providing Upvc union 40 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-61)	10.00	each	187.00	1870.00	INR One Thousand Eight Hundred & Seventy Only
10.20	Providing Upvc union 50 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-62)	20.00	each	317.09	6341.80	INR Six Thousand Three Hundred & Forty One and Paise Eighty Only
10.21	Providing Upvc union 75 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-63)	5.00	each	380.97	1904.85	INR One Thousand Nine Hundred & Four and Paise Eighty Five Only
10.22	Providing Upvc union 100 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-64)	5.00	each	1008.18	5040.90	INR Five Thousand & Forty and Paise Ninety Only
10.23	Providing Upvc socket 25 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-65)	300.00	each	19.75	5925.00	INR Five Thousand Nine Hundred & Twenty Five Only
10.24	Providing Upvc socket 40 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-66)	30.00	each	38.33	1149.90	INR One Thousand One Hundred & Forty Nine and Paise Ninety Only
10.25	Providing Upvc socket 50 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-67)	200.00	each	49.94	9988.00	INR Nine Thousand Nine Hundred & Eighty Eight Only
10.26	Providing Upvc socket 75 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-68)	100.00	each	223.01	22301.00	INR Twenty Two Thousand Three Hundred & One Only
10.27	Providing Upvc socket 100 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-69)	20.00	each	350.77	7015.40	INR Seven Thousand & Fifteen and Paise Forty Only
10.28	Providing Upvc Elbow 25 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-70)	200.00	each	31.36	6272.00	INR Six Thousand Two Hundred & Seventy Two Only

10.29	Providing Upvc Elbow 40 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-71)	20.00	each	62.72	1254.40	INR One Thousand Two Hundred & Fifty Four and Paise Forty Only
10.30	Providing Upvc Elbow 50 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-72)	100.00	each	65.04	6504.00	INR Six Thousand Five Hundred & Four Only
10.31	Providing Upvc Elbow 80 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-73)	20.00	each	387.94	7758.80	INR Seven Thousand Seven Hundred & Fifty Eight and Paise Eighty Only
10.32	Providing Upvc Elbow 100 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC(Refer CCL SOR-2025-74).	100.00	each	663.22	66322.00	INR Sixty Six Thousand Three Hundred & Twenty Two Only
10.33	Providing Upvc MTA brass inserts 25 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-75)	30.00	each	292.70	8781.00	INR Eight Thousand Seven Hundred & Eighty One Only
10.34	Providing Upvc MTA brass inserts 40 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC(Refer CCL SOR-2025-76).	20.00	each	617.92	12358.40	INR Twelve Thousand Three Hundred & Fifty Eight and Paise Forty Only
10.35	Providing Upvc FTA brass inserts 25 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-77)	50.00	each	232.30	11615.00	INR Eleven Thousand Six Hundred & Fifteen Only
10.36	Providing Upvc FTA brass inserts 40 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-78)	30.00	each	720.13	21603.90	INR Twenty One Thousand Six Hundred & Three and Paise Ninety Only
10.37	Providing Upvc FTA brass inserts 50 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-79)	20.00	each	1022.12	20442.40	INR Twenty Thousand Four Hundred & Forty Two and Paise Forty Only
10.38	Providing Upvc FTA brass inserts 80 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-80)	20.00	each	2134.84	42696.80	INR Forty Two Thousand Six Hundred & Ninety Six and Paise Eighty Only
10.39	Providing Upvc MTA 25 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-81)	100.00	each	24.39	2439.00	INR Two Thousand Four Hundred & Thirty Nine Only
10.40	Providing Upvc MTA 40 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-82)	20.00	each	44.14	882.80	INR Eight Hundred & Eighty Two and Paise Eighty Only
10.41	Providing Upvc MTA 50 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-83)	100.00	each	62.72	6272.00	INR Six Thousand Two Hundred & Seventy Two Only
10.42	Providing Upvc MTA 80 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-84)	20.00	each	161.45	3229.00	INR Three Thousand Two Hundred & Twenty Nine Only
10.43	Providing Upvc MTA 100 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-85)	20.00	each	314.77	6295.40	INR Six Thousand Two Hundred & Ninety Five and Paise Forty Only

10.44	Providing Upvc FTA 25 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-86)	50.00	each	27.88	1394.00	INR One Thousand Three Hundred & Ninety Four Only
10.45	Providing Upvc FTA 40 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-87)	20.00	each	51.11	1022.20	INR One Thousand & Twenty Two and Paise Twenty Only
10.46	Providing Upvc FTA 50 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-88)	50.00	each	72.01	3600.50	INR Three Thousand Six Hundred and Paise Fifty Only
10.47	Providing Upvc FTA 80 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-89)	10.00	each	187.00	1870.00	INR One Thousand Eight Hundred & Seventy Only
10.48	Providing Upvc FTA 100 mm (supreme, astral or equivalent). SCH 80 as per ASTM D-2467 as per direction of EIC.(Refer CCL SOR-2025-90)	10.00	each	310.12	3101.20	INR Three Thousand One Hundred & One and Paise Twenty Only
10.49	Providing Upvc solvent for fixing supplied pipe fittings as per direction of EIC.(Refer CCL SOR-2025-91)	200.00	each	134.73	26946.00	INR Twenty Six Thousand Nine Hundred & Forty Six Only
10.50	Providing thread Sealant Teflon Tapes non adhesive of size 0.5 inch as per direction of EIC.(Refer CCL SOR-2025-92)	1000.00	each	7.39	7390.00	INR Seven Thousand Three Hundred & Ninety Only
10.51	Supply of bright finished brass door capsool door closer (superior quality) or equivalent as per instruction of EIC.(Refer CCL SOR-2025-100)	30.00	each	929.20	27876.00	INR Twenty Seven Thousand Eight Hundred & Seventy Six Only
10.52	Supply of Mortice lock (Godrej or its equivalent) as per instruction of EIC.(Refer CCL SOR-2025-99)	10.00	each	4413.70	44137.00	INR Forty Four Thousand One Hundred & Thirty Seven Only
11.00	PART I (SWEEPING OF COLONY)					
11.01	Sweeping, brooming and cleaning of all roads/pavers/Ground area etc in colony and within the premises of service building and other places as required with all tools and tackels and stacking the garbage at specified places as per instruction of EIC.(including providing proper dress/uniform for workers) CCL SOR Sub vol-V)(Refer CCL SOR-2025-2)	22201126.20	sqm	0.32	7104360.38	INR Seventy One Lakh Four Thousand Three Hundred & Sixty and Paise Thirty Eight Only
11.02	Cleaning of all type of roofs including removal of dry leaves, weeding and cleaning drain holes, brooming etc. all complete with tools and tackels and stacking the garbage at specified places as per instruction of EIC. CCL SOR (VOI.5-3)(Analysed rate)	417054.24	sqm	0.54	225209.29	INR Two Lakh Twenty Five Thousand Two Hundred & Nine and Paise Twenty Nine Only
11.03	Collection of garbage from door to door and disposal the same through trolley or other available arrangement to the specified place within a lead of 1 KM including sweeping of stair case with all tools and tackels complete as per instruction of Engineer-in-charge. Ground floor ((Refer CCL SOR-2025-8)	169016.00	each	8.06	1362268.96	INR Thirteen Lakh Sixty Two Thousand Two Hundred & Sixty Eight and Paise Ninety Six Only

11.04	Collection of garbage from door to door and disposal the same through trolley or other available arrangement to the specified place within a lead of 1 KM including sweeping of stair case with all tools and tackles complete as per instruction of Engineer-in-charge. 1st floor (Refer CCL SOR-2025-9)	97408.00	each	10.08	981872.64	INR Nine Lakh Eighty One Thousand Eight Hundred & Seventy Two and Paise Sixty Four Only
11.05	Collection of garbage from door to door and disposal the same through trolley or other available arrangement to the specified place within a lead of 1 KM including sweeping of stair case with all tools and tackles complete as per instruction of Engineer-in-charge. 2nd floor (Refer CCL SOR-2025-10)	60400.00	each	12.41	749564.00	INR Seven Lakh Forty Nine Thousand Five Hundred & Sixty Four Only
11.06	Cleaning of surface drain including disposal of muck, sludge through trolley or other arrangement at a specified place (in no case it should be kept on drain bank) within a lead of 1 KM with all tools and tackles complete as per instruction of Engineer-in-charge. Upto 300 mm wide drain. (Refer CCL SOR-2025-5)	562848.00	metre	3.23	1817999.04	INR Eighteen Lakh Seventeen Thousand Nine Hundred & Ninety Nine and Paise Four Only
11.07	Cleaning of surface drain including disposal of muck, sludge through trolley or other arrangement at a specified place (in no case it should be kept on drain bank) within a lead of 1 KM with all tools and tackles complete as per instruction of Engineer-in-charge. Upto 300 mm to 600 mm wide drain. (Refer CCL SOR-2025-6)	59280.00	metre	4.03	238898.40	INR Two Lakh Thirty Eight Thousand Eight Hundred & Ninety Eight and Paise Forty Only
11.08	Cleaning of surface drain including disposal of muck, sludge through trolley or other arrangement at a specified place (in no case it should be kept on drain bank) within a lead of 1 KM with all tools and tackles complete as per instruction of Engineer-in-charge. Above 600 mm drain width (Refer CCL SOR-2025-7)	52416.00	metre	5.38	281998.08	INR Two Lakh Eighty One Thousand Nine Hundred & Ninety Eight and Paise Eight Only
11.09	Supply of dress for workers of approved brand as per instruction of EIC. (Analysed rate)	92.00	each	535.90	49302.80	INR Forty Nine Thousand Three Hundred & Two and Paise Eighty Only
11.10	Clearing grass and removal of the rubbish upto a distance of 50 m outside the periphery of the area cleared. (CCL SOR- 2.32C)	2695.00	sqm	6.70	18056.50	INR Eighteen Thousand & Fifty Six and Paise Fifty Only
11.11	Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth upto 30 cm measured at a height of 1m above ground level and removal of rubbish upto a distance of 50 m outside the periphery of the area cleared. (CCL SOR 2.31)	1120.00	sqm	13.15	14728.00	INR Fourteen Thousand Seven Hundred & Twenty Eight Only
11.12	Carriage of materials by mechanical transport including loading, unloading and stacking. Earth Lead 1.00 KM. (CCL SOR-1.1.2)	620.00	cum	251.70	156054.00	INR One Lakh Fifty Six Thousand & Fifty Four Only
11.13	Carriage of material by mechanical transport including loading, unloading and stacking: Lime, moorum, building rubbish with one km lead. (CPWD DSR'14 -1.1.1)	5800.00	cum	201.35	1167830.00	INR Eleven Lakh Sixty Seven Thousand Eight Hundred & Thirty Only
11.14	Supply of Safety Shoe for workers as per instruction of EIC. (Analysed rate)	96.00	each	1286.85	123537.60	INR One Lakh Twenty Three Thousand Five Hundred & Thirty Seven and Paise Sixty Only
11.15	Supply of Safety Gloves for workers as per instruction of EIC. (Analysed rate)	184.00	Pair	126.50	23276.00	INR Twenty Three Thousand Two Hundred & Seventy Six Only

12.00	PART J (AMC FOR UPKEEPING AND MAINTENANCE OF CCL KE LAL & LADLI)					
12.01	Deployment of 4 nos unskilled person for sweeping, cleaning, mopping and all in CCL ke Lal(2nos) and CCL ke Ladli (2 nos). (All materials and dress to be paid separately) complete as per the instruction of Engineer-in-charge (Analysed rate)	730.00	day	3131.40	2285922.00	INR Twenty Two Lakh Eighty Five Thousand Nine Hundred & Twenty Two Only
12.02	Supply of material: Vim Powder (Analysed rate)	288.00	kg	88.60	25516.80	INR Twenty Five Thousand Five Hundred & Sixteen and Paise Eighty Only
12.03	Supply of material: Phenyl White (Analysed rate)	600.00	litre	78.75	47250.00	INR Forty Seven Thousand Two Hundred & Fifty Only
12.04	Supply of material: Phenyl Black (Analysed rate)	600.00	litre	160.45	96270.00	INR Ninety Six Thousand Two Hundred & Seventy Only
12.05	Supply of material: Harpic Toilet Cleaner 500 ml bottle (Analysed rate)	240.00	each	106.30	25512.00	INR Twenty Five Thousand Five Hundred & Twelve Only
12.06	Supply of material: Coolin Glass Cleaner 500 ml bottle (Analysed rate)	240.00	each	113.20	27168.00	INR Twenty Seven Thousand One Hundred & Sixty Eight Only
12.07	Supply of material: Naptha Ball (Analysed rate)	240.00	kg	220.50	52920.00	INR Fifty Two Thousand Nine Hundred & Twenty Only
12.08	Supply of material: Phool Broom (Analysed rate)	240.00	each	104.35	25044.00	INR Twenty Five Thousand &Forty Four Only
12.09	Supply of material: Stick Broom (Analysed rate)	240.00	each	104.35	25044.00	INR Twenty Five Thousand &Forty Four Only
12.10	Supply of material: Toilet brush (Analysed rate)	120.00	each	132.90	15948.00	INR Fifteen Thousand Nine Hundred & Forty Eight Only
12.11	Supply of material: Floor Wiper (Analysed rate)	160.00	each	206.70	33072.00	INR Thirty Three Thousand &Seventy Two Only
12.12	Supply of material: Bleaching powder (Analysed rate)	1200.00	kg	97.45	116940.00	INR One Lakh Sixteen Thousand Nine Hundred & Forty Only
12.13	Supply of material: Floor Mop (Analysed rate)	120.00	each	176.20	21144.00	INR Twenty One Thousand One Hundred & Forty Four Only
12.14	Supply of material: Plastic bucket 16 litre capacity (Analysed rate)	120.00	each	254.95	30594.00	INR Thirty Thousand Five Hundred & Ninety Four Only
12.15	Supply of dress for workers as per instruction of EIC. (Analysed rate)	16.00	each	535.90	8574.40	INR Eight Thousand Five Hundred & Seventy Four and Paise Forty Only
12.16	Supply of Safety Shoe for workers as per instruction of EIC. (Analysed rate)	10.00	each	1286.85	12868.50	INR Twelve Thousand Eight Hundred & Sixty Eight and Paise Fifty Only

12.17	Supply of Safety Gloves for workers as per instruction of EIC. (Analysed rate)	34.00	Pair	126.50	4301.00	INR Four Thousand Three Hundred & One Only
13.00	PART K (PEST CONTROL)					
13.01	Fogging with smoker mixed with diesel @ 8 ml smoker with one litre of diesel twice per month as per direction of Engineer-in-charge (treatment to be done using spray machine along with proper safety provisions for sprayer like mask etc). (Refer CCL SOR-2025- 109)	480.00	hour	788.71	378580.80	INR Three Lakh Seventy Eight Thousand Five Hundred & Eighty and Paise Eighty Only
13.02	General pest control with Malathion 50% EC and Nuvan 75% EC (2 ml Malathion & 6 ml Nuvan to be mixed with 1 litre water) for indoor as well as outdoor treatment once in a month as per direction of Engineer-in-charge. (Treatment to be done using spray machine along with proper safety provisions like mask etc.) (Refer CCL SOR-2025- 110)	1538838.72	sqm	0.86	1323401.30	INR Thirteen Lakh Twenty Three Thousand Four Hundred & One and Paise Thirty Only
14.00	Electrical Work					
14.01	Wiring for light point / fan point/ exhaust fan point/ call bell point with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. box and earthing the point with 1.5 sq. mm. FR PVC insulated copper conductor single core cable etc as required. Group: A (Refer: CCL SOR 2025 1.8.1)	250.00	Point	898.00	224500.00	INR Two Lakh Twenty Four Thousand Five Hundred Only
14.02	Wiring for light point / fan point/ exhaust fan point/ call bell point with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. box and earthing the point with 1.5 sq. mm. FR PVC insulated copper conductor single core cable etc as required. Group: B (Refer: CCL SOR 2025 1.8.2)	50.00	Point	1044.00	52200.00	INR Fifty Two Thousand Two Hundred Only
14.03	Wiring for light point / fan point/ exhaust fan point/ call bell point with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed PVC conduit, with piano type switch, phenolic laminated sheet, suitable size M.S. box and earthing the point with 1.5 sq. mm. FR PVC insulated copper conductor single core cable etc as required. Group: C (Refer: CCL SOR 2025 1.8.3)	30.00	Point	1306.00	39180.00	INR Thirty Nine Thousand One Hundred & Eighty Only
14.04	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed PVC conduit, with modular switch, modular plate, suitable G.I. box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required. Group: A (Refer: CCL SOR 2025 1.10.1)	20.00	Point	918.00	18360.00	INR Eighteen Thousand Three Hundred & Sixty Only

14.05	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed PVC conduit, with modular switch, modular plate, suitable G.I. box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required. Group: B (Refer: CCL SOR 2025 1.10.2)	20.00	Point	1064.00	21280.00	INR Twenty One Thousand Two Hundred & Eighty Only
14.06	Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq. mm FR PVC insulated copper conductor single core cable in surface/ recessed PVC conduit, with modular switch, modular plate, suitable G.I. box and earthing the point with 1.5 sq.mm. FR PVC insulated copper conductor single core cable etc as required. Group: C (Refer: CCL SOR 2025 1.10.3)	20.00	Point	1326.00	26520.00	INR Twenty Six Thousand Five Hundred & Twenty Only
14.07	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. 2 X 1.5 sq. mm + 1 X 1.5 sq. mm earth wire (Refer: CCL SOR 2025 1.14.1)	150.00	Meter	210.00	31500.00	INR Thirty One Thousand Five Hundred Only
14.08	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. 2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire (Refer: CCL SOR 2025 1.14.2)	600.00	Meter	247.00	148200.00	INR One Lakh Forty Eight Thousand Two Hundred Only
14.09	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. 2 X 4 sq. mm + 1 X 4 sq. mm earth wire (Refer: CCL SOR 2025 1.14.3)	200.00	Meter	299.00	59800.00	INR Fifty Nine Thousand Eight Hundred Only
14.10	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. 2 X 6 sq. mm + 1 X 6 sq. mm earth wire (Refer: CCL SOR 2025 1.14.4)	100.00	Meter	391.00	39100.00	INR Thirty Nine Thousand One Hundred Only
14.11	Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required. 2 X 10 sq. mm + 1 X 6 sq. mm earth wire (Refer: CCL SOR 2025 1.14.5)	50.00	Meter	506.00	25300.00	INR Twenty Five Thousand Three Hundred Only
14.12	Rewiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable and 1.5 sq.mm FRLS PVC insulated copper conductor single core cable as earth wire in existing surface/ recessed steel/PVC conduit including dismantling as required. Group: A (Refer: CCL SOR 2025 1.15.1)	80.00	Point	526.00	42080.00	INR Forty Two Thousand & Eighty Only
14.13	Rewiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable and 1.5 sq.mm FRLS PVC insulated copper conductor single core cable as earth wire in existing surface/ recessed steel/PVC conduit including dismantling as required. Group: B (Refer: CCL SOR 2025 1.15.2)	50.00	Point	581.00	29050.00	INR Twenty Nine Thousand & Fifty Only

14.14	Rewiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable and 1.5 sq.mm FRLS PVC insulated copper conductor single core cable as earth wire in existing surface/ recessed steel/PVC conduit including dismantling as required. Group: C (Refer: CCL SOR 2025 1.15.3)	30.00	Point	818.00	24540.00	INR Twenty Four Thousand Five Hundred & Forty Only
14.15	Supply and drawing following size of FR PVC insulated copper conductor, single core cable in existing surface/ recessed steel /PVC conduit as required. 3 X 1.5 sq. mm (Refer: CCL SOR 2025 1.17.3)	150.00	Meter	85.00	12750.00	INR Twelve Thousand Seven Hundred & Fifty Only
14.16	Supply and drawing following size of FR PVC insulated copper conductor, single core cable in existing surface/ recessed steel /PVC conduit as required. 3 X 2.5 sq. mm (Refer: CCL SOR 2025 1.17.12)	150.00	Meter	122.00	18300.00	INR Eighteen Thousand Three Hundred Only
14.17	Supply and drawing following size of FR PVC insulated copper conductor, single core cable in existing surface/ recessed steel /PVC conduit as required. 3 X 4 sq. mm (Refer: CCL SOR 2025 1.17.21)	100.00	Meter	183.00	18300.00	INR Eighteen Thousand Three Hundred Only
14.18	Supply and drawing following size of FR PVC insulated copper conductor, single core cable in existing surface/ recessed steel /PVC conduit as required. 3 X 6 sq. mm (Refer: CCL SOR 2025 1.17.30)	100.00	Meter	269.00	26900.00	INR Twenty Six Thousand Nine Hundred Only
14.19	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required. 20 mm (Refer: CCL SOR 2025 1.21.1)	250.00	Meter	116.00	29000.00	INR Twenty Nine Thousand Only
14.20	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required. 25 mm (Refer: CCL SOR 2025 1.21.2)	150.00	Meter	130.00	19500.00	INR Nineteen Thousand Five Hundred Only
14.21	Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 5/6 amps switch (Refer: CCL SOR 2025 1.23.1)	600.00	Each	48.00	28800.00	INR Twenty Eight Thousand Eight Hundred Only
14.22	Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 A switch (Refer: CCL SOR 2025 1.23.3)	150.00	Each	110.00	16500.00	INR Sixteen Thousand Five Hundred Only
14.23	Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 3 pin 5/6 A socket outlet (Refer: CCL SOR 2025 1.23.4)	400.00	Each	63.00	25200.00	INR Twenty Five Thousand Two Hundred Only
14.24	Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. 6 pin 15/16 A socket outlet (Refer: CCL SOR 2025 1.23.5)	150.00	Each	124.00	18600.00	INR Eighteen Thousand Six Hundred Only

14.25	Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required. Bell Push (Refer: CCL SOR 2025 1.23.8)	50.00	Each	76.00	3800.00	INR Three Thousand Eight Hundred Only
14.26	Supplying and fixing following modular type switch/ socket on the existing switch box/ cover including connections etc. as required. 5/6 amps switch (Refer: CCL SOR 2025 1.24.1)	100.00	Each	94.00	9400.00	INR Nine Thousand Four Hundred Only
14.27	Supplying and fixing following modular type switch/ socket on the existing switch box/ cover including connections etc. as required. 15/16 A switch (Refer: CCL SOR 2025 1.24.3)	70.00	Each	140.00	9800.00	INR Nine Thousand Eight Hundred Only
14.28	Supplying and fixing following modular type switch/ socket on the existing switch box/ cover including connections etc. as required. 3 pin 5/6 A socket outlet (Refer: CCL SOR 2025 1.24.4)	100.00	Each	109.00	10900.00	INR Ten Thousand Nine Hundred Only
14.29	Supplying and fixing following modular type switch/ socket on the existing switch box/ cover including connections etc. as required. 6 pin 15/16 A socket outlet (Refer: CCL SOR 2025 (Refer: CCL SOR 2025 1.24.5)	70.00	Each	176.00	12320.00	INR Twelve Thousand Three Hundred & Twenty Only
14.30	Supplying and fixing following modular type switch/ socket on the existing switch box/ cover including connections etc. as required. Bell Push (Refer: CCL SOR 2025 1.24.8)	10.00	Each	126.00	1260.00	INR One Thousand Two Hundred & Sixty Only
14.31	Supplying and fixing two module stepped type electronic fan regulator on the existing modular plate switch box including connections but excluding modular plate etc. as required. (Refer: CCL SOR 2025 1.25)	30.00	Each	328.00	9840.00	INR Nine Thousand Eight Hundred & Forty Only
14.32	Supply and fixing following modular base & cover plate on existing modular metal boxes etc as required. size/ modules, GI box along with modular base & cover plate for modular switches in recess etc. as required. 1 or 2 Module (Refer: CCL SOR 2025 1.27.1)	5.00	Each	269.00	1345.00	INR One Thousand Three Hundred & Forty Five Only
14.33	Supply and fixing following modular base & cover plate on existing modular metal boxes etc as required. size/ modules, GI box along with modular base & cover plate for modular switches in recess etc. as required. 3 Module	5.00	Each	294.00	1470.00	INR One Thousand Four Hundred & Seventy Only
14.34	Supply and fixing following modular base & cover plate on existing modular metal boxes etc as required. size/ modules, GI box along with modular base & cover plate for modular switches in recess etc. as required. 4 Module (Refer: CCL SOR 2025 1.27.3)	5.00	Each	308.00	1540.00	INR One Thousand Five Hundred & Forty Only
14.35	Supply and fixing following modular base & cover plate on existing modular metal boxes etc as required. size/ modules, GI box along with modular base & cover plate for modular switches in recess etc. as required. 6 Module(Refer: CCL SOR 2025 1.27.4)	5.00	Each	360.00	1800.00	INR One Thousand Eight Hundred Only
14.36	Supply and fixing following modular base & cover plate on existing modular metal boxes etc as required. size/ modules, GI box along with modular base & cover plate for modular switches in recess etc. as required. 8 Module(Refer: CCL SOR 2025 1.27.5)	5.00	Each	406.00	2030.00	INR Two Thousand & Thirty Only

14.37	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required. 1 or 2 Module (Refer: CCL SOR 2025 1.28.1)	20.00	Each	121.00	2420.00	INR Two Thousand Four Hundred & Twenty Only
14.38	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required. 3 Module(Refer: CCL SOR 2025 1.28.2)	20.00	Each	137.00	2740.00	INR Two Thousand Seven Hundred & Forty Only
14.39	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required. 4 Module(Refer: CCL SOR 2025 1.28.3)	20.00	Each	143.00	2860.00	INR Two Thousand Eight Hundred & Sixty Only
14.40	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required. 6 Module(Refer: CCL SOR 2025 1.28.4)	20.00	Each	164.00	3280.00	INR Three Thousand Two Hundred & Eighty Only
14.41	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required. 8 Module(Refer: CCL SOR 2025 1.28.5)	10.00	Each	190.00	1900.00	INR One Thousand Nine Hundred Only
14.42	Supplying and fixing 3 pin, 5 A ceiling rose on the existing junction box/ wooden block including connections etc. as required.(Refer: CCL SOR 2025 1.33)	150.00	Each	79.00	11850.00	INR Eleven Thousand Eight Hundred & Fifty Only
14.43	Supplying and fixing brass batten/ angle holder including connection etc. as required.(Refer: CCL SOR 2025 1.34)	400.00	Each	119.00	47600.00	INR Forty Seven Thousand Six Hundred Only
14.44	Supplying and fixing call bell/ buzzer suitable for single phase, 230 V, complete as required.(Refer: CCL SOR 2025 1.38)	50.00	Each	89.00	4450.00	INR Four Thousand Four Hundred & Fifty Only
14.45	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator). 6 way double door(Refer: CCL SOR 2025 2.3.1)	50.00	Each	1951.00	97550.00	INR Ninety Seven Thousand Five Hundred & Fifty Only
14.46	Supplying and fixing following way, single pole and neutral, sheet steel, MCB distribution board, 240 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator). 8 way double door(Refer: CCL SOR 2025 2.3.2)	20.00	Each	2274.00	45480.00	INR Forty Five Thousand Four Hundred & Eighty Only
14.47	Supplying and fixing following way, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 V, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required (But without MCB/RCCB/Isolator). 8 way (4 + 24), Double door(Refer: CCL SOR 2025 2.4.3)	2.00	Each	5260.00	10520.00	INR Ten Thousand Five Hundred & Twenty Only
14.48	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Single pole(Refer: CCL SOR 2025 2.10.1)	300.00	Each	229.00	68700.00	INR Sixty Eight Thousand Seven Hundred Only

14.49	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Single pole & neutral(Refer: CCL SOR 2025 2.10.2)	60.00	Each	531.00	31860.00	INR Thirty One Thousand Eight Hundred & Sixty Only
14.50	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Triple pole(Refer: CCL SOR 2025 2.10.4)	15.00	Each	889.00	13335.00	INR Thirteen Thousand Three Hundred & Thirty Five Only
14.51	Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. Triple pole and neutral(Refer: CCL SOR 2025 2.10.5)	50.00	Each	1083.00	54150.00	INR Fifty Four Thousand One Hundred & Fifty Only
14.52	Supplying and fixing 20 amps, 240 volts, SPN industrial type, socket outlet, with 2 pole and earth, metal enclosed plug top along with 20 amps 'C' series, SP, MCB in sheet enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required. (Refer: CCL SOR 2025 2.18)	10.00	Each	1449.00	14490.00	INR Fourteen Thousand Four Hundred & Ninety Only
14.53	Supply of piano type fan regulator, ISI marked Refer: (Analysed Rate)	200.00	Each	321.87	64374.00	INR Sixty Four Thousand Three Hundred & Seventy Four Only
14.54	Supply of PVC board size 4"x4"with parpex sheet cover (75 mm x 75 mm x 50 mm) (Analysed Rate)	200.00	Each	34.45	6890.00	INR Six Thousand Eight Hundred & Ninety Only
14.55	Supply of PVC board size 7"x4"with parpex sheet cover (72 mm x 146 mm x 48 mm) (Analysed Rate)	200.00	Each	47.25	9450.00	INR Nine Thousand Four Hundred & Fifty Only
14.56	Supply of PVC board size 8"x6"with parpex sheet cover (121 mm x 173 mm x 48 mm) (Analysed Rate)	50.00	Each	55.12	2756.00	INR Two Thousand Seven Hundred & Fifty Six Only
14.57	Supply of PVC board size 8"x12"with parpex sheet cover (210 mm x 206 mm x 48 mm) (Analysed Rate)	40.00	Each	68.90	2756.00	INR Two Thousand Seven Hundred & Fifty Six Only
14.58	Supply of PVC Modular box 1/2 M (Analysed Rate)	25.00	Each	63.98	1599.50	INR One Thousand Five Hundred & Ninety Nine and Paise Fifty Only
14.59	Supply of PVC Modular box 3 M (Analysed Rate)	20.00	Each	78.75	1575.00	INR One Thousand Five Hundred & Seventy Five Only
14.60	Supply of PVC Modular box 4 M (Analysed Rate)	20.00	Each	102.37	2047.40	INR Two Thousand & Forty Seven and Paise Forty Only
14.61	Supply of PVC Modular box 6 M (Analysed Rate)	30.00	Each	123.04	3691.20	INR Three Thousand Six Hundred & Ninety One and Paise Twenty Only
14.62	SS combined With box 15/16A (Analysed Rate)	100.00	Each	175.21	17521.00	INR Seventeen Thousand Five Hundred & Twenty One Only
14.63	SS combined Without box 15/16A (Analysed Rate)	200.00	Each	202.77	40554.00	INR Forty Thousand Five Hundred & Fifty Four Only

14.64	Supply of 3 pin top 5 Amp, ISI marked (Analysed Rate)	20.00	Each	74.81	1496.20	INR One Thousand Four Hundred & Ninety Six and Paise Twenty Only
14.65	Supply of 3 pin top 15 Amp, ISI marked (Analysed Rate)	20.00	Each	103.35	2067.00	INR Two Thousand & Sixty Seven Only
14.66	Supply of multi plug socket 5/6 A (Analysed Rate)	20.00	Each	340.58	6811.60	INR Six Thousand Eight Hundred & Eleven and Paise Sixty Only
14.67	Supply of ceiling fan capacitor 2.5 mfd, ISI marked (Analysed Rate)	300.00	Each	25.95	7785.00	INR Seven Thousand Seven Hundred & Eighty Five Only
14.68	Supply of ceiling fan capacitor 3.5 mfd, ISI marked (Analysed Rate)	300.00	Each	39.42	11826.00	INR Eleven Thousand Eight Hundred & Twenty Six Only
14.69	Supply of PVC tape 10 mtr length, 200mm width (Analysed Rate)	250.00	Each	34.45	8612.50	INR Eight Thousand Six Hundred & Twelve and Paise Fifty Only
14.70	Supply of bulk head fitting 9 watt, any reputed make and ISI marked (Analysed Rate)	100.00	Each	467.55	46755.00	INR Forty Six Thousand Seven Hundred & Fifty Five Only
14.71	Supply of recessed mounting LED round down light 5/6 watt, of any reputed make, as per direction of EIC (Analysed Rate)	80.00	Each	336.64	26931.20	INR Twenty Six Thousand Nine Hundred & Thirty One and Paise Twenty Only
14.72	Supply of recessed mounting LED round down light 15 watt, of any reputed make, as per direction of EIC (Analysed Rate)	100.00	Each	507.91	50791.00	INR Fifty Thousand Seven Hundred & Ninety One Only
14.73	Supply of 9/10 watt LED bulb pin/screw type, of any reputed make, as per direction of EIC (Analysed Rate)	100.00	Each	147.65	14765.00	INR Fourteen Thousand Seven Hundred & Sixty Five Only
14.74	Supply of 14/15 watt LED bulb pin/screw type, of any reputed make, as per direction of EIC (Analysed Rate)	50.00	Each	295.30	14765.00	INR Fourteen Thousand Seven Hundred & Sixty Five Only
14.75	Supply of LED tube light 18/20 watt of any reputed make, as per direction of EIC (Analysed Rate)	500.00	Each	218.52	109260.00	INR One Lakh Nine Thousand Two Hundred & Sixty Only
14.76	Supply of LED 2X2 ceiling light of any reputed make, as per direction of EIC (Analysed Rate)	50.00	Each	1457.78	72889.00	INR Seventy Two Thousand Eight Hundred & Eighty Nine Only
14.77	Supply street light LED 70 watt of any reputed make, as per direction of EIC (Analysed Rate)	100.00	Each	2627.16	262716.00	INR Two Lakh Sixty Two Thousand Seven Hundred & Sixteen Only
14.78	Supply of LED Flood light 100W, of any reputed make, as per direction of EIC (Analysed Rate)	10.00	Each	3152.78	31527.80	INR Thirty One Thousand Five Hundred & Twenty Seven and Paise Eighty Only
14.79	Supply of LED Rope light, of any reputed make, as per direction of EIC (Analysed Rate)	50.00	Each	118.12	5906.00	INR Five Thousand Nine Hundred & Six Only
14.80	Supply of 10W LED Bollard garden light, of any reputed make, as per direction of EIC (Analysed Rate)	10.00	Each	3247.28	32472.80	INR Thirty Two Thousand Four Hundred & Seventy Two and Paise Eighty Only
14.81	Supply of LED post top garden light 45W, of any reputed make, as per direction of EIC (Analysed Rate)	5.00	Each	4429.45	22147.25	INR Twenty Two Thousand One Hundred & Forty Seven and Paise Twenty Five Only
14.82	Supply of 2 pole, Switch fuse unit, 240V volts, 32A (Havells, C&S, Anchor, of any reputed make, as per direction of EIC (Analysed Rate)	200.00	Each	1668.43	333686.00	INR Three Lakh Thirty Three Thousand Six Hundred & Eighty Six Only

14.83	Supply of 2 pole, Switch fuse unit, 240V volts, 63A, of any reputed make, as per direction of EIC (Analysed Rate)	30.00	Each	2669.48	80084.40	INR Eighty Thousand & Eighty Four and Paise Forty Only
14.84	Supply of 4 pole, 415V volts, 100A switch fuse unit, of any reputed make, as per direction of EIC (Analysed Rate)	10.00	Each	5659.85	56598.50	INR Fifty Six Thousand Five Hundred & Ninety Eight and Paise Fifty Only
14.85	Supply of Aluminium lugs 25mm (Analysed Rate)	100.00	Each	9.69	969.00	INR Nine Hundred & Sixty Nine Only
14.86	Supply of Aluminium lugs 35mm (Analysed Rate)	100.00	Each	15.27	1527.00	INR One Thousand Five Hundred & Twenty Seven Only
14.87	Supply of 3.5 core 25 sq mm armoured cable, of any reputed make, as per direction of EIC (Analysed Rate)	100.00	Meter	583.70	58370.00	INR Fifty Eight Thousand Three Hundred & Seventy Only
14.88	Supply of 2 core 6 sq mm unarmoured cable, of any reputed make, as per direction of EIC (Analysed Rate)	100.00	Meter	160.44	16044.00	INR Sixteen Thousand & Forty Four Only
14.89	Supply of Submersible 3 core flat cable 4 sq mm, of any reputed make, as per direction of EIC (Analysed Rate)	500.00	Meter	289.95	144975.00	INR One Lakh Forty Four Thousand Nine Hundred & Seventy Five Only
14.90	Repairing of ceiling fan with rewinding & all materials including heat varnishing and removing & refitting (Analysed Rate)	100.00	Nos	885.89	88589.00	INR Eighty Eight Thousand Five Hundred & Eighty Nine Only
14.91	Repairing of exhaust fan with rewinding & all materials including heat varnishing and removing & refitting (Analysed Rate)	50.00	Nos	772.69	38634.50	INR Thirty Eight Thousand Six Hundred & Thirty Four and Paise Fifty Only
14.92	Repairing of 10W LED bollard Garden light (Analysed Rate)	10.00	Nos	836.67	8366.70	INR Eight Thousand Three Hundred & Sixty Six and Paise Seventy Only
14.93	Repairing of 25L Geyser (Analysed Rate)	30.00	Nos	2067.08	62012.40	INR Sixty Two Thousand & Twelve and Paise Forty Only
14.94	Labour charge for providing of one Skilled Electrician (Analysed Rate)	450.00	Day	1026.95	462127.50	INR Four Lakh Sixty Two Thousand One Hundred & Twenty Seven and Paise Fifty Only
14.95	Labour charge for providing one unskilled Electrician helper (Analysed Rate)	300.00	Day	775.10	232530.00	INR Two Lakh Thirty Two Thousand Five Hundred & Thirty Only
15.00	Total impact of GST for the purpose of CTC	1.000	Nos	0.00	0.00	INR Zero Only
Total in Figures					60883051.69	INR Six Crore Eight Lakh Eighty Three Thousand & Fifty One and Paise Sixty Nine Only
Quoted Rate in Figures			Select		0.00	INR Zero Only

Quoted Rate in Words

INR Zero Only