

Validate

Print

Help

## Percentage BoQ

Tender Inviting Authority: SO (Civil) B&amp;K Area

Name of Work: Shifting of WB-02, entry &amp; exit check post cabin with toilet facilities under AKK OCP of BnK Area.

	<b>Category of Services (To Be Selected by Department)</b>	<b>Category of Bidder( To Be Selected by Bidder)</b>	<b>To Be Entered by Department</b>		
<b>ITC Available</b>	<b>Works Contract</b>	<b>Bidder's Status (Mandatory)</b>	<b>Rate of GST (in %)</b>	<b>GST to be Paid By Bidder (in Rs.)</b>	<b>GST to be Paid By CIL/Subsidiary (in Rs.)</b>
<b>Name of the Bidder/ Bidding Firm / Company :</b>		<b>Select</b>	<b>18.00</b>	<b>0.00</b>	<b>0.00</b>

## PRICE SCHEDULE

(This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevent columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only )

NUMBER #	TEXT #	NUMBER #	TEXT #	NUMBER	NUMBER #	TEXT #
Sl. No.	Item Description	Quantity	Units	Estimated Rate in Rs. P	TOTAL AMOUNT in Rs. P	TOTAL AMOUNT In Words
1	2	3	4	5	6	7
1	<b>Part (A) Foundation:</b> Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and for all lift, as directed by Engineer-in-charge.	225.000	cum	139.70	31432.50	INR Thirty One Thousand Four Hundred & Thirty Two and Paise Fifty Only
2	Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.	3.240	cum	1438.10	4659.44	INR Four Thousand Six Hundred & Fifty Nine and Paise Forty Four Only
3	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)	12.960	cum	6773.95	87790.39	INR Eighty Seven Thousand Seven Hundred & Ninety and Paise Thirty Nine Only
4	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : 1:1.5:3(1 cement: 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	61.560	cum	8343.45	513622.78	INR Five Lakh Thirteen Thousand Six Hundred & Twenty Two and Paise Seventy Eight Only
5	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	35.120	cum	9466.00	332445.92	INR Three Lakh Thirty Two Thousand Four Hundred & Forty Five and Paise Ninety Two Only
6	Thermo-Mechanically Treated bars of grade Fe-500D or more.1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	7734.400	cum	105.60	816752.64	INR Eight Lakh Sixteen Thousand Seven Hundred & Fifty Two and Paise Sixty Four Only
7	Centering and shuttering including strutting, propping etc. and removal of form for Foundations, footings, bases of columns, etc. for mass concrete	108.000	sqm	277.90	30013.20	INR Thirty Thousand & Thirteen and Paise Twenty Only
8	Centering and shuttering including strutting, propping etc. and removal of form for Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	126.060	sqm	562.72	70936.48	INR Seventy Thousand Nine Hundred & Thirty Six and Paise Forty Eight Only
9	<b>Part(B) PARAPIT WALL :</b> Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and for all lift, as directed by Engineer-in-charge.	22.500	cum	139.70	3143.25	INR Three Thousand One Hundred & Forty Three and Paise Twenty Five Only
10	Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.	1.500	cum	1438.10	2157.15	INR Two Thousand One Hundred & Fifty Seven and Paise Fifteen Only
11	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)	3.000	cum	6773.95	20321.85	INR Twenty Thousand Three Hundred & Twenty One and Paise Eighty Five Only
12	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : 1:1.5:3(1 cement: 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	6.000	cum	8343.45	50060.70	INR Fifty Thousand & Sixty and Paise Seventy Only
13	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	12.000	cum	9466.00	113592.00	INR One Lakh Thirteen Thousand Five Hundred & Ninety Two Only
14	Thermo-Mechanically Treated bars of grade Fe-500D or more.1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	1440.000	cum	105.60	152064.00	INR One Lakh Fifty Two Thousand & Sixty Four Only

15	Centering and shuttering including strutting, propping etc. and removal of form for Foundations, footings, bases of columns, etc. for mass concrete	20.000	sqm	277.90	5558.00	INR Five Thousand Five Hundred & Fifty Eight Only
16	Centering and shuttering including strutting, propping etc. and removal of form for Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	120.000	sqm	562.72	67526.40	INR Sixty Seven Thousand Five Hundred & Twenty Six and Paise Forty Only
17	<b>Part - (C) RAMP</b> : Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and for all lift, as directed by Engineer-in-charge.	120.000	cum	139.70	16764.00	INR Sixteen Thousand Seven Hundred & Sixty Four Only
18	Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.	24.000	cum	1438.10	34514.40	INR Thirty Four Thousand Five Hundred & Fourteen and Paise Forty Only
19	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)	36.000	cum	6773.95	243862.20	INR Two Lakh Forty Three Thousand Eight Hundred & Sixty Two and Paise Twenty Only
20	Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 40 mm nominal size) in pavements, laid to required slope and camber in panels as required including consolidation finishing and tamping complete.	72.000	cum	7307.30	526125.60	INR Five Lakh Twenty Six Thousand One Hundred & Twenty Five and Paise Sixty Only
21	<b>Part -(D) ROOM</b> : Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and for all lift, as directed by Engineer-in-charge.	30.150	Cum	139.70	4211.96	INR Four Thousand Two Hundred & Eleven and Paise Ninety Five Only
22	Supplying and filling in plinth with sand under floors, including watering, ramming, consolidating and dressing complete.	7.470	Cum	1438.10	10742.61	INR Ten Thousand Seven Hundred & Forty Two and Paise Sixty One Only
23	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)	14.940	Cum	6773.95	101202.81	INR One Lakh One Thousand Two Hundred & Two and Paise Eighty One Only
24	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 5.0 in foundation and plinth in: Cement mortar 1:6(1 cement :6 coarse sand)	33.180	Cum	6770.05	224630.26	INR Two Lakh Twenty Four Thousand Six Hundred & Thirty and Paise Twenty Six Only
25	Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 5.0 in superstructure above plinth level up to floor V level in all shapes and sizes in :	70.000	Cum	7988.95	559226.50	INR Five Lakh Fifty Nine Thousand Two Hundred & Twenty Six and Paise Fifty Only
26	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	1500.000	Kg	114.90	172350.00	INR One Lakh Seventy Two Thousand Three Hundred & Fifty Only
27	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	95.220	Sqm	112.30	10693.21	INR Ten Thousand Six Hundred & Ninety Three and Paise Twenty One Only
28	12 mm cement plaster of mix: 1:6(1 cement: 6 fine sand)	703.590	Sqm	230.60	162247.85	INR One Lakh Sixty Two Thousand Two Hundred & Forty Seven and Paise Eighty Five Only
29	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	703.590	Sqm	114.95	80877.67	INR Eighty Thousand Eight Hundred & Seventy Seven and Paise Sixty Seven Only
30	Finishing walls with water proofing cement paint of required shade: Finishing walls with water proofing cement paint of required shade:	307.950	Sqm	74.05	22803.70	INR Twenty Two Thousand Eight Hundred & Three and Paise Seventy Only
31	Distemper with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gram/litre, of approved manufacturer and of required shade and colour all complete to achieve even shade and colour: New work (two or more coats) over and including water thinnable priming coat with cement primer having VOC content less than 50 gram/litre	703.590	Sqm	128.05	90094.70	INR Ninety Thousand & Ninety Four and Paise Seventy Only
32	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20 mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. Size of Tile 600x600 mm	74.520	Sqm	1385.20	103225.10	INR One Lakh Three Thousand Two Hundred & Twenty Five and Paise Ten Only
33	Providing and laying Vitrified tiles in different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS: 15622, of approved brand & manufacturer, in all colours and shade, in skirting, riser of steps, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm thickness, including grouting of joints (Payment for grouting of joints to be made separately). Size of Tile 600x600 mm	12.780	Sqm	1644.20	21012.88	INR Twenty One Thousand & Twelve and Paise Eighty Eight Only
34	Providing and laying Ceramic glazed floor tiles of size 300x300 mm (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick bed of cement mortar 1:4 (1 Cement : 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sq.m including pointing the joints with white cement and matching pigments etc., complete.	17.160	Sqm	1436.20	24645.19	INR Twenty Four Thousand Six Hundred & Forty Five and Paise Nineteen Only
35	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3(1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	58.770	Sqm	1131.60	66504.13	INR Sixty Six Thousand Five Hundred & Four and Paise Thirteen Only

36	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / panelling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, panelling and dash fasteners to be paid for separately) : Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	16.200	Kg	528.30	<b>8558.46</b>	INR Eight Thousand Five Hundred & Fifty Eight and Paise Forty Six Only
37	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately)	18.360	Sqm	596.55	<b>10952.66</b>	INR Ten Thousand Nine Hundred & Fifty Two and Paise Sixty Six Only
38	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 4.0 mm thickness (weight not less than 10kg/sqm)	5.670	Sqm	921.75	<b>5226.32</b>	INR Five Thousand Two Hundred & Twenty Six and Paise Thirty Two Only
39	10 Users septic tank	1.000	Each	51882.68	<b>51882.68</b>	INR Fifty One Thousand Eight Hundred & Eighty Two and Paise Sixty Eight Only
40	Extra for depth beyond 45 cm of brick masonry chamber : For 455x610 mm size With common burnt clay F.P.S. (non modular) bricks of class designation 5.0	1.000	Each	5603.00	<b>5603.00</b>	INR Five Thousand Six Hundred & Three Only
41	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.	26.800	Meter	338.50	<b>9071.80</b>	INR Nine Thousand & Seventy One and Paise Eighty Only
42	Providing and fixing water closet squatting pan (Indian type W.C. pan ) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests	3.000	Each	4328.85	<b>12986.55</b>	INR Twelve Thousand Nine Hundred & Eighty Six and Paise Fifty Five Only
43	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Flat back wash basin size 550x 400 mm with single 15 mm C.P. brass pillar tap	3.000	Each	2008.95	<b>6026.85</b>	INR Six Thousand & Twenty Six and Paise Eighty Five Only
44	Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS : 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes but without fittings and the base support for tank.	1500.000	liter	9.60	<b>14400.00</b>	INR Fourteen Thousand Four Hundred Only
45	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply and all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall 25 mm nominal dia Pipes	150.000	Meter	332.05	<b>49807.50</b>	INR Forty Nine Thousand Eight Hundred & Seven and Paise Fifty Only
46	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply and all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall 20mm nominal dia Pipes	36.000	Meter	279.20	<b>10051.20</b>	INR Ten Thousand & Fifty One and Paise Twenty Only
47	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply and all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall 15 mm nominal dia Pipes	9.782	Meter	214.60	<b>2099.22</b>	INR Two Thousand & Ninety Nine and Paise Twenty Two Only
48	Providing and fixing PTMT bib cock of approved quality and colour. 15 mm nominal bore, 86 mm long, weighing not less than 88 gms	12.000	Each	172.90	<b>2074.80</b>	INR Two Thousand & Seventy Four and Paise Eighty Only
49	Providing and fixing brass stop cock of approved quality : 15 mm nominal bore	9.000	Each	178.70	<b>1608.30</b>	INR One Thousand Six Hundred & Eight and Paise Thirty Only
50	Providing and fixing gun metal gate valve with C.I. wheel of approved quality (screwed end) : 25 mm nominal bore	3.000	Each	440.50	<b>1321.50</b>	INR One Thousand Three Hundred & Twenty One and Paise Fifty Only
51	Providing reinforced by organic fibres and/or inorganic synthetic fibres cement 6 mm thick corrugated sheets (as per IS: 14871) roofing up to any pitch and fixing with polymer coated J or L hooks, bolts and nuts 8 mm dia. G.I. plain and bitumen washers or with self drilling fastener and EPDM washers etc. complete (excluding the cost of purlins, rafters and trusses), including cutting sheets to size and shape wherever required.	158.880	sqm	420.05	<b>66737.54</b>	INR Sixty Six Thousand Seven Hundred & Thirty Seven and Paise Fifty Four Only

52	Providing and fixing false ceiling at all heights including providing and fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm centre to centre, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50 mm long with 6 mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm centre to centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm centre to centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25 mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5 x 25 mm at 230 mm c/c, including jointing and finishing to a flush finish of tapered and square edges of the board with recommended jointing compound, jointing tapes, finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with : 12.5 mm thick tapered edge gypsum moisture resistant board	159.510	Sqm	1086.05	173235.84	INR One Lakh Seventy Three Thousand Two Hundred & Thirty Five and Paise Eighty Four Only
53	<b>Part - (E) Drain</b> : Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead upto 50 m and for all lift, as directed by Engineer-in-charge.	24.000	CUM	139.70	3352.80	INR Three Thousand Three Hundred & Fifty Two and Paise Eighty Only
54	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)	2.400	CUM	6773.95	16257.48	INR Sixteen Thousand Two Hundred & Fifty Seven and Paise Forty Eight Only
55	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level : 1:1.5:3(1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	6.880	CUM	8343.45	57402.94	INR Fifty Seven Thousand Four Hundred & Two and Paise Ninety Four Only
56	Thermo-Mechanically Treated bars of grade Fe-500D or more.1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	440.660	KG	105.60	46533.70	INR Forty Six Thousand Five Hundred & Thirty Three and Paise Seventy Only
57	Centering and shuttering including strutting, propping etc. Walls (any thickness) including attached pilasters, buttresses, plinth and string courses etc.	64.000	SQM	562.72	36014.08	INR Thirty Six Thousand & Fourteen and Paise Eight Only
58	<b>PART - (F) Guard wall</b> . Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, for all lift, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil.	36.000	cum	205.80	7408.80	INR Seven Thousand Four Hundred & Eight and Paise Eighty Only
59	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:3:6 (1 Cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources)	4.500	cum	6773.95	30482.78	INR Thirty Thousand Four Hundred & Eighty Two and Paise Seventy Seven Only
60	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	30.000	cum	9466.00	283980.00	INR Two Lakh Eighty Three Thousand Nine Hundred & Eighty Only
61	Centering and shuttering including strutting, propping etc. and removal of form for Foundations, footings, bases of columns, etc. for mass concrete	180.000	Sqm	277.90	50022.00	INR Fifty Thousand & Twenty One and Paise One Hundred Only
62	Thermo-Mechanically Treated bars of grade Fe-500D or more.1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)	2400.000	Kg	105.60	253440.00	INR Two Lakh Fifty Three Thousand Four Hundred & Forty Only
63	Centering and shuttering including strutting, propping etc. and removal of form for Lintels, beams, plinth beams, girders, bressumers and cantilevers	100.000	Sqm	513.35	51335.00	INR Fifty One Thousand Three Hundred & Thirty Five Only
64	<b>Total impact of GST for the purpose of CTC</b>	1.000	Nos	0.00	0.00	INR Zero Only
<b>Total in Figures</b>					<b>6045685.26</b>	INR Sixty Lakh Forty Five Thousand Six Hundred & Eighty Five and Paise Twenty Six Only
<b>Quoted Rate in Figures</b>			Select		<b>0.00</b>	INR Zero Only
<b>Quoted Rate in Words</b>		<b>INR Zero Only</b>				